

S  
551.48  
H30  
1925  
C.2

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

STATE DOCUMENT

# ANNUAL PEAK DISCHARGES FROM SMALL DRAINAGE AREAS IN MONTANA

Through September 1974



Prepared for the  
STATE OF MONTANA, DEPARTMENT OF HIGHWAYS  
PLANNING AND RESEARCH BUREAU  
in cooperation with the  
U.S. Department of Transportation,  
Federal Highway Administration and the  
U.S. Department of Agriculture, Forest Service

HELENA, MONTANA  
MARCH 1975

MONTANA STATE LIBRARY  
930 East Lyndale Avenue  
Helena, Montana 59601

Montana State Library



3 0864 1006 4301 7

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

ANNUAL PEAK DISCHARGE FROM SMALL  
DRAINAGE AREAS IN MONTANA  
THROUGH SEPTEMBER 1974

by

M. V. Johnson  
and  
R. J. Omang

The opinions, findings, and conclusions expressed in this publication are those of the USGS and not necessarily those of the State of Montana-Department of Highways or the Federal Highway Administration.

Open-file report

Helena, Montana  
1975



Digitized by the Internet Archive  
in 2013

## CONTENTS

	Page
List of gaging stations, in downstream order, for which records are published . . . . .	IV
Introduction . . . . .	1
Purpose of the program . . . . .	2
Program operation . . . . .	3
Program activities, 1974 water year . . . . .	4
Program plans, 1975 water year . . . . .	5
Presentation of data . . . . .	6
Station data . . . . .	9
Index . . . . .	162

## ILLUSTRATIONS

Figure 1.	Map showing location of current crest- stage stations . . . . .	169
Figure 2.	Map showing location of discontinued crest- stage stations . . . . .	170

## TABLE

Table 1.	Factors for converting English Units to International System (SI) Units . . . . .	8
----------	--	---

## IV

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER BASIN	
Red Rock River (head of Missouri River):	
LONG CREEK BASIN	
Long Creek near Lakeview . . . . .	9
TRIBUTARY BETWEEN LONG CREEK AND LIMA RESERVOIR	
Red Rock River tributary near Monida . . . . .	9
JUNCTION CREEK BASIN	
Junction Creek:	
Traux Creek near Lima . . . . .	10
BIG SHEEP CREEK BASIN	
Big Sheep Creek:	
Muddy Creek near Dell . . . . .	10
Big Sheep Creek below Muddy Creek, near Dell . . . .	11
SAGE CREEK BASIN	
Sage Creek:	
Sage Creek tributary near Dell . . . . .	11
Beaverhead River (continuation of Red Rock River):	
GRASSHOPPER CREEK BASIN	
Grasshopper Creek near Dillon . . . . .	12
TRIBUTARIES BETWEEN GRASSHOPPER CREEK AND RUBY RIVER	
Beaverhead River tributary near Dillon . . . . .	13
Beaverhead River tributary No. 2 near Dillon . . . .	13
RUBY RIVER BASIN	
Ruby River:	
Idaho Creek near Alder . . . . .	14
BIG HOLE RIVER BASIN	
Big Hole River:	
Moose Creek near Divide . . . . .	14
Jefferson River (continuation of Beaverhead River):	
FISH CREEK BASIN	
Fish Creek near Silver Star . . . . .	15
TRIBUTARIES BETWEEN FISH CREEK AND BOULDER RIVER	
Jefferson River tributary near Whitehall . . . . .	15
Jefferson River tributary No. 2 near Whitehall . . . .	16
BOULDER RIVER BASIN	
Boulder River:	
Basin Creek:	
Cataract Creek near Basin . . . . .	16
SAND CREEK BASIN	
Sand Creek at Sappington . . . . .	17
TRIBUTARIES BETWEEN SAND CREEK AND MADISON RIVER	
Jefferson River tributary No. 3 near Sappington . . .	17
Jefferson River tributary No. 4 near Three Forks . . .	18
Jefferson River tributary No. 5 near Three Forks . . .	18

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

Page

MISSOURI RIVER (continuation of Jefferson River):	
GALLITAN RIVER BASIN	
Gallatin River:	
Squaw Creek near Gallatin Gateway . . . . .	19
Logger Creek near Gallatin Gateway . . . . .	19
Rocky Creek (head of East Gallatin River) near Bozeman . . . . .	20
Pitcher Creek near Bozeman . . . . .	20
Bear Canyon Creek near Bozeman . . . . .	21
SIXTEENMILE CREEK BASIN	
Sixteenmile Creek:	
Lost Creek near Ringling . . . . .	22
DEEP CREEK BASIN	
Deep Creek:	
Castle Creek:	
Castle Creek tributary near Ringling . . . . .	22
Cabin Creek near Townsend . . . . .	23
Deep Creek below North Deep Creek, near Townsend . .	23
SPOKANE CREEK BASIN	
Spokane Creek:	
Mitchell Gulch near East Helena . . . . .	24
PRICKLY PEAR CREEK BASIN	
Prickly Pear Creek:	
McClellan Creek:	
Jackson Creek near East Helena . . . . .	24
Crystal Creek near East Helena . . . . .	25
McClellan Creek at city diversion dam, near East Helena . . . . .	25
Tenmile Creek:	
Walker Creek:	
Little Porcupine Creek:	
Little Porcupine Creek tributary near Helena	26
LITTLE PRICKLY PEAR CREEK BASIN	
Little Prickly Pear Creek:	
Lyons Creek near Wolf Creek . . . . .	27
DOG CREEK BASIN	
Dog Creek near Craig . . . . .	27
WEGNER CREEK BASIN	
Wegner Creek basin at Craig . . . . .	28
SMITH RIVER BASIN	
Smith River:	
Fivemile Creek near White Sulphur Springs . . . . .	28
Newland Creek near White Sulphur Springs . . . . .	29
Sheep Creek near Neihart . . . . .	30
Nuggett Creek near Neihart . . . . .	30
Smith River tributary near Eden . . . . .	31
Goodman Coulee near Eden . . . . .	31



CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER--Continued	
SUN RIVER BASIN	
Sun River:	
Beaver Creek at Gibson Dam, near Augusta . . . . .	32
Muddy Creek:	
Muddy Creek tributary near Power . . . . .	32
Sun River tributary near Great Falls . . . . .	33
MARIAS RIVER BASIN	
Marias River:	
Dry Fork Marias River:	
Middle Fork Dry Fork Marias River near Dupuyer . . . . .	33
Heines Coulee:	
Heines Coulee tributary near Valier . . . . .	34
Lone Man Coulee near Valier . . . . .	35
Pondera Coulee:	
Favot Coulee:	
Favot Coulee tributary near Ledger . . . . .	35
Marias River tributary No. 3 near Chester . . . . .	36
Cottonwood Creek:	
Cottonwood Creek tributary near Chester . . . . .	36
Cottonwood Creek tributary No. 2 near Chester . . . . .	37
Dead Indian Coulee near Fort Benton . . . . .	37
Dry Fork Coulee:	
Dry Fork Coulee tributary near Loma . . . . .	38
Marias River tributary at Loma . . . . .	38
Marias River tributary No. 2 at Loma . . . . .	39
Teton River:	
Deep Creek:	
Bruce Coulee:	
Bruce Coulee tributary near Choteau . . . . .	40
Kinley Coulee near Dutton . . . . .	40
Kinley Coulee tributary near Dutton . . . . .	41
LITTLE SANDY CREEK BASIN	
Little Sandy Creek:	
Little Sandy Creek tributary near Virgelle . . . . .	41
ALKALI COULEE BASIN	
Alkali Coulee:	
Alkali Coulee tributary near Virgelle . . . . .	41
JUDITH RIVER BASIN	
Judith River:	
Judith River tributary near Utica . . . . .	42
Judith River tributary No. 2 near Utica . . . . .	42
Big Spring Creek:	
Casino Creek:	
Casino Creek tributary near Lewistown . . . . .	43
Cottonwood Creek near Moore . . . . .	43



CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER BASIN--Continued	
TRIBUTARY BETWEEN JUDITH RIVER AND DUVAL CREEK	
Missouri River tributary near Landusky . . . . .	44
DUVAL CREEK BASIN	
Duval Creek near Landusky . . . . .	45
MUSSELSHELL RIVER BASIN	
North Fork Musselshell River:	
Dirty Creek near Martinsdale . . . . .	45
Musselshell River:	
Antelope Creek:	
Antelope Creek tributary near Harlowton . . . . .	45
Antelope Creek tributary near mouth, near	
Harlowton . . . . .	46
Antelope Creek tributary No. 2 near Harlowton . . . . .	47
Antelope Creek at Harlowton . . . . .	47
Fish Creek:	
Spring Creek:	
Spring Creek tributary near Harlowton . . . . .	48
Currant Creek near Roundup . . . . .	49
South Willow Creek:	
South Willow Creek tributary near Roundup . . . . .	49
Musselshell River tributary near Musselshell . . . . .	50
Home Creek near Sumatra . . . . .	50
Home Creek near Melstone . . . . .	51
Butts Coulee near Melstone . . . . .	51
Flatwillow Creek:	
Box Elder Creek:	
South Fork Bear Creek near Roy . . . . .	52
South Fork Bear Creek tributary near Roy . . . . .	52
Box Elder Creek tributary near Winnett . . . . .	53
North Fork McDonald Creek:	
North Fork McDonald Creek tributary near	
Heath . . . . .	53
Alkali Creek near Heath . . . . .	54
South Fork McDonald Creek:	
South Fork McDonald Creek tributary near	
Grassrange . . . . .	55
McDonald Creek at Winnett . . . . .	55
Gorman Coulee near Cat Creek . . . . .	56
Gorman Coulee Tributary near Cat Creek . . . . .	57
Cat Creek near Cat Creek . . . . .	58
BIG DRY CREEK BASIN	
Big Dry Creek:	
Sand Creek:	
Second Creek:	
Second Creek tributary near Jordan . . . . .	58
Second Creek tributary No. 2 near Jordan . . . . .	59
Second Creek tributary No. 3 near Jordan . . . . .	59
Little Dry Creek near Van Norman . . . . .	60

## VIII

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER BASIN--Continued	
MILK RIVER BASIN	
South Fork Milk River:	
Livermore Creek near Babb . . . . .	61
Middle Fork Milk River near Babb . . . . .	61
Dry Fork Milk River near Babb . . . . .	61
Milk River near Del Bonita . . . . .	62
Van Cleeve Coulee:	
Van Cleeve Coulee tributary near Sunburst . . . . .	63
Spring Coulee:	
Spring Coulee tributary near Simpson . . . . .	63
Big Sandy Creek:	
Sage Creek:	
Sage Creek tributary No. 2 near Joplin . . . . .	64
England Coulee at Hingham . . . . .	64
Spring Coulee:	
South Fork Spring Coulee near Havre . . . . .	65
Spring Coulee near Havre . . . . .	65
Big Sandy Creek near Assinniboine . . . . .	66
Bullhook Creek near Havre . . . . .	67
Milk River tributary near Lohman . . . . .	67
Alkali Creek:	
West Fork Alkali Creek:	
Black Coulee near Malta . . . . .	68
Alkali Creek near Malta . . . . .	68
Disjardin Coulee near Malta . . . . .	69
South Fork Taylor Creek near Malta . . . . .	69
Lime Creek:	
Unger Coulee near Vandalia . . . . .	70
Chapman Coulee:	
Mooney Coulee near Tampico . . . . .	71
Milk River tributary No. 2 near Glasgow . . . . .	71
Willow Creek:	
Willow Creek tributary near Fort Peck . . . . .	71
Milk River tributary No. 3 near Glasgow . . . . .	72
Porcupine Creek:	
Snow Coulee at Opheim . . . . .	72
SAND CREEK BASIN	
Sand Creek:	
East Fork Sand Creek near Vida . . . . .	72
WOLF CREEK BASIN	
West Fork Wolf Creek near Lustre . . . . .	73
East Fork Wolf Creek near Lustre . . . . .	73
Wolf Creek:	
Wolf Creek tributary near Wolf Point . . . . .	74

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER BASIN--Continued	
WOLF CREEK BASIN--Continued	
Wolf Creek--Continued	
Wolf Creek tributary No. 2 near Wolf Point . . . . .	74
Wolf Creek near Wolf Point . . . . .	75
REDWATER RIVER BASIN	
Redwater River:	
Duck Creek:	
East Fork Duck Creek near Brockway . . . . .	76
Duck Creek near Brockway . . . . .	76
Redwater River at Brockway . . . . .	77
Tusler Creek near Brockway . . . . .	78
Tusler Creek tributary near Brockway . . . . .	78
Redwater River tributary near Brockway . . . . .	79
Dry Ash Creek:	
South Fork Dry Ash Creek near Circle . . . . .	80
McCune Creek near Circle . . . . .	80
Cow Creek:	
Cow Creek tributary near Vida . . . . .	81
Wolf Creek:	
Wolf Creek tributary near Vida . . . . .	82
POPLAR RIVER BASIN	
Poplar River:	
Butte Creek:	
Butte Creek tributary near Four Buttes . . . . .	82
Missouri River tributary No. 2 near Brockton . . . . .	82
BIG MUDDY CREEK BASIN	
Big Muddy Creek:	
North Fork Big Muddy Creek:	
Middle Fork Big Muddy Creek near Flaxville . . . . .	83
Big Muddy Creek at Plentywood . . . . .	83
Box Elder Creek near Plentywood . . . . .	84
Box Elder Creek at damsite, near Plentywood . . . . .	85
Spring Creek near Plentywood . . . . .	85
Spring Creek at Highway 16, near Plentywood . . . . .	86
Lost Creek:	
Lost Creek tributary near Homestead . . . . .	86
Big Muddy Creek tributary near Culbertson . . . . .	87
Missouri River tributary No. 3 near Culbertson . . . . .	87
Missouri River tributary No. 4 near Bainville . . . . .	88
Missouri River tributary No. 5 at Culbertson . . . . .	88
YELLOWSTONE RIVER BASIN	
Yellowstone River:	
Yellowstone River tributary near Greycliff . . . . .	89
Bridger Creek near Greycliff . . . . .	89
Work Creek near Reed Point . . . . .	90
Hump Creek near Reed Point . . . . .	91

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER BASIN--Continued	
YELLOWSTONE RIVER BASIN--Continued	
Yellowstone river--Continued	
Berry Creek near Columbus . . . . .	91
Allen Creek near Park City . . . . .	92
Pryor Creek:	
Wets Creek near Billings . . . . .	93
West Buckeye Creek near Billings . . . . .	93
Pryor Creek near Billings . . . . .	94
Twelvemile Creek near Shepherd . . . . .	96
Crooked Creek:	
Crooked Creek tributary near Shepherd . . . . .	96
Yellowstone River tributary No. 2 near Pompeys Pillar . . . . .	97
Bighorn River:	
Little Bighorn River:	
Little Bighorn River tributary near Wyola . .	97
Long Otter Creek near Lodgegrass . . . . .	98
Andresen Coulee near Custer . . . . .	98
Tullock Creek:	
Tullock Creek tributary near Hardin . . . . .	98
Unknown Creek near Bighorn . . . . .	99
Buckingham Coulee near Myers . . . . .	99
West Fork Froze to Death Creek:	
Middle Fork Froze to Death Creek:	
Middle Fork Froze to Death Creek tributary near Ingomar . . . . .	100
Sarpy Creek:	
Sarpy Creek tributary near Colstrip . . . . .	100
Great Porcupine Creek:	
Horse Creek:	
Anderson Creek at Vananda . . . . .	101
East Fork Armells Creek:	
East Fork Armells Creek tributary near Colstrip.	101
Short Creek near Forsyth . . . . .	102
Little Porcupine Creek near Forsyth . . . . .	102
Rosebud Creek near Kirby . . . . .	103
Rosebud Creek tributary near Busby . . . . .	103
Ridgewalker Creek near Busby . . . . .	104
Muddy Creek:	
Whitedirt Creek near Lame Deer . . . . .	104
Rosebud Creek near Forsyth . . . . .	105
Snell Creek near Hathaway . . . . .	105
Reservation Creek near Miles City . . . . .	106
Tongue River:	
Spring Creek near Decker . . . . .	106
Leaf Rock Creek near Kirby . . . . .	107
Canyon Creek near Birney . . . . .	108

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

	Page
MISSOURI RIVER BASIN--Continued	
YELLOWSTONE RIVER BASIN--Continued	
Yellowstone River--Continued	
Tie Creek near Birney . . . . .	108
Spring Creek near Ashland . . . . .	108
Walking Horse Creek near Ashland . . . . .	109
Otter Creek:	
Cow Creek near Fort Howes ranger station, near Otter . . . . .	109
Brian Creek near Ashland . . . . .	109
Stebbins Creek near Ashland . . . . .	110
Stebbins Creek at mouth, near Ashland . . . . .	110
Jack Creek near Volborg . . . . .	111
Pumpkin Creek:	
Sixmile Creek:	
Sixmile Creek tributary near Epsie . . . . .	111
Basin Creek:	
Basin Creek tributary near Volborg . . . . .	111
Basin Creek near Volborg . . . . .	112
Deer Creek:	
Deer Creek tributary near Volborg . . . . .	113
La Grange Creek near Volborg . . . . .	113
North Sunday Creek:	
North Sunday Creek tributary near Rock Springs . . . . .	113
Dry House Creek near Angela . . . . .	114
North Sunday Creek tributary No. 2 near Angela . . . . .	114
Tree Coulee near Kinsey . . . . .	115
Deep Creek near Kinsey . . . . .	115
Cottonwood Creek:	
Ash Creek near Locate . . . . .	116
Powder River:	
Sand Creek near Broadus . . . . .	116
Little Powder River:	
Badger Creek at Biddle . . . . .	117
Powder River tributary near Powderville . . . . .	117
Cut Coulee near Mizpah . . . . .	117
Meyers Creek near Locate . . . . .	118
Locate Creek:	
Locate Creek tributary near Locate . . . . .	118
Cherry Creek:	
Cherry Creek tributary near Terry . . . . .	118
O'Fallon Creek near Ismay . . . . .	119
O'Fallon Creek tributary near Ismay . . . . .	119



CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

Page

MISSOURI RIVER BASIN--Continued	
YELLOWSTONE RIVER BASIN--Continued	
Yellowstone River--Continued	
O'Fallon Creek:	
Sandstone Creek:	
Red Butte Creek:	
Deep Creek near Baker . . . . .	120
Pennell Creek near Baker . . . . .	120
Yellowstone River tributary No. 4 near Fallon . .	121
Cabin Creek:	
Spring Creek:	
Spring Creek tributary near Fallon . . . . .	121
Yellowstone River tributary No. 5 near Marsh . . .	122
Glendive Creek:	
Griffith Creek near Glendive . . . . .	122
Griffith Creek tributary near Glendive . . . .	123
Krug Creek:	
Krug Creek tributary near Wibaux . . . . .	123
Yellowstone River tributary No. 6 near Glendive .	123
Thirteenmile Creek:	
Thirteenmile Creek tributary near Bloomfield . .	124
Linden Creek at Intake . . . . .	124
Indian Creek at Intake . . . . .	125
War Dance Creek near Intake . . . . .	125
Alkali Creek:	
Fox Creek:	
Fox Creek tributary near Lambert . . . . .	126
First Hay Creek near Sidney . . . . .	126
LITTLE MISSOURI RIVER BASIN	
Little Missouri River:	
Thompson Creek:	
North Creek near Alzada . . . . .	127
North Fork Willow Creek:	
Wolf Creek near Hammond . . . . .	128
Willow Creek near Alzada . . . . .	128
Little Missouri River tributary near Albion . . .	129
Box Elder Creek:	
Box Elder Creek tributary near Albion . . . . .	129
North Fork Coal Bank Creek near Mill Iron . . .	130
Soda Creek:	
Soda Creek tributary near Webster . . . . .	130
Beaver Creek:	
Spring Creek near Wibaux . . . . .	131

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

Page

## UPPER COLUMBIA RIVER BASIN

## Columbia River:

## KOOTENAI RIVER BASIN

## Kootenai River:

## Fortine Creek:

## Swamp Creek:

Cayuse Creek near Trego . . . . .	132
Fortine Creek near Trego . . . . .	132
Deep Creek near Fortine . . . . .	133
Kootenai River tributary near Rexford . . . . .	133
Gold Creek near Rexford . . . . .	134
Little Jackson Creek near Libby . . . . .	134

## Fisher River:

## Wolf Creek:

Wolf Creek tributary near Libby . . . . .	135
Richards Creek near Libby . . . . .	135
Peoples Creek near Libby . . . . .	135
Severn Gulch near Jennings . . . . .	136
Tub Gulch near Libby . . . . .	136

## Libby Creek:

## Big Cherry Creek:

## Granite Creek:

Shaughnessy Creek near Libby . . . . .	137
Ross Creek (head of Lake Creek) near Troy . . . . .	137
Camp Creek near Troy . . . . .	138
East Fork Yaak River:	
Blacktail Creek near Yaak . . . . .	138
South Fork Yaak River:	
Zulu Creek near Yaak . . . . .	138
Yaak River:	
Whitetail Creek near Yaak . . . . .	139
Cyclone Creek near Yaak . . . . .	139
Fourth of July Creek near Yaak . . . . .	140

## PEND OREILLE RIVER BASIN

## Silver Bow Creek (head of Pend Oreille River):

Smith Gulch near Silver Bow . . . . .	140
---------------------------------------	-----

## Clark Fork (continuation of Silver Bow Creek):

Clark Fork tributary near Drummond . . . . .	141
Morris Creek near Drummond . . . . .	141
Edwards Gulch at Drummond . . . . .	142

## Blackfoot River:

Monture Creek at Forest Service boundary, near Ovando . . . . .	142
West Twin Creek near Bonner . . . . .	143
Marshall Creek near Missoula . . . . .	143



CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

Page

UPPER COLUMBIA RIVER BASIN--Continued	
Columbia River--Continued	
PEND OREILLE RIVER BASIN--Continued	
Clark Fork--Continued	
Bitterroot River:	
Burke Gulch near Darby . . . . .	144
Camas Creek near Hamilton . . . . .	144
Sleeping Child Creek near Hamilton . . . . .	145
Willow Creek near Corvallis . . . . .	145
Sweathouse Creek:	
Gash Creek near Victor . . . . .	146
Kootenai Creek near Stevensville . . . . .	147
Burnt Fork Bitterroot River near Stevensville .	147
Eightmile Creek near Florence . . . . .	149
Hays Creek near Missoula . . . . .	149
Ninemile Creek near Alberton . . . . .	150
Nigger Gulch near Alberton . . . . .	150
Flat Creek near Superior . . . . .	151
Thompson Creek near Superior . . . . .	151
St. Regis River:	
East Fork Timber Creek near Haugan . . . . .	151
St. Regis River tributary near St. Regis . . . .	152
North Fork Little Joe Creek near St. Regis . . .	152
North Fork Flathead River:	
Big Creek at Big Creek ranger station, near Columbia Falls . . . . .	153
Middle Fork Flathead River:	
Bear Creek:	
Skyland Creek near Essex . . . . .	153
Moccasin Creek near West Glacier . . . . .	154
Middle Fork Flathead River tributary at West Glacier . . . . .	155
Flathead River:	
Stillwater River:	
Spring Creek near Stryker . . . . .	155
Rock Creek near Olney . . . . .	155
Flathead Lake:	
Dayton Creek near Proctor . . . . .	156
Teepee Creek near Polson . . . . .	157
Hell Roaring Creek near Polson . . . . .	157
Flathead River:	
Little Bitterroot River:	
Mill Creek near Niarada . . . . .	158
Sullivan Creek:	
Sullivan Creek tributary near Niarada . . .	159
Garden Creek near Hot Springs . . . . .	159

CREST-STAGE GAGE STATIONS, IN DOWNSTREAM ORDER,  
FOR WHICH RECORDS ARE PUBLISHED

Page

UPPER COLUMBIA RIVER BASIN--Continued

Columbia River--Continued

PEND OREILLE RIVER BASIN--Continued

Clark Fork--Continued

Thompson Lakes (head of Thompson River):

McGregor Lake:

McGregor Creek tributary near Marion . . . . . 160

Vermilion River:

Canyon Creek near Trout Creek . . . . . 160

South Fork Pilgrim Creek:

West Fork Pilgrim Creek:

Skelton Creek near Noxon . . . . . 161

East Fork Bull River:

Snake Creek near Noxon . . . . . 161



ANNUAL PEAK DISCHARGES FROM SMALL  
DRAINAGE AREAS IN MONTANA  
THROUGH SEPTEMBER 1974

by  
M. V. Johnson and R. J. Omang

---

INTRODUCTION

A program to investigate the magnitude and frequency of floods from small drainage areas in Montana was begun July 1, 1955. Originally 45 crest-stage gaging stations were established. The program was expanded to 152 stations in 1959, and to 216 stations in 1963. About 214 stations were operated from 1963 to 1967, 199 were operated from 1968 through part of 1970, and 193 through the remainder of 1970 and through 1973. At the end of the 1973 water year 51 stations were discontinued east of Continental Divide and 11 stations were discontinued west of the divide. During the 1974 water year 45 new stations east of the divide and 15 new stations west of the divide were established. A total of 191 stations were in operation at the end of the 1974 water year. Presently the Montana Department of Highways, Planning and Research Bureau, and the U.S. Forest Service support the cooperative program with the U.S. Geological Survey. The U.S. Department of Transportation, Federal Highway Administration, cooperates by reimbursing the Department of Highways for about 80 percent of the Department's costs.

This, the twentieth annual report, is primarily a tabulation, by water year, of the annual peak stage and discharge at each crest-stage gaging station. Also, it summarizes the activities and progress made during the 1974 water year.

Data on outstanding flood events and streamflow, collected under other programs at sites where crest-stage gages are not operated, are furnished during the year to cooperating agencies upon request.

#### PURPOSE OF THE PROGRAM

The purpose of the program is to define the magnitude and frequency of floods, on a regional basis, for Montana. Hydrologic data on small drainage areas are collected to supplement data obtained from the established stream-gaging program of the Geological Survey. The ultimate objective is to provide methods for estimating the flood peak magnitudes expected on the average as infrequently as once each 100 years.

A part of the program has been fulfilled by a report<sup>1/</sup> based on data collected from 1955 through 1966. That report presents a method to determine the magnitude of floods having 10-year and 25-year recurrence intervals for drainage areas of less than 100 square miles.

<sup>1/</sup> Boner, F. C., and Omang, R. J., 1967, Magnitude and frequency of floods from drainage areas less than 100 square miles in Montana: U.S. Geol. Survey open-file report, 23 p.

## PROGRAM OPERATION

At each gaging station one or more standard Geological Survey crest-stage gages record the maximum stage reached by the water surface. Many stations are located at highway culverts, which are used as a control structure for rating the peak discharge. The peak discharge can be computed from the shape of the channel near the culvert, the culvert geometry, and the water-surface profile upstream and downstream from the culvert at the time of the peak flow. The water-surface profile, obtained from marks recorded on the crest-stage gages, is usually supplemented by nearby high-water marks along the stream channel.

Two continuous-record gaging stations, formerly a part of other cooperative programs, are currently operated as part of this program. These stations supplement the crest-stage network as records from them help establish the dates of peaks at crest-stage sites. Also, the records are used to compare the magnitude of peaks recorded by crest-stage gages with peaks recorded before this program began. Climatological data published by the National Weather Service are also used to determine the dates of peak discharge.

Since 1955, peak-flow data have been collected for various periods at 288 different sites. Throughout the 1974 water year, 191 gages were operated, 35 gages are west of the Continental Divide and 156 are east of the divide. The approximate location and the status of each current station is shown on Figure 1. The approximate location and status of each discontinued station is shown on Figure 2.

The gaging stations provide information from drainage areas that range in size from less than one square mile to several hundred square miles. The areas represent various hydrologic conditions. During 1974 the network had 28 stations having drainage areas less than 1 square mile, 115 stations having from 1 to 10 square miles, 41 stations having from 10 to 50 square miles, and 7 stations having more than 50 square miles.

#### PROGRAM ACTIVITIES, 1974 WATER YEAR

In addition to operation of the existing crest-stage gages, 60 new stations were established. At each new site recovery of the 1973 and 1974 peak stages as well as any higher flood marks from previous years was attempted. Also sufficient data were obtained at many of the new sites to enable peak flow to be computed by indirect methods.



Program operation included discontinuing stations where 15 years of record had accumulated. At the end of the 1974 water year 24 stations east of the divide and 8 stations west of the divide were discontinued.

Substantial peak flows occurred during the 1974 water year, however, storm patterns varied greatly. West of the divide record high flows in January were caused by combined snowmelt and rain. Peak flows in mountain areas east of the divide during January were caused by snowmelt without contributions from rain. In the prairie area peak flows were mostly caused by isolated rain storms during the summer and spring. Peak flow of record was equalled or exceeded at 12 sites. Transit-stadia surveys of peak flow were made at 12 sites. Flow through culverts was computed to define the stage-discharge relation at the newer sites. West of the divide the stage-discharge relation at most sites was well defined by current meter measurements. Other field work included checking each gage for possible elevation changes by means of closed traverse surveys.

#### PROGRAM PLANS, 1975 WATER YEAR

Program plans include the installation of gages at 110 new sites by July 1, 1975. Sixty of these gages were in operation by July 1, 1974. The other 50 gages were to be operative by July 1, 1975. In order to assure that peak flows during the 1975 water-year would be recorded, the installation of the 50 additional gages were completed by November 1974

During the 1975 water year 53 long-term stations will be operated east of the Continental Divide and 9 west of the divide. In addition, 124 short-term stations will be operated east of the divide and 23 short-term stations west of the divide. In the next several years 37 short-term stations will be discontinued when 15 years of record accumulate for each site.

A report summarizing peak-flow data through Sept. 30, 1975 will be published by Apr. 1, 1976. An analysis of peak flow data collected prior to and including the 1974 water year will be completed by July 1, 1975. A review copy of this report will be available by April 1, 1975. Basin and climatic characteristics used in previous analyses will be re-evaluated on the basis of new maps and longer climatic records. This analysis will investigate the extension of frequency to include magnitudes up to a 100-year flood.

#### PRESENTATION OF DATA

All stations, active and discontinued, are listed in downstream order on pages 9 to 161. Those in the Missouri River basin (Part 6) are listed first, followed by those in the Columbia River basin (Part 12). The part number is the identification numeral of the river basin as used in U.S. Geological Survey Water-Supply Papers. Each station description includes the name, permanent station

number (in parentheses, following name), location, drainage area, period of record, type of gage, and altitude of gage. Following the description, the annual maximum gage height (or stage) and discharge are listed for each water year of record. The date given for each annual peak is as near the actual day on which the peak flow occurred as can be determined from available data. Factors for converting English Units to International System (SI) Units are shown in table 1.

The annual peak discharges are preliminary figures and are subject to revision. Peak discharges listed as "not determined" will be determined when the stage-discharge relation is defined. A listing of "unknown" means a reliable figure of peak discharge is not available. At some of the sites peak discharge cannot be determined until a stage-discharge relation is developed. This may require two or more years of data collection. Explanation of the footnotes used in the station data tabulations are listed below.

- 
- a About.
  - b Backwater from ice.
  - c No evidence of flow during year.
  - d Maximum observed.
  - e Prior to installation of gage.
  - f Peak discharge did not reach bottom of gage.
  - g May have been greater Apr. 1, during ice period.
  - h Maximum daily.
  - i Maximum recorded.
  - j Backwater from Pumpkin Creek.
  - k Peak flow occurred sometime during period May-June.

Table 1.--FACTORS FOR CONVERTING ENGLISH UNITS TO INTERNATIONAL  
SYSTEM (SI) UNITS

The following factors may be used to convert the English units published herein to the International System of Units.

Multiply English units                      by                      to obtain SI units

Length

feet (ft)	.3048	metres (m)
miles (mi)	1.609	kilometres (km)

Area

square miles (mi <sup>2</sup> )	2.59	square kilometres (km <sup>2</sup> )
---------------------------------	------	--------------------------------------

Flow

cubic feet per second (ft <sup>3</sup> /s)	.02832	cubic metres per second (m <sup>3</sup> /s)
---	--------	--

## STATION DATA

## MISSOURI RIVER BASIN

Long Creek near Lakeview, Mt. (06011400)

Location.--Lat 44°42'49", long 112°04'34", in SE¼ sec.10, T.13 S., R.4 W., Beaverhead County, at bridge on county road, 15 mi (24.1 km) northwest of Lakeview.

Drainage area.--33.9 mi<sup>2</sup> (87.8 km<sup>2</sup>).

Records available.--May 1959 to September 1967 (discontinued).

Gage.--Crest-stage gage installed May 12, 1959. Altitude of gage is 6,800 ft (2,070 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Apr. 6, 1960	3.17	235
1961	Apr. 17, 1961	1.00	48
1962	Apr. 27, 1962	3.42	265
1963	June 14, 1963	1.54	83
1964	May 14, 1964	2.72	196
1965	Apr. 29, 1965	2.48	178
1966	Apr. 11, 1966	1.86	128
1967	May 11, 1967	2.23	140

Red Rock River tributary near Monida, Mt. (06011900)

Location.--Lat 44°35'00", long 112°15'00", in SE¼ sec.30, T.14 S., R.5 W., Beaverhead County, at county road, 3 mi (4.8 km) east of Monida.

Drainage area.--1.00 mi<sup>2</sup> (2.59 km<sup>2</sup>).

Records available.--May 1959 to September 1967 (discontinued).

Gage.--Crest-stage gage installed May 12, 1959. Altitude of gage is 6,750 ft (2,060 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Apr. 6, 1960	--	a3
1961	Apr. 17, 1961	b1.08	a2
1962	Apr. 19, 1962	b2.74	a15
1963	April 1963	-.01	1
1964	Apr. 29, 1964	b3.20	a10
1965	Apr. 24, 1965	b3.76	a2
1966	Apr. 12, 1966	b3.58	a5
1967	May 11, 1967	b3.10	a5



## Traux Creek near Lima, Mt. (06013200)

Location.--Lat 44°37'05", long 112°34'00", in NW¼ sec.15, T.14 S., R.8 W., Beaverhead County, at culvert 300 ft (91 m) upstream from Interstate Highway 15 and U.S. Highway 91, 2 mi (3.2 km) southeast of Lima.

Drainage area.--2.77 mi<sup>2</sup> (7.17 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 12, 1959. Altitude of gage is 6,350 ft (1,940 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	March 1960	0.24	18
1961	Mar. 14, 1961	.35	20
1962	Apr. 19, 1962	.85	28
1963	March 1963	--	a1
1964	April 1964	.06	14
1965	Apr. 1, 1965	.75	26
1966	Mar. 29, 1966	-.71	a1
1967	July 30, 1967	-.59	a1
1968	Apr. 11, 1968	b-.63	.1
1969	Mar. 17, 1969	b.66	2
1970	May 1970	.57	23
1971	June 2, 1971	--	.1
1972	--	--	(c)
1973	Apr. 26, 1973	b2.05	a11
1974	Apr. 25, 1974	.57	23

## Muddy Creek near Dell, Mt. (06013400)

Location.--Lat 44°38'20", long 112°48'25", in SW¼ sec.3, T.14 S., R.10 W., Beaverhead County, 0.5 mi (0.8 km) upstream from mouth, 8 mi (12.9 km) southwest of Dell.

Drainage area.--62.7 mi<sup>2</sup> (162 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 12, 1959. Altitude of gage is 6,570 ft (2,000 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	July 6, 1960	2.70	85
1961	Apr. 3, 1961	2.47	68
1962	Apr. 2, 1962	3.72	197
1963	June 7, 1963	1.22	14
1964	May 15, 1964	2.47	68
1965	Apr. 1, 1965	3.83	112
1966	Mar. 30, 1966	b2.70	a40
1967	June 11, 1967	1.97	25
1968	Sept. 20, 1968	1.59	17
1969	April 1969	4.52	185
1970	Aug. 31, 1970	4.18	110
1971	Apr. 8, 1971	3.06	45
1972	Apr. 1, 1972	3.69	75
1973	May 5, 1973	3.41	60
1974	Apr. 25, 1974	2.95	50

## Big Sheep Creek below Muddy Creek, near Dell, Mt. (06013500)

Location.--Lat  $44^{\circ}39'19''$ , long  $112^{\circ}46'41''$ , in SE $\frac{1}{4}$  sec.35, T.13 S., R.10 W., Beaverhead County, 6.5 mi (10.5 km) south-west of Dell.

Drainage area.--280 mi<sup>2</sup> (725 km<sup>2</sup>).

Records available.--May 1946 to September 1953 (continuous record), June 1959 to current year.

Gage.--Water-stage recorder re-installed June 24, 1959.

Altitude of gage is 6,530 ft (1,990 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1946	May 28, 1946	5.54	379
1947	Mar. 18, 1947	5.54	379
1948	Aug. 1, 1948	5.49	369
1949	Apr. 12, 1949	6.02	477
1950	Apr. 1, 1950	5.68	406
1951	Aug. 4, 1951	4.82	234
1952	Apr. 18, 1952	7.72	909
1953	June 2, 1953	5.23	313
1960	Mar. 26, 1960	4.44	168
1961	Apr. 4, 1961	3.98	84
1962	Apr. 2, 1962	4.83	236
1963	June 15, 1963	5.38	343
1964	June 10, 1964	6.06	491
1965	Apr. 21, 1965	5.43	354
1966	Apr. 2, 1966	4.59	195
1967	June 11, 1967	5.48	365
1968	June 9, 1968	5.89	455
1969	Apr. 3, 1969	6.95	710
1970	May 5, 1970	5.42	355
1971	May 31, 1971	5.17	300
1972	June 24, 1972	4.92	250
1973	Apr. 28, 1973	6.60	620
1974	Apr. 25, 1974	4.56	180

## Sage Creek tributary near Dell, Mt. (06013900)

Location.--Lat  $44^{\circ}44'27''$ , long  $112^{\circ}37'08''$ , in SE $\frac{1}{4}$  sec.31, T.12 S., R.8 W., Beaverhead County, at bridge on county road, 4 mi (6.4 km) east of Dell.

Drainage area.--0.43 mi<sup>2</sup> (1.11 km<sup>2</sup>).

Records available.--May 1959 to September 1967 (discontinued).

Gage.--Crest-stage gage installed May 12, 1959. Altitude of gage is 6,300 ft (1,920 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	March 1960	b0.13	a1
1961	September 1961	--	a1
1962	Apr. 2, 1962	b.92	a1
1963	March 1963	--	a1
1964	April 1964	b.50	a1
1965	April 1965	b.72	a1
1966	--	--	(c)
1967	July 18, 1967	1.05	a1



## Grasshopper Creek near Dillon, Mt. (06015500)

Location.--Lat 45°06'40", long 112°48'00", in SW¼NW¼ sec.26, T.8 S., R.10 W., Beaverhead County, on left bank 1.2 mi (1.9 km) upstream from mouth and 11 mi (17.7 km) southwest of Dillon.

Drainage area.--348 mi<sup>2</sup> (901 km<sup>2</sup>).

Records available.--March 1921 to September 1929, April 1930 to June 1933, October 1945 to December 1953, March 1955 to September 1958, October 1959 to September 1961 (continuous record), October 1961 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Oct. 11, 1961. Water-stage recorder, chain or staff gages prior to October 1961.

Altitude of gage is 5,350 ft (1,630 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1921	June 10, 1921	6.60	d516
1922	May 28, 1922	6.48	d543
1923	June 23, 1923	5.68	d283
1924	Apr. 13, 1924	5.05	d120
1925	June 5, 1925	6.52	d557
1926	July 8, 1926	5.52	d197
1927	June 12, 1927	6.2	d355
1928	May 13, 1928	6.10	d327
1929	June 18, 1929	5.45	d172
1931	Apr. 4, 1931	5.02	d85
1932	June 7, 1932	6.06	d322
1946	May 29, 1946	2.78	160
1947	Mar. 17, 1947	4.44	640
1948	June 4, 1948	4.51	719
1949	June 2, 1949	3.46	324
1950	June 23, 1950	3.22	252
1951	Mar. 22, 1951	4.11	559
1952	May 16, 1952	3.20	257
1953	June 3, 1953	4.51	719
1955	June 30, 1955	3.39	328
1956	Mar. 24, 1956	6.47	1,870
1957	May 21, 1957	3.75	433
1958	June 5, 1958	4.16	579
1960	Mar. 25, 1960	4.06	539
1961	June 14, 1961	3.14	252
1962	Mar. 27, 1962	3.83	450
1963	Feb. 3, 1963	b4.61	465
1964	June 9, 1964	4.16	539
1965	July 1, 1965	4.82	635
1966	Mar. 30, 1966	3.02	180
1967	June 11, 1967	5.17	730
1968	June 9, 1968	3.75	435
1969	Apr. 1, 1969	6.17	1,140
1970	June 10, 1970	3.90	400
1971	June 2, 1971	4.21	465
1972	June 9, 1972	4.63	585
1973	Apr. 13, 1973	2.40	105

## Beaverhead River tributary near Dillon, Mt. (06016900)

Location.--Lat 45°13'18", long 112°41'05", in SE¼ sec.15, T.7 S., R.9 W., Beaverhead County, 250 ft (76 m) upstream from settling basin, 2 mi (3.2 km) west of Dillon.

Drainage area.--0.62 mi<sup>2</sup> (1.60 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 11, 1959. Altitude of gage is 5,250 ft (1,600 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	0.32	a3
1961	--	--	(c)
1962	Feb. 2, 1962	.02	a2
1963	Feb. 3, 1963	.20	a11
1964	--	--	(c)
1965	Mar. 30, 1965	-.51	.1
1966	Sept. 4, 1966	-.41	a.2
1967	June 11, 1967	.37	a15
1968	February 1968	-.28	a.2
1969	Mar. 27, 1969	.37	19
1970	--	--	(c)
1971	--	--	(c)
1972	--	--	(c)
1973	--	--	(c)
1974	--	--	(c)

## Beaverhead River tributary No. 2 near Dillon, Mt. (06018200)

Location.--Lat 45°19'07", long 112°31'40", in NW¼ sec.13, T.6 S., R.8 W., Beaverhead County, at culvert on State Highway 41, 9 mi (14.5 km) northeast of Dillon.

Drainage area.--0.40 mi<sup>2</sup> (1.04 km<sup>2</sup>).

Records available.--May 1959 to September 1965 (discontinued).

Gage.--Crest-stage gage installed May 7, 1959. Altitude of gage is 4,970 ft (1,520 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	eJune 24, 1958	5.04	170
1959	--	--	(c)
1960	Mar. 19, 1960	.41	3
1961	June 12, 1961	.36	2.5
1962	--	--	(c)
1963	Sept. 2, 1963	.30	2
1964	June 27, 1964	.29	2
1965	August 1965	.40	3

## Idaho Creek near Alder, Mt. (06019800)

Location.--Lat 45°11'51", long 112°08'20", in center of sec.30, T.7 S., R.4 W., Madison County, at bridge on county road, 9 mi (14.5 km) south of Alder.

Drainage area.--10.8 mi<sup>2</sup> (28.0 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 7, 1959. Altitude of gage is 5,420 ft (1,650 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 27, 1960	b2.18	a40
1961	Apr. 4, 1961	.87	13
1962	Apr. 25, 1962	2.30	90
1963	Mar. 22, 1963	1.36	24
1964	July 29, 1964	1.20	17
1965	Mar. 30, 1965	b3.01	a60
1966	June 10, 1966	.80	8
1967	June 15, 1967	1.34	9
1968	June 10, 1968	1.59	12
1969	Mar. 27, 1969	b2.05	a35
1970	June 10, 1970	1.27	15
1971	June 3, 1971	.11	12
1972	June 24, 1972	.57	15
1973	June 7, 1973	1.08	11
1974	May 27, 1974	.33	35

## Moose Creek near Divide, Mt. (06025300)

Location.--Lat 45°42'21", long 112°42'15", in NW¼ sec.34, T.1 S., R.9 W., Silver Bow County, at culverts on Interstate Highway 15 and U.S. Highway 91, 3.5 mi (5.6 km) southeast of Divide.

Drainage area.--41.4 mi<sup>2</sup> (107 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 11, 1959. Altitude of gage is 5,430 ft (1,660 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 7, 1960	1.62	90
1961	Apr. 4, 1961	.79	39
1962	Apr. 19, 1962	1.89	108
1963	May 22, 1963	2.66	165
1964	June 8, 1964	1.41	77
1965	June 17, 1965	2.06	122
1966	Mar. 30, 1966	1.20	64
1967	June 11, 1967	2.60	180
1968	June 1, 1968	1.59	118
1969	June 10, 1969	1.72	128
1970	May 17, 1970	2.08	158
1971	May 12, 1971	1.25	91
1972	May 8, 1972	1.10	58
1973	June 29, 1973	1.62	90
1974	Apr. 26, 1974	2.54	130

## Fish Creek near Silver Star, Mt. (06027700)

Location.--Lat 45°46'18", long 112°14'56", in NW¼ sec.8, T.1 S., R.5 W., Silver Bow County, at bridge on county road, 6 mi (9.7 km) north of Silver Star.

Drainage area.--39.5 mi<sup>2</sup> (102 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 7, 1959. Altitude of gage is 4,790 ft (1,460 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 6, 1959	1.15	166
1960	May 13, 1960	.91	105
1961	Apr. 4, 1961	1.13	160
1962	June 3, 1962	.95	115
1963	June 11, 1963	1.16	141
1964	June 19, 1964	b1.49	150
1965	June 16, 1965	1.74	220
1966	May 2, 1966	.67	54
1967	June 11, 1967	1.78	228
1968	June 15, 1968	1.22	132
1969	May 27, 1969	1.50	175
1970	May 30, 1970	1.00	100
1971	June 27, 1971	.91	85
1972	June 11, 1972	1.07	106
1973	June 17, 1973	.85	73
1974	May 31, 1974	1.10	110

## Jefferson River tributary near Whitehall, Mt. (06030200)

Location.--Lat 45°52'42", long 111°59'38", in SE¼ sec.32, T.2 N., R.3 W., Jefferson County, at culvert on Interstate Highway 90 and U.S. Highway 10, 5 mi (8 km) east of Whitehall.

Drainage area.--1.85 mi<sup>2</sup> (4.79 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 6, 1959. Altitude of gage is 4,340 ft (1,320 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	(c)
1961	--	--	(c)
1962	Aug. 29, 1962	a0.2	3
1963	Feb. 2, 1963	1.03	17
1964	Aug. 19, 1964	.97	16
1965	Aug. 22, 1965	1.21	22
1966	--	--	(c)
1967	June 22, 1967	--	a1
1968	--	--	(c)
1969	Mar. 17, 1969	a.1	2
1970	--	--	(c)
1971	--	--	(c)
1972	--	--	(c)
1973	--	--	(c)
1974	Aug. 20, 1974	1.20	21

Jefferson River tributary No. 2 near  
Whitehall, Mt. (06030300)

Location.--Lat 45°52'48", long 111°58'28", in SE¼ sec.33,  
T.2 N., R.3 W., Jefferson County, at culvert on State  
Highway 281, 6 mi (9.7 km) east of Whitehall.

Drainage area.--4.50 sq mi (11.7 sq km).

Records available.--October 1957 to current year.

Gage.--Crest-stage gage installed May 7, 1959. Altitude of  
gage is 4,400 ft (1,340 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	eJune 24, 1958	4.45	169
1959	eApr. 6, 1959	2.37	71
1960	--	--	(c)
1961	Sept. 11, 1961	1.32	34
1962	--	--	(c)
1963	Feb. 2, 1963	1.38	39
1964	June 8, 1964	.41	10
1965	Aug. 22, 1965	.30	8
1966	--	--	(c)
1967	July 18, 1967	.37	9
1968	Feb. 19, 1968	.37	9
1969	Mar. 18, 1969	.32	8
1970	July 11, 1970	.00	8
1971	Jan. 17, 1971	.10	5
1972	--	--	(c)
1973	--	--	(c)
1974	Aug. 20, 1974	.76	45

Cataract Creek near Basin, Mt. (06031950)

Location.--Lat 46°17'10", long 112°14'33", in NW¼SW¼ sec.9, T.6 N.,  
R.5 W., Jefferson County, on bridge on county road 200 ft  
(61.0 m) upstream from Big Limber Gulch, 2.1 mi (3.4 km)  
northeast of Basin.

Drainage area.--30.6 mi<sup>2</sup> (79.3 km<sup>2</sup>).

Records available.--May 1973 to current year.

Gage.--Crest-stage gage installed Mar. 29, 1974. Altitude of  
gage is 5,450 ft (1,661 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	May 18, 1973	2.17	233
1974	May 20, 1974	2.42	300



## Sand Creek at Sappington, Mt. (06034700)

Location.--Lat 45°47'27", long 111°45'21", in SW¼ sec.32, T.1 N., R.1 W., Gallatin County, 0.8 mi (1.3 km) south-east of Sappington.

Drainage area.--9.41 mi<sup>2</sup> (24.4 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 6, 1959. Altitude of gage is 4,240 ft (1,290 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Apr. 9, 1960	1.36	50
1961	Aug. 14, 1961	2.0	124
1962	Aug. 25, 1962	5.4	2,130
1963	Feb. 3, 1963	2.73	380
1964	--	--	(c)
1965	Aug. 22, 1965	1.16	105
1966	July 3, 1966	.87	80
1967	--	--	(c)
1968	Feb. 19, 1968	.43	49
1969	Mar. 18, 1969	.52	55
1970	Apr. 5, 1970	.18	41
1971	--	--	(c)
1972	Feb. 18, 1972	--	2
1973	Mar. 17, 1973	--	2
1974	Jan. 15, 1974	-.37	6

Jefferson River tributary No. 3  
near Sappington, Mt. (06034800)

Location.--Lat 45°50'02", long 111°41'53", in SW¼ sec.14, T.1 N., R.1 W., Jefferson County, at culvert on Interstate Highway 90 and U.S. Highway 10, 4 mi (6.4 km) north-east of Sappington.

Drainage area.--1.14 mi<sup>2</sup> (2.95 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued)

Gage.--Crest-stage gage installed May 6, 1959. Altitude of gage is 4,200 ft (1,280 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Feb. 1, 1960	0.10	0.1
1961	Aug. 14, 1961	.95	12
1962	Mar. 6, 1962	.65	6
1963	Feb. 2, 1963	b3.43	a50
1964	--	--	(c)
1965	April 1965	.16	.5
1966	July 3, 1966	4.09	96
1967	--	--	(c)
1968	Feb. 19, 1968	.83	10
1969	Mar. 18, 1969	b1.96	a1
1970	--	--	(c)
1971	--	--	(c)
1972	Feb. 23, 1972	--	.5
1973	Mar. 17, 1973	--	.1
1974	--	--	(c)

Jefferson River tributary No. 4 near  
Three Forks, Mt. (06036600)

Location.--Lat 45°53'42", long 111°36'34", in SW¼ sec.28,  
T.2 N., R.1 E., Broadwater County, at culverts on Inter-  
state Highway 90 and U.S. Highway 10, 3 mi (4.8 km) west  
of Three Forks.

Drainage area.--0.53 mi<sup>2</sup> (1.37 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 6, 1959. Altitude of  
gage is 4,140 ft (1,260 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	(c)
1961	--	--	(c)
1962	Mar. 6, 1962	b0.75	a3
1963	Feb. 2, 1963	.74	a7
1964	Aug. 19, 1964	.62	a6
1965	February 1965	.18	a1.5
1966	July 3, 1966	.73	7
1967	Aug. 5, 1967	.62	a6
1968	July 7, 1968	1.00	10
1969	Mar. 27, 1969	.26	a2
1970	--	--	(c)
1971	Jan. 17, 1971	.10	1
1972	--	--	(c)
1973	--	--	(c)
1974	Jan. 14, 1974	.00	1

Jefferson River tributary No. 5 near  
Three Forks, Mt. (06036700)

Location.--Lat 45°54'34", long 111°35'53", in NE¼ sec.21,  
T.2 N., R.1 E., Broadwater County, at culvert on State  
Highway 287, 3 mi (4.8 km) west of Three Forks.

Drainage area.--3.69 mi<sup>2</sup> (9.56 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 6, 1959. Altitude of  
gage is 4,120 ft (1,260 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	(c)
1961	--	--	(c)
1962	Mar. 6, 1962	0.61	28
1963	Feb. 2, 1963	.61	28
1964	--	--	(c)
1965	Aug. 22, 1965	2.56	153
1966	July 3, 1966	-.04	6
1967	--	--	(c)
1968	Feb. 19, 1968	.85	39
1969	Mar. 18, 1969	b1.07	a40
1970	--	--	(c)
1971	Jan. 17, 1971	(f)	a1
1972	--	--	(c)
1973	--	--	(c)
1974	--	--	(c)



## Squaw Creek near Gallatin Gateway, Mt. (06043200)

Location.--Lat 45°26'28", long 111°13'20", in SW¼ sec.34, T.4 S., R.4 E., Gallatin County, at private bridge, 10 mi (16.1 km) south of Gallatin Gateway.

Drainage area.--40.4 mi<sup>2</sup> (105 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 5, 1959. Altitude of gage is 5,400 ft (1,650 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 7, 1959	2.20	a420
1960	May 12, 1960	1.66	147
1961	May 26, 1961	1.47	200
1962	June 13, 1962	1.34	168
1963	June 15, 1963	1.49	208
1964	June 8, 1964	1.44	195
1965	June 15, 1965	1.87	320
1966	May 6, 1966	1.08	136
1967	May 24, 1967	1.30	222
1968	June 30, 1968	2.02	560
1969	June 25, 1969	1.05	200
1970	May 9, 1970	2.25	690
1971	June 27, 1971	1.63	260
1972	June 2, 1972	1.44	205
1973	May 20, 1973	1.95	360
1974	June 16, 1974	2.36	480

## Logger Creek near Gallatin Gateway, Mt. (06043300)

Location.--Lat 45°27'17", long 111°14'38", in SW¼ sec.28, T.4 S., R.4 E., Gallatin County, at culvert on U.S. Highway 191, 10 mi (16.1 km) south of Gallatin Gateway.

Drainage area.--2.48 mi<sup>2</sup> (6.42 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 5, 1959. Altitude of gage is 5,340 ft (1,630 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 7, 1959	1.03	20
1960	May 12, 1960	.69	9
1961	May 26, 1961	.34	6
1962	June 13, 1962	.73	18
1963	May 27, 1963	.38	11
1964	June 8, 1964	1.09	25
1965	June 15, 1965	.66	18
1966	May 6, 1966	.08	5
1967	June 22, 1967	.50	16
1968	June 11, 1968	.93	24
1969	June 26, 1969	.66	17
1970	May 21, 1970	1.12	29
1971	June 27, 1971	.90	17
1972	June 2, 1972	.49	11
1973	May 20, 1973	.86	20
1974	June 16, 1974	1.24	30

## Rocky Creek near Bozeman, Mt. (06046500)

Location.--Lat 45°39'17", long 110°56'33", in NE¼ sec.23, T.2 S., R.6 E., Gallatin County, 5 mi (8.0 km) east of Bozeman.

Drainage area.--50.5 mi<sup>2</sup> (131 km<sup>2</sup>).

Records available.--November 1951 to September 1953 (continuous record), 1956-57 (miscellaneous measurements only), May 1959 to current year.

Gage.--Crest-stage gage installed Sept. 26, 1962. Altitude of gage is 4,980 ft (1,520 m), from topographic map. Records equivalent to those at recorder site 1.2 mi (1.9 km) upstream (at different datum) used prior to October 1966.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1952	Apr. 19, 1952	4.08	421
1953	June 3, 1953	4.65	608
1959	Apr. 1, 1959	3.9	337
1960	May 8, 1960	3.64	248
1961	May 2, 1961	3.03	90
1962	Apr. 16, 1962	3.42	285
1963	Apr. 27, 1963	4.11	400
1964	May 17, 1964	3.65	212
1965	May 15, 1965	3.83	345
1966	Mar. 31, 1966	b3.34	a250
1967	May 8, 1967	1.00	300
1968	May 22, 1968	1.54	415
1969	June 26, 1969	2.06	525
1970	May 21, 1970	2.54	810
1971	Apr. 24, 1971	3.11	1,230
1972	May 22, 1972	.74	240
1973	May 14, 1973	1.61	520
1974	May 30, 1974	.83	280

## Pitcher Creek near Bozeman, Mt. (06046700)

Location.--Lat 45°39'21", long 110°56'22", in NW¼ sec. 24, T.2 S., R.6 E., Gallatin County, at culvert on county road, 5 mi (8.0 km) east of Bozeman.

Drainage area.--2.33 mi<sup>2</sup> (6.03 km<sup>2</sup>).

Records available.--1951-53 (miscellaneous measurements of base flow only), May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 6, 1959. Altitude of gage is 5,040 ft (1,540 m), from topographic map.

## Pitcher Creek near Bozeman, Mt. (06046700) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 13, 1960	1.25	14
1961	May 27, 1961	.03	1
1962	Apr. 24, 1962	.89	9
1963	Apr. 27, 1963	1.16	13
1964	May 17, 1964	.97	10
1965	May 16, 1965	2.10	19
1966	June 10, 1966	.73	7
1967	May 8, 1968	1.81	12
1968	May 22, 1968	2.44	20
1969	June 26, 1969	2.33	20
1970	May 9, 1970	2.55	26
1971	Apr. 24, 1971	3.10	60
1972	May 22, 1972	.57	5
1973	May 14, 1973	2.93	27
1974	May 30, 1974	1.08	9

## Bear Canyon Creek near Bozeman, Mt. (06047000)

Location.--Lat 45°37'35", long 110°55'45", in NW¼ sec.36,  
T.2 S., R.6 E., Gallatin County, 6 mi (9.7 km) southeast of  
Bozeman.

Drainage area.--17.0 mi<sup>2</sup> (44.0 km<sup>2</sup>).

Records available.--November 1951 to September 1953 (contin-  
uous record), May 1959 to September 1973 (discontinued).

Gage.--Water-stage recorder re-installed May 5, 1959. Datum  
of gage is 5,183.4 ft (1,579.9 m) above mean sea level,  
datum of 1929 (unadjusted).

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1952	May 26, 1952	2.84	149
1953	June 3, 1953	3.40	360
1959	May 1, 1959	2.2	a150
1960	May 12, 1960	2.62	202
1961	May 22, 1961	1.77	46
1962	July 14, 1962	2.74	175
1963	May 9, 1963	2.43	110
1964	May 20, 1964	2.56	134
1965	May 16, 1965	2.61	145
1966	May 10, 1966	2.26	82
1967	June 7, 1967	2.45	162
1968	May 22, 1968	2.53	128
1969	June 26, 1969	3.35	217
1970	May 21, 1970	3.90	370
1971	May 2, 1971	1.28	137
1972	May 22, 1972	.76	53
1973	May 14, 1973	1.74	146

## Lost Creek near Ringling, Mt. (06053050)

Location.--Lat 46°45'38", long 110°47'08", in SE¼SE¼ sec.24, T.6 N., R.7 E., Meagher County, on bridge on U.S. Highway 89, 1 mi (1.6 km) southeast of Ringling.

Drainage area.--9.59 mi<sup>2</sup> (24.8 km<sup>2</sup>).

Records available.--January 1974 to current year.

Gage.--Crest-stage gage installed May 30, 1974. Altitude of gage is 5,340 ft (1,628 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1974	Jan. 16, 1974	3.46	297

## Castle Creek tributary near Ringling, Mt. (06056200)

Location.--Lat 46°21'21", long 111°05'20", in NE¼ sec.21, T.7 N., R.5 E., Broadwater County, at culverts on U.S. Highway 12, 15 mi (24.1 km) northwest of Ringling.

Drainage area.--2.59 mi<sup>2</sup> (6.71 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 22, 1959. Altitude of gage is 5,400 ft (1,650 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 4, 1960	1.45	23
1961	Apr. 25, 1961	.91	12
1962	Apr. 19, 1962	2.74	28
1963	Feb. 4, 1963	.81	11
1964	May 1, 1964	2.99	35
1965	May 1, 1965	2.88	27
1966	May 3, 1966	1.03	12
1967	May 23, 1967	3.01	35
1968	June 7, 1968	1.19	13
1969	Apr. 23, 1969	1.58	16
1970	May 19, 1970	3.70	47
1971	May 3, 1971	b2.98	22
1972	Mar. 22, 1972	1.32	16
1973	Apr. 30, 1973	--	2
1974	Apr. 25, 1974	3.38	35

## Cabin Creek near Townsend, Mt. (06056300)

Location.--Lat 46°20'00", long 111°13'05", in NW¼ sec.27,  
T.7 N., R.4 E., Broadwater County, 100 ft (30 m) upstream  
from mouth, 14.5 mi (23.3 km) east of Townsend.

Drainage area.--12.6 mi<sup>2</sup> (32.6 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 22, 1959. Altitude of  
gage is 4,900 ft (1,490 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	June 4, 1960	2.00	70
1961	June 22, 1961	.14	2
1962	May 22, 1962	.37	8
1963	June 21, 1963	.53	13
1964	May 19, 1964	1.37	38
1965	June 2, 1965	1.08	17
1966	May 5, 1966	1.05	14
1967	May 23, 1967	1.28	23
1968	May 26, 1968	1.06	22
1969	May 26, 1969	.93	10
1970	May 19, 1970	1.42	40
1971	May 4, 1971	1.31	19
1972	May 26, 1972	1.00	15
1973	May 25, 1973	.40	1
1974	May 30, 1974	.94	15

Deep Creek below North Fork Deep Creek, near Townsend, Mt.  
(06056600)

Location.--Lat 46°19'29", long 111°17'32", in SE¼ sec.25,  
T.7 N., R.3 E., Broadwater County, at bridge on county road,  
11 mi (17.7 km) east of Townsend.

Drainage area.--87.7 mi<sup>2</sup> (227 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 18, 1959. Altitude of  
gage is 4,510 ft (1,380 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 7, 1959	2.15	290
1960	June 4, 1960	2.00	254
1961	May 24, 1961	1.60	83
1962	May 22, 1962	1.66	175
1963	June 2, 1963	1.89	170
1964	May 18, 1964	2.33	329
1965	May 1, 1965	1.98	216
1966	May 5, 1966	2.13	290
1967	June 13, 1967	2.43	305
1968	May 26, 1968	1.88	180
1969	May 25, 1969	2.09	155
1970	May 19, 1970	4.88	445
1971	May 3, 1971	3.12	180
1972	June 2, 1972	3.08	210
1973	May 25, 1973	1.76	60



## Mitchell Gulch near East Helena, Mt. (06058700)

Location.--Lat 46°34'20", long 111°49'21", in NW¼ sec.2,  
T.9 N., R.2 W., Lewis and Clark County, at culvert on U.S.  
Highway 12, 4.7 mi (7.6 km) east of East Helena.

Drainage area.--8.09 mi<sup>2</sup> (21.0 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 14, 1959. Altitude of  
gage is 4,060 ft (1,240 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	eMarch 1959	0.96	53
1960	Mar. 19, 1960	.32	6
1961	June 29, 1961	.27	2
1962	Mar. 20, 1962	.43	12
1963	Feb. 4, 1963	1.41	107
1964	--	--	(c)
1965	Apr. 1, 1965	.62	28
1966	Mar. 10, 1966	.93	50
1967	Mar. 22, 1967	.94	52
1968	--	--	(c)
1969	Mar. 31, 1969	1.06	90
1970	July 12, 1970	-1.28	2
1971	Feb. 10, 1971	-1.07	4
1972	--	--	(c)
1973	Sept. 7, 1973	.51	139
1974	Jan. 15, 1974	-.24	53

## Jackson Creek near East Helena, Mt. (06061700)

Location.--Lat 46°28'20", long 111°51'10", in SE¼ sec.4,  
T.8 N., R.2 W., Jefferson County, 300 ft (91 m) upstream  
from mouth, 8.5 mi (13.7 km) southeast of East Helena.

Drainage area.--3.44 mi<sup>2</sup> (8.91 km<sup>2</sup>).

Records available.--June 1960 to current year.

Gage.--Staff gage installed June 22, 1960, and crest-stage  
gage installed July 8, 1960. Altitude of gage is 4,990 ft  
(1,520 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	Unknown
1961	May 1, 1961	1.48	4
1962	June 2, 1962	2.49	16
1963	June 4, 1963	2.21	12
1964	June 8, 1964	2.64	19
1965	June 25, 1965	2.34	14
1966	May 10, 1966	1.97	7
1967	June 8, 1967	2.73	20
1968	June 10, 1968	2.27	17
1969	June 25, 1969	2.51	15
1970	June 27, 1970	2.19	10
1971	June 4, 1971	2.12	9
1972	May 22, 1972	2.16	9
1973	June 14, 1973	1.74	4
1974	June 20, 1974	2.73	20



## Crystal Creek near East Helena, Mt. (06061800)

Location.--Lat  $46^{\circ}29'00''$ , long  $111^{\circ}51'40''$ , in NW $\frac{1}{4}$  sec.4, T.8 N., R.2 W., Jefferson County, 0.2 mi (0.3 km) upstream from mouth, 8 mi (12.9 km) southeast of East Helena.

Drainage area.--3.77 mi<sup>2</sup> (9.76 km<sup>2</sup>).

Records available.--June 1960 to current year.

Gage.--Staff gage installed June 22, 1960, and crest-stage gage installed July 8, 1960. Altitude of gage is 4,860 ft (1,480 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	Unknown
1961	May 1, 1961	1.59	a5
1962	June 2, 1962	1.55	11
1963	June 4, 1963	1.26	4
1964	June 8, 1964	1.64	21
1965	June 25, 1965	1.46	14
1966	May 10, 1966	1.32	9
1967	June 8, 1967	1.82	28
1968	June 9, 1968	1.35	12
1969	June 25, 1969	1.75	30
1970	May 5, 1970	1.34	12
1971	May 2, 1971	1.68	27
1972	May 22, 1972	1.07	3
1973	May 17, 1973	b1.47	a2
1974	June 4, 1974	1.26	9

McClellan Creek at city diversion dam,  
near East Helena, Mt. (06061900)

Location.--Lat  $46^{\circ}32'00''$ , long  $111^{\circ}52'40''$ , in SE $\frac{1}{4}$  sec.17, T.9 N., R.2 W., Jefferson County, 300 ft (91 m) upstream from diversion dam, 4.5 mi (7.2 km) southeast of East Helena.

Drainage area.--33.2 mi<sup>2</sup> (86.0 km<sup>2</sup>).

Records available.--June 1960 to September 1974 (discontinued).

Gage.--Staff gage installed June 23, 1960, and crest-stage gage installed July 7, 1960. Altitude of gage is 4,200 ft (1,280 m), from topographic map.

McClellan Creek at city diversion dam, near  
East Helena, Mt. (06061900) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May-June 1960	3.01	120
1961	May 27, 1961	.65	48
1962	June 2, 1962	1.48	175
1963	May 26, 1963	.95	87
1964	June 8, 1964	2.59	390
1965	June 25, 1965	1.72	220
1966	May 11, 1966	.93	85
1967	June 8, 1967	1.80	235
1968	June 9, 1968	1.73	222
1969	June 25, 1969	2.02	275
1970	May 5, 1970	1.33	150
1971	May 30, 1971	1.20	130
1972	June 3, 1972	.82	72
1973	May 17, 1973	.76	47
1974	Aug. 20, 1974	2.10	275

Little Porcupine Creek tributary  
near Helena, Mt. (06062700)

Location.--Lat 46°35'18", long 112°16'08", in SW¼ sec.29,  
T.10 N., R.5 W., Lewis and Clark County, at culvert on U.S.  
Highway 12, 11 mi (17.7 km) west of Helena.

Drainage area.--0.48 mi<sup>2</sup> (1.24 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 14, 1959. Altitude of  
gage is 5,360 ft (1,630 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 6, 1959	0.45	1.5
1960	May 12, 1960	.39	1.2
1961	May 22, 1961	.17	.4
1962	June 2, 1962	.49	1.7
1963	May 20, 1963	.57	2.2
1964	June 8, 1964	1.17	5.9
1965	May 1, 1965	.60	3.0
1966	May 7, 1966	.28	1.4
1967	May 29, 1967	.74	3.8
1968	May 14, 1968	.39	1.2
1969	June 25, 1969	1.03	5.1
1970	May 5, 1970	.83	4.3
1971	May 2, 1971	.38	1.8
1972	May 14, 1972	3.31	16
1973	Apr. 23, 1973	-.20	.8

## Lyons Creek near Wolf Creek, Mt. (06071200)

Location.--Lat 46°56'19", long 112°07'28", in NE¼ sec.29, T.14 N., R.4 W., Lewis and Clark County, 135 ft (42 m) upstream from mouth, 5.5 mi (8.8 km) southwest of Wolf Creek.

Drainage area.--29.4 mi<sup>2</sup> (76.1 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 15, 1959. Altitude of gage is 3,730 ft (1,140 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1959	June 6, 1959	0.81	63
1960	June 2, 1960	.81	63
1961	May 28, 1961	.12	13
1962	May 22, 1962	1.57	158
1963	Feb. 4, 1963	1.3	120
1964	June 8, 1964	3.80	490
1965	Apr. 22, 1965	1.55	155
1966	May 11, 1966	.69	41
1967	June 13, 1967	2.45	345
1968	June 9, 1968	1.02	75
1969	June 26, 1969	.84	57
1970	June 13, 1970	1.40	127
1971	May 30, 1971	1.57	150
1972	May 15, 1972	.87	73
1973	June 15, 1973	.46	25

## Dog Creek near Craig, Mt. (06071400)

Location.--Lat 47°05'13", long 111°59'34", in NW¼ sec.4, T.15 N., R.3 W., Lewis and Clark County, at bridge on county road, 2 mi (3.2 km) west of Craig.

Drainage area.--15.9 mi<sup>2</sup> (41.2 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 15, 1959. Altitude of gage is 3,660 ft (1,120 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1960	Mar. 19, 1960	0.41	a30
1961	May 30, 1961	4.40	1,160
1962	Mar. 17, 1962	2.42	114
1963	Feb. 3, 1963	2.05	70
1964	June 8, 1964	1.97	65
1965	Feb. 17, 1965	2.99	200
1966	Mar. 10, 1966	3.11	230
1967	June 12, 1967	2.37	65
1968	April 1968	--	a1
1969	Mar. 18, 1969	2.15	80
1970	June 13, 1970	.82	15
1971	Feb. 13, 1971	3.24	340
1972	--	--	(c)
1973	--	--	(c)
1974	Jan. 15, 1974	1.03	20

## Wegner Creek at Craig, Mt. (06071600)

Location.--Lat 47°04'35", long 111°57'17", in NW¼ sec.11, T.15 N., R.3 W., Lewis and Clark County, at bridge on Interstate Highway 15 and U.S. Highway 91, 0.9 mi (1.4 km) east of Craig.

Drainage area.--35.0 mi<sup>2</sup> (90.6 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 15, 1959. Altitude of gage is 3,450 ft (1,050 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	June 2, 1960	0.59	46
1961	July 6, 1961	2.54	408
1962	Apr. 19, 1962	.33	24
1963	Feb. 3, 1963	.67	48
1964	May 6, 1964	1.84	280
1965	Mar. 31, 1965	1.11	125
1966	July 1, 1966	4.64	1,020
1967	June 12, 1967	1.06	160
1968	June 10, 1968	.36	84
1969	July 7, 1969	.70	110
1970	June 13, 1970	1.05	220
1971	Feb. 13, 1971	-.54	30
1972	Mar. 13, 1972	-.13	38
1973	Apr. 27, 1973	-.09	78
1974	May 20, 1974	.16	104

## Fivemile Creek near White Sulphur Springs, Mt.(06075600)

Location.--Lat 46°36'40", long 110°45'36", in SW¼ sec.20, T.10 N., R.8 E., Meagher County, at culvert on U.S. Highway 12, 8 mi (12.9 km) northeast of White Sulphur Springs.

Drainage area.--6.00 mi<sup>2</sup> (15.5 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 22, 1959. Altitude of gage is 5,380 ft (1,640 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 1, 1960	1.25	9
1961	--	--	(c)
1962	Mar. 27, 1962	1.38	11
1963	Feb. 4, 1963	2.06	a20
1964	June 8, 1964	1.16	8
1965	April 1965	1.86	17
1966	Mar. 30, 1966	b3.34	a15
1967	May 23, 1967	1.31	10
1968	June 9, 1968	1.38	7
1969	Apr. 4, 1969	b4.58	a13
1970	May 4, 1970	3.36	52
1971	May 3, 1971	3.11	46
1972	Mar. 18, 1972	2.38	26
1973	Apr. 27, 1973	b1.80	a1
1974	Jan. 15, 1974	2.08	18

## Newland Creek near White Sulphur Springs, Mt. (06076000)

Location.--Lat 46°43'46", long 110°50'38", near line between secs.9 and 10, T.11 N., R.7 E., Meagher County, 15 mi (24.1 km) upstream from mouth, 13 mi (20.9 km) north of White Sulphur Springs.

Drainage area.--6.74 mi<sup>2</sup> (17.5 km<sup>2</sup>).

Records available.--September 1945 to November 1953 (continuous record), June 1959 to September 1973 (discontinued).

Gage.--Water-stage recorder re-installed June 19, 1959. Altitude of gage is 5,590 ft (1,700 m), by barometer.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1946	June 11, 1946	0.72	44.9
1947	May 6, 1947	2.18	18
1948	May 8, 1948	2.64	29
1949	June 1, 1949	1.48	6.2
1950	May 28, 1950	1.64	9.5
1951	May 13, 1951	1.62	11
1952	May 4, 1952	1.66	14
1953	June 4, 1953	3.50	56
1960	May 19, 1960	2.39	5.1
1961	May 31, 1961	2.18	3.2
1962	May 29, 1962	2.68	15
1963	June 26, 1963	2.53	11
1964	May 17, 1964	3.16	37
1965	May 17, 1965	3.14	36
1966	May 10, 1966	2.53	11
1967	May 23, 1967	3.00	34
1968	May 25, 1968	3.04	34
1969	Apr. 27, 1969	2.35	6
1970	May 25, 1970	3.12	35
1971	May 16, 1971	2.24	5
1972	May 21, 1972	1.98	7
1973	June 12, 1973	1.85	6



## Sheep Creek near Neihart, Mt. (06076700)

Location.--Lat 46°47'59", long 110°42'10", in SE¼ sec.15, T.12 N., R.8 E., Meagher County, at culvert on U.S. Highway 89, 10 mi (16.1 km) south of Neihart.

Drainage area.--5.30 mi<sup>2</sup> (13.7 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 22, 1959. Altitude of gage is 6,600 ft (2,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 12, 1960	1.12	38
1961	May 27, 1961	1.11	37
1962	May 21, 1962	1.37	49
1963	June 2, 1963	1.08	39
1964	June 8, 1964	2.12	113
1965	June 16, 1965	2.40	138
1966	May 10, 1966	1.27	50
1967	May 31, 1967	2.07	110
1968	May 25, 1968	1.68	78
1969	May 17, 1969	.88	28
1970	June 12, 1970	2.30	132
1971	June 3, 1971	1.32	51
1972	June 6, 1972	1.66	80
1973	June 14, 1973	.59	17
1974	June 20, 1974	1.65	82

## Nugget Creek near Neihart, Mt. (06076800)

Location.--Lat 46°46'30", long 110°42'03", in NE¼ sec.27, T.12 N., R.8 E., Meagher County, at culvert on U.S. Highway 89, 11 mi (17.7 km) south of Neihart.

Drainage area.--1.48 mi<sup>2</sup> (3.83 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 22, 1959. Altitude of gage is 6,400 ft (1,950 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 7, 1959	1.05	14
1960	May 12, 1960	.38	5
1961	May 27, 1961	.30	4
1962	May 25, 1962	.50	6
1963	June 2, 1963	.50	6
1964	May 21, 1964	1.07	15
1965	June 16, 1965	1.13	12
1966	May 10, 1966	.68	8
1967	May 31, 1967	1.42	17
1968	May 25, 1968	1.08	12
1969	Apr. 27, 1969	.28	4
1970	May 30, 1970	1.94	37
1971	May 16, 1971	.83	9
1972	May 26, 1972	1.16	13
1973	May 30, 1973	.22	3



## Smith River tributary near Eden, Mt. (06077700)

Location.--Lat 47°18'24", long 111°25'25", in SW¼ sec.13,  
T.18 N., R.2 E., Cascade County, at bridge on county road,  
7.5 mi (12.1 km) northwest of Eden.

Drainage area.--1.63 mi<sup>2</sup> (4.22 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 25, 1959. Altitude of  
gage is 3,420 ft (1,040 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 17, 1960	0.32	1.8
1961	--	--	(c)
1962	June 15, 1962	.72	4.5
1963	Feb. 2, 1963	.67	4.0
1964	May 3, 1964	.30	1.7
1965	July 30, 1965	1.24	a9
1966	Mar. 8, 1966	.91	a15
1967	June 14, 1967	-.09	2
1968	May 25, 1968	--	2
1969	Mar. 18, 1969	.99	30
1970	June 28, 1970	.18	3.6
1971	--	--	(c)
1972	--	--	(c)
1973	--	--	(c)
1974	--	--	(c)

## Goodman Coulee near Eden, Mt. (06077800)

Location.--Lat 4°19'29", long 111°25'35", in center of sec.12,  
T.18 N., R.2 E., Cascade County, at culvert on county road,  
8 mi (12.9 km) northwest of Eden.

Drainage area.--21.8 mi<sup>2</sup> (56.5 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 25, 1959. Altitude of  
gage is 3,370 ft (1,030 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	eApr. 22, 1959	1.57	49
1960	May 1, 1960	1.92	41
1961	--	--	(c)
1962	Mar. 19, 1962	4.17	127
1963	Feb. 4, 1963	2.30	55
1964	May 3, 1964	5.73	150
1965	July 30, 1965	3.80	117
1966	Mar. 8, 1966	6.73	437
1967	June 15, 1967	4.33	a100
1968	May 25, 1968	2.51	22
1969	June 25, 1969	6.72	435
1970	May 11, 1970	4.91	140
1971	Sept. 1, 1971	4.33	100
1972	May 26, 1972	3.57	57
1973	Apr. 28, 1973	2.77	28
1974	May 22, 1974	4.45	105

## Beaver Creek at Gibson Dam, near Augusta, Mt. (06079600)

Location.--Lat  $47^{\circ}36'09''$ , long  $112^{\circ}45'53''$ , in SE $\frac{1}{4}$  sec.4, T.21 N., R.9 W., Lewis and Clark County, at bridge on county road, 19 mi (30.6 km) northwest of Augusta.

Drainage area.--20.3 mi<sup>2</sup> (52.6 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 28, 1959. Altitude of gage is 4,560 ft (1,390 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 6, 1959	0.78	110
1960	May 12, 1960	2.28	458
1961	May 7, 1961	.37	55
1962	May 26, 1962	2.45	496
1963	May 25, 1963	.85	122
1964	June 8, 1964	--	4,360
1965	June 11, 1965	.71	75
1966	May 29, 1966	.41	40
1967	May 30, 1967	1.16	300
1968	April 1968	b1.16	a50
1969	April 1969	.42	42
1970	May 11, 1970	.93	215
1971	June 3, 1971	.51	75
1972	May 15, 1972	.48	76
1973	Mar. 17, 1973	b.78	a40

## Muddy Creek tributary near Power, Mt. (06087900)

Location.--Lat  $47^{\circ}45'23''$ , long  $111^{\circ}43'47''$ , on south line of SW $\frac{1}{4}$  sec.10, T.23 N., R.1 W., Teton County, at culvert on county road, 3 mi (4.8 km) west of U.S. Highway 91, 3.5 mi (5.6 km) northwest of Power and 6 mi (9.7 km) south of Dutton.

Drainage area.--3.15 mi<sup>2</sup> (8.16 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 16, 1963. Altitude of gage is 3,710 ft (1,130 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	July 10, 1963	1.15	19
1964	May 3, 1964	2.26	284
1965	June 17, 1965	2.27	130
1966	July 2, 1966	2.77	620
1967	June 10, 1967	1.73	62
1968	Aug. 15, 1968	1.94	130
1969	June 28, 1969	2.04	170
1970	May 11, 1970	2.24	265
1971	May 20, 1971	1.24	26
1972	Mar. 13, 1972	b2.80	a100
1973	June 15, 1973	1.64	45
1974	Jan. 15, 1974	2.06	175

Sun River tributary near Great Falls, Mt. (06089300)

Location.--Lat 47°31'55", long 111°24'03", in SW¼ sec.31, T.21 N., R.3 E., Cascade County, at culvert on old U.S. Highways 89 and 91, 4 mi (6.4 km) northwest of Great Falls.

Drainage area.--21.1 mi<sup>2</sup> (54.6 km<sup>2</sup>).

Records available.--August 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Aug. 15, 1955. Altitude of gage is 3,330 ft (1,020 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	Mar. 20, 1956	1.20	1
1957	June 16, 1957	1.05	.1
1958	July 3, 1958	2.74	156
1959	Mar. 2, 1959	2.52	116
1960	May 23, 1960	1.28	6
1961	--	--	(c)
1962	May 21, 1962	3.06	a150
1963	July 5, 1963	1.64	18
1964	June 8, 1964	5.46	470
1965	June 26, 1965	4.39	280
1966	Mar. 9, 1966	3.54	165
1967	July 3, 1967	2.92	102
1968	Feb. 23, 1968	1.61	18
1969	July 7, 1969	4.34	275
1970	May 19, 1970	2.73	85
1971	Feb. 14, 1971	2.03	40
1972	Mar. 13, 1972	2.50	68
1973	Apr. 25, 1973	1.83	28

Middle Fork Dry Fork Marias River near Dupuyer, Mt. (06099700)

Location.--Lat 48°08'48", long 112°27'46", in NE¼ sec.35, T.28 N., R.7 W., Pondera County, at culvert on county road, 4 mi (6.4 km) southeast of Dupuyer.

Drainage area.--20.2 mi<sup>2</sup> (52.3 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Prior to 1964, published as North Fork Dry Fork Marias River near Dupuyer.

Gage.--Crest-stage gage installed May 28, 1959. Altitude of gage is 4,120 ft (1,260 m), from topographic map.

Middle Fork Dry Fork Marias River near Dupuyer, Mt.  
(06099700) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 17, 1960	b1.24	a70
1961	May 7, 1961	.29	10
1962	Mar. 19, 1962	.99	61
1963	Feb. 3, 1963	b2.11	a45
1964	June 8, 1964	6.56	4,240
1965	Feb. 20, 1965	4.87	a300
1966	Mar. 26, 1966	2.22	100
1967	May 9, 1967	4.15	240
1968	Sept. 20, 1968	1.16	41
1969	June 25, 1969	3.29	150
1970	June 13, 1970	4.14	240
1971	Feb. 14, 1971	2.50	70
1972	July 19, 1972	4.26	270
1973	Apr. 25, 1973	.62	5
1974	Jan. 15, 1974	1.59	30

Heines Coulee tributary near Valier, Mt. (06100200)

Location.--Lat 48°14'56", long 112°13'43", in NE¼ sec.27, T.29 N., R.5 W., Pondera County, at culvert on county road, 4 mi (6.4 km) south of Valier.

Drainage area.--0.60 mi<sup>2</sup> (1.55 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 27, 1959. Altitude of gage is 3,860 ft (1,180 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 1, 1960	0.92	9
1961	May 17, 1961	.54	4
1962	Jan. 29, 1962	b.41	a2
1963	--	--	(c)
1964	June 8, 1964	10.57	64
1965	June 15, 1965	1.00	6
1966	Mar. 26, 1966	1.05	7
1967	May 7, 1967	1.46	12
1968	Feb. 28, 1968	.55	3
1969	Mar. 20, 1969	b3.94	a40
1970	July 13, 1970	.84	5
1971	Feb. 14, 1971	b4.94	a5
1972	Mar. 13, 1972	b5.0	a10
1973	Apr. 25, 1973	.13	1
1974	Jan. 15, 1974	.67	3

## Lone Man Coulee near Valier, Mt. (06100300)

Location.--Lat 48°14'10", long 112°13'49", in SE¼ sec.27, T.29 N., R.5 W., Pondera County, at culvert on county road, 5 mi (8.0 km) south of Valier.

Drainage area.--14.1 mi<sup>2</sup> (36.5 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 27, 1959. Altitude of gage is 3,780 ft (1,150 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 1, 1960	0.58	32
1961	May 17, 1961	.36	22
1962	Jan. 29, 1962	b2.87	a15
1963	Aug. 19, 1963	.49	27
1964	June 8, 1964	2.38	1,740
1965	Feb. 17, 1965	1.38	400
1966	Mar. 9, 1966	--	140
1967	June 10, 1967	.91	135
1968	Jan. 23, 1968	--	39
1969	Mar. 20, 1969	4.98	250
1970	July 13, 1970	3.04	46
1971	Feb. 14, 1971	b5.44	a200
1972	Mar. 13, 1972	7.62	830
1973	Apr. 25, 1973	.35	10
1974	Mar. 28, 1974	(f)	5

## Favot Coulee tributary near Ledger, Mt. (06101520)

Location.--Lat 48°15'47", long 111°42'09", in SE¼SW¼ sec.14, T.29 N., R.1 W., Pondera County, at culvert on Highway 366, 0.3 mi (0.5 km) east of Higgins School, 5.5 mi (8.9 km) east of Ledger.

Drainage area.--0.86 mi<sup>2</sup> (2.23 mi<sup>2</sup>).

Records available.--January 1974 to current year.

Gage.--Crest-stage gage installed Aug. 28, 1974. Altitude of gage is 3,530 ft (1,076 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1974	Jan. 17, 1974	2.75	39



Marias River tributary No. 3 near Chester, Mt. (06101600)

Location.--Lat 48°13'52", long 110°53'27", in NE¼ sec.36, T.29 N., R.6 E., Liberty County, at culvert on State Secondary Highway 223, 2.1 mi (3.4 km) south of Marias River bridge and 20 mi (32.2 km) southeast of Chester.

Drainage area.--0.32 mi<sup>2</sup> (0.83 km<sup>2</sup>).

Records available.--May 1962 to current year.

Gage.--Crest-stage gage installed Apr. 18, 1963. Altitude of gage is 2,900 ft (884 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eMay 21, 1962	3.18	29
1963	July 4, 1963	1.20	9
1964	June 8, 1964	1.37	11
1965	June 17, 1965	1.67	14
1966	June 4, 1966	.48	4
1967	February 1967	.32	3
1968	--	--	(c)
1969	Mar. 26, 1969	2.42	21
1970	July 13, 1970	3.36	32
1971	Feb. 13, 1971	1.21	10
1972	Mar. 18, 1972	.61	5
1973	Feb. 24, 1973	.21	2
1974	Aug. 11, 1974	.54	5

Cottonwood Creek tributary near Chester, Mt. (06101700)

Location.--Lat 48°27'31", long 111°04'47", near center of east line of sec.9, T.31 N., R.5 E., Liberty County, at culvert on county road, 3.5 mi (5.6 km) south of Tiber Siding on Great Northern Railway and U.S. Highway 2, 6.5 mi (10.5 km) southwest of Chester.

Drainage area.--2.28 mi<sup>2</sup> (5.90 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 17, 1963. Altitude of gage is 3,100 ft (945 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 28, 1963	4.08	79
1964	June 8, 1964	.98	a10
1965	Apr. 10, 1965	3.34	67
1966	July 3, 1966	1.61	21
1967	Mar. 22, 1967	5.01	96
1968	--	--	(c)
1969	June 26, 1969	2.40	40
1970	July 13, 1970	2.32	38
1971	Feb. 25, 1971	1.80	25
1972	Mar. 18, 1972	2.11	32
1973	Feb. 24, 1973	.51	3
1974	Aug. 11, 1974	6.20	675

## Cottonwood Creek tributary No.2 near Chester, Mt. (06101800)

Location.--Lat 48°19'49", long 110°56'40", in NW¼ sec.27, T.30 N., R.6 E., Liberty County, at bridge on State Highway 223, 5.5 road mi (8.8 km) north of Marias River bridge, and 12.5 mi (20.1 km) south of Chester.

Drainage area.--24.6 mi<sup>2</sup> (63.7 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 17, 1963. Altitude of gage is 2,950 ft (899 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	June 8, 1964	2.35	75
1965	Apr. 7, 1965	3.18	220
1966	July 3, 1966	2.70	130
1967	Mar. 21, 1967	2.20	55
1968	--	--	(c)
1969	Mar. 26, 1969	2.96	175
1970	July 13, 1970	1.10	5
1971	Feb. 25, 1971	.98	3
1972	--	--	(c)
1973	--	--	(c)
1974	May 13, 1974	.59	2

## Dead Indian Coulee near Fort Benton, Mt. (06101900)

Location.--Lat 48°04'54", long 110°50'14", in center of sec.21, T.27 N., R.7 E., Chouteau County, at culvert on State Highway 223, 20 mi (32.2 km) northwest of Fort Benton.

Drainage area.--2.73 mi<sup>2</sup> (7.07 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 18, 1963. Altitude of gage is 3,250 ft (991 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	May 3, 1964	2.19	22
1965	Feb. 17, 1965	4.16	52
1966	Mar. 9, 1966	4.95	116
1967	Mar. 21, 1967	.21	a1
1968	--	--	(c)
1969	Mar. 26, 1969	3.84	47
1970	Mar. 7, 1970	2.89	32
1971	Feb. 12, 1971	3.44	40
1972	--	--	(c)
1973	Apr. 20, 1973	--	1
1974	Aug. 8, 1974	.50	2

## Dry Fork Coulee tributary near Loma, Mt. (06102100)

Location.--Lat 47°56'52", long 110°32'23", in SW¼ sec.2, T.25 N., R.9 E., Chouteau County, at culvert on county road, 2 mi (3.2 km) west of Loma.

Drainage area.--0.84 mi<sup>2</sup> (2.18 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 25, 1959. Altitude of gage is 2,580 ft (786 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	eMar. 1, 1959	4.02	71
1960	Mar. 17, 1960	.41	a2
1961	May 31, 1961	b1.42	a1
1962	May 21, 1962	.85	6
1963	Aug. 25, 1963	1.54	16
1964	Aug. 19, 1964	1.06	8
1965	June 24, 1965	7.23	244
1966	June 3, 1966	3.27	54
1967	March 1967	1.09	7
1968	June 9, 1968	1.74	20
1969	Mar. 26, 1969	6.18	142
1970	June 13, 1970	2.12	28
1971	Feb. 13, 1971	2.64	40
1972	Aug. 2, 1972	1.86	22
1973	Aug. 22, 1973	1.13	8

## Marias River tributary at Loma, Mt. (06102200)

Location.--Lat 47°56'38", long 110°30'50", in SW¼SE¼ sec.1, T.25 N., R.9 E., Chouteau County, at bridge on county road, 0.6 mi (1.0 km) west of Loma.

Drainage area.--1.62 mi<sup>2</sup> (4.20 km<sup>2</sup>).

Records available.--August 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Aug. 18, 1955. Altitude of gage is 2,590 ft (789 m), from topographic map.

Marias River tributary at Loma, Mt. (06102200) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	--	b0.8	a5
1957	Mar. 1, 1957	b1.74	a3
1958	Mar. 29, 1958	.68	a4
1959	Mar. 1, 1959	b2.9	a12
1960	Mar. 17, 1960	1.50	a6
1961	--	--	(c)
1962	May 21, 1962	2.11	a20
1963	Feb. 4, 1963	b1.88	a10
1964	Aug. 19, 1964	b1.58	a8
1965	June 24, 1965	4.87	300
1966	June 3, 1966	2.43	82
1967	March 1967	1.43	76
1968	Feb. 24, 1968	2.16	22
1969	Mar. 26, 1969	b2.52	a7
1970	June 13, 1970	1.73	45
1971	Mar. 30, 1971	b3.48	22
1972	Aug. 2, 1972	.39	20
1973	--	--	(c)

Marias River tributary No. 2 at Loma, Mt. (06102300)

Location.--Lat 47°56'28", long 110°30'18", in NE¼NE¼ sec.12, T.25 N., R.9 E., Chouteau County, at culvert on approach to U.S. Highway 87, 0.2 mi (0.3 km) north of Loma.

Drainage area.--0.25 mi<sup>2</sup> (0.65 km<sup>2</sup>).

Records available.--August 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Aug. 18, 1955. Altitude of gage is 2,590 ft (789 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	May 27, 1956	2.97	a20
1957	Mar. 1, 1957	b2.46	a10
1958	Mar. 29, 1958	b1.40	a1
1959	February 1959	1.01	a1
1960	Mar. 17, 1960	b1.73	a2
1961	--	--	(c)
1962	Mar. 17, 1962	b1.55	a2
1963	June 28, 1963	2.60	a15
1964	Aug. 19, 1964	1.38	2
1965	June 24, 1965	4.78	42
1966	June 3, 1966	2.85	18
1967	June 14, 1967	.92	a.5
1968	June 9, 1968	.97	.5
1969	March 1969	2.30	11
1970	June 13, 1970	1.71	5
1971	Feb. 14, 1971	1.23	1.5
1972	Mar. 17, 1972	b1.97	a5
1973	Apr. 20, 1973	.84	1

## Bruce Coulee tributary near Choteau, Mt. (06105800)

Location--Lat 47°44'07", long 112°15'05", near center of sec.21, T.23 N., R.5 W., Teton County, at bridge on county road, 1.2 mi (1.9 km) west of State Highway 287, 6 mi (9.7 km) southwest of Choteau.

Drainage area--1.70 mi<sup>2</sup> (4.40 km<sup>2</sup>).

Records available--April 1963 to current year.

Gage--Crest-stage gage installed Apr. 16, 1963. Altitude of gage is 3,940 ft (1,200 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 28, 1963	0.65	a18
1964	June 8, 1964	1.76	148
1965	June 16, 1965	1.90	140
1966	July 2, 1966	3.50	247
1967	June 10, 1967	2.44	155
1968	Sept. 21, 1968	.54	15
1969	Mar. 26, 1969	.92	40
1970	July 13, 1970	1.84	105
1971	Feb. 13, 1971	.83	30
1972	June 9, 1972	5.06	390
1973	Apr. 25, 1973	.49	12
1974	Aug. 13, 1974	1.08	50

## Kinley Coulee near Dutton, Mt. (06108200)

Location--Lat 47°50'35", long 111°35'32", in center of north line of sec.15, T.24 N., R.1 E., Teton County, at culverts on county road, 5.1 mi (8.2 km) east of Dutton on Diamond Valley Road.

Drainage area--9.67 mi<sup>2</sup> (25.0 km<sup>2</sup>).

Records available--April 1963 to current year.

Gage--Crest-stage gage installed Apr. 17, 1963. Altitude of gage is 3,560 ft (1,080 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	June 21, 1964	8.0	364
1965	June 16, 1965	1.39	24
1966	July 2, 1966	10.72	2,070
1967	May 7, 1967	1.31	20
1968	Sept. 21, 1968	.58	1
1969	Mar. 20, 1969	4.45	182
1970	June 13, 1970	.63	1
1971	Feb. 13, 1971	b2.01	a5
1972	Mar. 18, 1972	.37	1
1973	Aug. 24, 1973	6.34	278
1974	Jan. 15, 1974	1.54	30



## Kinley Coulee tributary near Dutton, Mt. (06108300)

Location.--Lat 47°50'35", long 111°33'07", on north line of NW¼ sec.13, T.24 N., R.1 E., Teton County, at culverts on county road, 6.5 mi (10.5 km) east of Dutton on Diamond Valley Road.

Drainage area.--2.65 mi<sup>2</sup> (6.86 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 16, 1963. Altitude of gage is 3,610 ft (1,100 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	Sept. 16, 1963	1.28	18
1964	June 8, 1964	2.98	76
1965	Mar. 31, 1965	1.43	7
1966	July 2, 1966	14.77	465
1967	May 7, 1967	1.59	25
1968	June 9, 1968	.61	2
1969	Mar. 21, 1969	3.97	125
1970	July 13, 1970	.88	7
1971	Feb. 13, 1971	11.96	a2
1972	--	--	(c)
1973	Feb. 22, 1973	--	.3
1974	--	--	(c)

## Little Sandy Creek tributary near Virgelle, Mt. (06109530)

Location.--Lat 48°05'15", long 109°56'34", in NW¼NW¼ sec.21, T.27 N., R.14 E., Chouteau County, at culvert on county road 11 mi (18 km) east of Highway 236, 10 mi (16 km) southeast of Big Sandy.

Drainage area.--0.80 mi<sup>2</sup> (2.07 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed July 15, 1974. Altitude of gage is 3,340 ft (1,018 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.10	47
1974	May 13, 1974	1.35	6.7

## Alkali Coulee tributary near Virgelle, Mt. (06109560)

Location.--Lat 48°03'19", long 110°05'21", in SW¼NW¼ sec.32, T.27 N., R.13 E., Chouteau County, on bridge on county road, 2.1 mi (3.4 km) south of Highway 236, and 9.1 mi (14.6 km) southeast of Big Sandy.

Drainage area.--0.96 mi<sup>2</sup> (2.49 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed July 15, 1974. Altitude of gage is 2,785 ft (849 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	3.47	Not determined
1974	May 13, 1974	1.24	Not determined

## Judith River tributary near Utica, Mt. (06109900)

Location.--Lat 46°53'51", long 110°16'07", in SW¼ sec.13, T.13 N., R.11 E., Judith Basin County, at bridge on county road, 10 mi (16.1 km) southwest of Utica.

Drainage area.--7.17 mi<sup>2</sup> (18.6 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 21, 1959. Altitude of gage is 5,100 ft (1,550 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	0.65	15
1961	--	--	(c)
1962	June 14, 1962	1.00	25
1963	Feb. 4, 1963	b3.33	a10
1964	--	--	(c)
1965	April 1965	2.46	83
1966	Mar. 10, 1966	2.06	104
1967	June 10, 1967	.55	10
1968	--	--	(c)
1969	Apr. 2, 1969	b4.69	a20
1970	Apr. 10, 1970	b1.78	a5
1971	Feb. 13, 1971	1.90	85
1972	Mar. 16, 1972	--	a30
1973	Sept. 1, 1973	--	a2
1974	Jan. 15, 1974	2.21	125

## Judith River tributary No. 2 near Utica, Mt. (06109950)

Location.--Lat 46°53'44", long 110°14'29", in SE¼ sec.7, T.13 N., R.12 E., Judith Basin County, at bridge on county road, 9.5 mi (15.3 km) southwest of Utica.

Drainage area.--6.97 mi<sup>2</sup> (18.1 km<sup>2</sup>).

Records available.--May 1959 to September 1967 (discontinued).

Gage.--Crest-stage gage installed May 21, 1959. Altitude of gage is 4,850 ft (1,480 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	0.70	Not determined
1961	--	--	(c)
1962	June 14, 1962	.90	Not determined
1963	Feb. 4, 1963	1.00	Not determined
1964	June 8, 1964	1.29	Not determined
1965	April 1965	1.69	Not determined
1966	Mar. 10, 1966	.18	Not determined
1967	Sept.13, 1967	.96	Not determined

## Casino Creek tributary near Lewistown, Mt. (06111700)

Location.--Lat  $46^{\circ}59'44''$ , long  $109^{\circ}26'49''$ , in NE $\frac{1}{4}$  sec.9, T.14 N., R.18 E., Fergus County, at culverts on county road, 5 mi (8.0 km) south of Lewistown.

Drainage area.--3.53 mi<sup>2</sup> (9.14 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 21, 1959. Altitude of gage is 4,200 ft (1,280 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	0.94	10
1961	--	--	(c)
1962	May 21, 1962	3.24	40
1963	May 12, 1963	.54	5
1964	May 3, 1964	3.67	44
1965	June 17, 1965	5.00	66
1966	Mar. 12, 1966	1.71	1
1967	June 14, 1967	2.44	29
1968	June 9, 1968	1.13	12
1969	Apr. 1, 1969	1.36	15
1970	May 18, 1970	1.90	22
1971	Mar. 30, 1971	2.31	28
1972	Mar. 18, 1972	.48	5
1973	June 3, 1973	.45	5
1974	May 13, 1974	.91	10

## Cottonwood Creek near Moore, Mt. (06112100)

Location.--Lat  $46^{\circ}58'45''$ , long  $109^{\circ}29'26''$ , in NW $\frac{1}{4}$  sec.18, T.14 N., R.18 E., Fergus County, 30 ft (9 m) downstream from bridge on county road, 9.5 mi (15.3 km) east of Moore, and 12 mi (19.3 km) upstream from mouth.

Drainage area.--47.9 mi<sup>2</sup> (124 km<sup>2</sup>).

Records available.--August 1957 to September 1963 (continuous record), October 1963 to September 1973 (discontinued).

Gage.--Water-stage recorder. Altitude of gage is 4,300 ft (1,310 m), from topographic map.

## Cottonwood Creek near Moore, Mt. (06112100) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	May 22, 1958	3.78	57
1959	June 7, 1959	5.42	143
1960	June 4, 1960	4.50	102
1961	June 1, 1961	4.83	101
1962	May 22, 1962	6.77	683
1963	June 15, 1963	4.75	216
1964	June 9, 1964	7.68	1,220
1965	June 17, 1965	4.52	162
1966	May 29, 1966	4.47	155
1967	June 8, 1967	7.60	1,180
1968	June 10, 1968	6.69	578
1969	June 27, 1969	7.07	870
1970	May 28, 1970	6.76	420
1971	June 7, 1971	6.20	440
1972	June 9, 1972	5.73	240
1973	June 15, 1973	6.77	430

## Missouri River tributary near Landusky, Mt. (06115100)

Location.--Lat 47°37'35", long 108°41'51", in NW¼ sec.31, T.22 N., R.24 E., Fergus County, at culvert on county road, 0.4 mi (0.6 km) west of U.S. Highway 191 along south side of Missouri River, 19 mi (30.6 km) south of Landusky.

Drainage area.--3.39 mi<sup>2</sup> (8.78 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed May 14, 1963. Altitude of gage is 2,280 ft (695 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJune 15, 1962	--	a500
1963	July 18, 1963	3.75	111
1964	May 3, 1964	.04	1
1965	May 7, 1965	1.07	20
1966	--	--	(c)
1967	Mar. 23, 1967	1.86	30
1968	Aug. 15, 1968	2.23	40
1969	June 26, 1969	.99	12
1970	June 12, 1970	.81	10
1971	Aug. 30, 1971	3.75	100
1972	June 9, 1972	5.20	1,950
1973	Aug. 24, 1973	3.70	98
1974	July 7, 1974	4.65	155

## Duval Creek near Landusky, Mt. (06115300)

Location.--Lat 47°45'17", long 108°42'23", in center of sec.13, T.23 N., R.23 E., Phillips County, at culvert on U.S. Highway 191, 10.0 road mi (16.1 km) north of the Fred Robinson Bridge over the Missouri River, 11 mi (17.7 km) southwest of Landusky.

Drainage area.--3.31 mi<sup>2</sup> (8.57 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 14, 1963. Altitude of gage is 2,900 ft (884 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	May 11, 1963	2.13	46
1964	Aug. 20, 1964	4.23	145
1965	May 7, 1965	6.30	280
1966	Apr. 26, 1966	2.14	47
1967	Mar. 23, 1967	3.80	73
1968	Feb. 28, 1968	2.09	19
1969	Apr. 26, 1969	3.06	46
1970	Apr. 28, 1970	2.84	40
1971	Mar. 16, 1971	2.79	17
1972	June 9, 1972	7.45	340
1973	June 15, 1973	1.79	12
1974	Aug. 8, 1974	6.27	235

## Dirty Creek near Martinsdale, Mt. (06117800)

Location.--Lat 46°33'00", long 110°18'52", in SW¼SW¼ sec.11, T.9 N., R.11 E., Meagher County, at culvert on county road, 4.3 mi (6.9 km) north of U.S. Highway 12, 4.9 mi (7.9 km) north of junction of U.S. Highway 12 and turnoff to Martinsdale, 6.5 mi (10.5 km) north of Martinsdale.

Drainage area.--2.82 mi<sup>2</sup> (7.30 km<sup>2</sup>).

Records available.--1972, January 1974 to current year.

Gage.--Crest-stage gage installed Aug. 5, 1974. Altitude of gage is 5,050 ft (1,539 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	5.77	252
1974	Jan. 16, 1974	--	2

## 69. Antelope Creek tributary near Harlowton, Mt. (06120600)

Location.--Lat 46°38'27", long 109°58'39", in NE¼ sec.8, T.10 N., R.14 E., Wheatland County, at culvert on county road, 18.3 mi (29.4 km) northwest of Harlowton.

Drainage area.--0.47 mi<sup>2</sup> (1.22 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 13, 1955. Altitude of gage is 5,400 ft (1,650 m), from topographic map.



Antelope Creek tributary near Harlowton, Mt. (06120600)  
Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	June 15, 1956	1.36	13
1957	March 1957	.56	7
1958	--	--	(c)
1959	March 1959	1.72	3
1960	Mar. 18, 1960	2.04	6
1961	June 13, 1961	.25	(c)
1962	Mar. 26, 1962	1.40	1
1963	Feb. 4, 1963	1.32	1
1964	--	--	(c)
1965	April 1965	1.15	a1
1966	July 2, 1966	1.47	2
1967	Apr. 12, 1967	.92	a.5
1968	Feb. 28, 1968	1.09	a.5
1969	June 6, 1969	4.82	68
1970	Apr. 6, 1970	b2.06	a1
1971	Apr. 26, 1971	1.21	.8
1972	Mar. 18, 1972	1.51	2
1973	Apr. 25, 1973	1.12	.5

Antelope Creek tributary near mouth, near  
Harlowton, Mt. (06120700)

Location.--Lat 46°36'50", long 109°57'00", in NW¼ sec.22, T.10 N., R.14 E., Wheatland County, at bridge on county road, 16.3 mi (26.2 km) northwest of Harlowton.

Drainage area.--1.92 mi<sup>2</sup> (4.97 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 12, 1955. Altitude of gage is 5,000 ft (1,520 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	Mar. 17, 1956	1.60	207
1957	June 16, 1957	1.51	188
1958	May 23, 1958	.17	17
1959	Mar. 20, 1959	.75	65
1960	Mar. 18, 1960	.42	33
1961	--	--	(c)
1962	Mar. 26, 1962	.28	20
1963	Feb. 4, 1963	b1.49	a50
1964	March 1964	.54	a45
1965	April 1965	1.40	165
1966	Mar. 20, 1966	.68	60
1967	Mar. 23, 1967	b.58	a5
1968	June 29, 1968	.74	65
1969	June 6, 1969	2.30	307
1970	Apr. 6, 1970	.73	65
1971	Mar. 10, 1971	b1.40	3
1972	Mar. 18, 1972	b1.15	a2
1973	Apr. 25, 1973	.57	47

## Antelope Creek tributary No. 2 near Harlowton, Mt. (06120800)

Location.--Lat  $46^{\circ}27'47''$ , long  $109^{\circ}49'29''$ , in SE $\frac{1}{4}$  sec.10, T.8 N., R.15 E., Wheatland County, at E. S. Bacon ranch, 1.5 mi (2.4 km) north of Harlowton.

Drainage area.--21.2 mi<sup>2</sup> (54.9 km<sup>2</sup>).

Records available.--July 1955 to current year.

Gage.--Crest-stage gage installed July 13, 1955. Altitude of gage is 4,250 ft (1,300 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	June 15, 1956	3.51	820
1957	June 21, 1957	1.95	190
1958	June 1958	.36	35
1959	Mar. 20, 1959	.57	80
1960	--	(f)	a25
1961	--	(f)	a25
1962	June 16, 1962	5.56	3,230
1963	Feb. 4, 1963	b.61	a20
1964	June 8, 1964	1.41	a130
1965	June 12, 1965	3.79	922
1966	--	(f)	a50
1967	June 13, 1967	1.32	125
1968	June 7, 1968	1.04	95
1969	Mar. 31, 1969	.77	65
1970	May 7, 1970	(f)	a20
1971	May 10, 1971	(f)	5
1972	May 10, 1972	(f)	a2
1973	June 2, 1973	.72	63
1974	Aug. 20, 1974	1.17	90

## Antelope Creek at Harlowton, Mt. (06120900)

Location.--Lat  $46^{\circ}26'27''$ , long  $109^{\circ}49'26''$ , in NE $\frac{1}{4}$  sec.22, T.8 N., R.15 E., Wheatland County, on overpass on U.S. Highway 12 at Harlowton.

Drainage area.--88.7 mi<sup>2</sup> (230 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 12, 1955. Altitude of gage is 4,150 ft (1,260 m), from topographic map.

## Antelope Creek at Harlowton, Mt. (06120900) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1950	eJune 17, 1950	16.73	24,400
1954	eAug. 15, 1954	4.52	1,600
1955	eJune 26, 1955	3.01	591
1956	June 15, 1956	3.28	800
1957	June 21, 1957	1.52	170
1958	--	(f)	a30
1959	--	(f)	a30
1960	--	(f)	a30
1961	--	(f)	a30
1962	June 16, 1962	4.02	1,280
1963	Feb. 4, 1963	(f)	a30
1964	--	(f)	a30
1965	June 12, 1965	2.2	318
1966	--	(f)	a30
1967	June 7, 1967	.60	70
1968	June 13, 1968	.90	95
1969	April 1969	.47	60
1970	May 7, 1970	(f)	a10
1971	May 30, 1971	(f)	15
1972	May 10, 1972	(f)	a5
1973	June 2, 1973	(f)	a20

## Spring Creek tributary near Harlowton, Mt. (06123200)

Location.--Lat 46°11'35", long 109°54'10", in NW¼NW¼ sec.18,

T.5 N., R.15 E., Sweet Grass County, at culverts on U.S.

Highway 191, 17 mi (27 km) south of Harlowton.

Drainage area.--2.10 mi<sup>2</sup> (5.44 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 29, 1973. Altitude of gage is 4,900 ft (1,490 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	--	(c)
1974	Aug. 20, 1974	1.21	2

## Currant Creek near Roundup, Mt. (06126300)

Location.--Lat  $46^{\circ}22'11''$ , long  $108^{\circ}38'55''$ , in SW $\frac{1}{4}$  sec.7, T.7 N., R.25 E., Musselshell County, at bridge on U.S. Highway 12, 7 mi (11.3 km) southwest of Roundup.

Drainage area.--220 mi<sup>2</sup> (570 km<sup>2</sup>).

Records available.--May 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 9, 1958. Altitude of gage is 3,250 ft (991 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	July 19, 1958	2.12	a40
1959	Mar. 1, 1959	6.65	780
1960	--	--	Unknown
1961	July 21, 1961	1.86	31
1962	June 15, 1962	5.28	395
1963	June 5, 1963	b3.45	a20
1964	June 8, 1964	3.80	140
1965	Apr. 1, 1965	1.55	25
1966	July 3, 1966	2.02	37
1967	June 7, 1967	b9.75	1,620
1968	June 9, 1968	2.85	71
1969	Mar. 18, 1969	b4.36	a150
1970	May 11, 1970	2.80	70
1971	Feb. 12, 1971	4.92	440
1972	June 9, 1972	4.26	320
1973	Aug. 22, 1973	5.33	525

## South Willow Creek tributary near Roundup, Mt. (06127100)

Location.--Lat  $46^{\circ}30'41''$ , long  $108^{\circ}34'30''$ , in center of E $\frac{1}{2}$  sec.28, T.9 N., R.25 E., Musselshell County, at culvert on U.S. Highway 87 between Roundup and Grassrange, 4.5 mi (7.2 km) north of Roundup.

Drainage area.--1.38 mi<sup>2</sup> (3.57 km<sup>2</sup>).

Records available.--May 1962 to current year.

Gage.--Crest-stage gage installed Apr. 28, 1963. Altitude of gage is 3,450 ft (1,050 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	May 13, 1962	8.34	444
1963	--	--	(c)
1964	June 8, 1964	1.77	45
1965	July 27, 1965	9.90	510
1966	July 3, 1966	4.94	210
1967	June 7, 1967	1.75	45
1968	June 9, 1968	4.40	175
1969	Mar. 17, 1969	3.41	120
1970	May 11, 1970	2.74	85
1971	Feb. 13, 1971	1.07	25
1972	June 9, 1972	3.60	130
1973	--	--	(c)
1974	Aug. 20, 1974	1.08	25

## Musselshell River tributary near Musselshell, Mt.(06127200)

Location.--Lat  $46^{\circ}30'22''$ , long  $108^{\circ}15'19''$ , in SW $\frac{1}{4}$  sec.30, T.9 N., R.28 E., Musselshell County, at bridge on U.S. Highway 12, 7.0 road mi (11.3 km) east of Gage Railroad Siding, 2.0 mi (3.2 km) west of road to Delphia, and 8 mi (12.9 km) west of Musselshell.

Drainage area.--10.8 mi<sup>2</sup> (28.0 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 15, 1963. Altitude of gage is 3,070 ft (936 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	--	--	(c)
1965	April 1965	1.73	150
1966	Mar. 10, 1966	.96	22
1967	March 1967	.44	a1
1968	July 15, 1968	2.30	154
1969	April 1969	1.86	84
1970	June 12, 1970	1.05	20
1971	Feb. 12, 1971	2.04	126
1972	June 9, 1972	3.11	380
1973	--	--	(c)
1974	Jan. 15, 1974	1.23	32

## Home Creek near Sumatra, Mt. (06127520)

Location.--Lat  $46^{\circ}38'14''$ , long  $107^{\circ}37'12''$ , in SE $\frac{1}{4}$ NW $\frac{1}{4}$  sec.7, T.10 N., R.33 E., Rosebud County, 100 ft (305 m) upstream from U.S. Highway 12, 3.7 mi (6.0 km) northwest of Sumatra.

Drainage area.--1.98 mi<sup>2</sup> (5.13 km<sup>2</sup>).

Records available.--September 1973 to current year.

Gage.--Crest-stage gage installed Sept. 7, 1973. Altitude of gage is 3,080 ft (939 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.51	105
1974	May 14, 1974	1.20	1



## Home Creek near Melstone, Mt. (06127530)

Location.--Lat 46°38'12", long 107°46'48", in NE¼ sec.14, T.10 N., R.31 E., Rosebud County, at bridge on U.S. Highway 12, 2.2 mi (3.5 km) east of Musselshell River bridge, 5 mi (8.0 km) northeast of Melstone, and 11 mi (17.7 km) west of Sumatra.

Drainage area.--31.2 mi<sup>2</sup> (80.8 km<sup>2</sup>).

Records available.--May 1963 to September 1967 (discontinued).

Gage.--Crest-stage gage installed May 16, 1963. Altitude of gage is 2,860 ft (872 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	--	--	(c)
1965	May 7, 1965	3.47	a95
1966	July 13, 1966	5.98	252
1967	June 4, 1967	3.18	a75

## Butts Coulee near Melstone, Mt. (06127570)

Location.--Lat 46°38'49", long 107°49'15", in center of E½ sec.9, T.10 N., R.31 E., Musselshell County, at culvert on county road, 2.8 mi (4.5 km) north of U.S. Highway 12, 4 mi (6.4 km) northeast of Melstone.

Drainage area.--5.96 mi<sup>2</sup> (15.4 km<sup>2</sup>).

Records available.--May 1963 to current year. Prior to 1966, published as Musselshell River tributary No. 2 near Melstone.

Gage.--Crest-stage gage installed May 16, 1963. Altitude of gage is 2,810 ft (856 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	May 11, 1963	2.67	64
1964	Aug. 20, 1964	3.53	100
1965	June 15, 1965	3.9	114
1966	Mar. 8, 1966	1.21	20
1967	June 18, 1967	2.60	62
1968	June 9, 1968	8.44	310
1969	July 7, 1969	11.40	488
1970	June 14, 1970	5.82	170
1971	Feb. 13, 1971	3.43	95
1972	June 9, 1972	6.94	215
1973	Apr. 20, 1973	1.68	32
1974	May 20, 1974	1.21	20

## South Fork Bear Creek near Roy, Mt. (06128400)

Location.--Lat 47°12'04", long 108°47'55", in SW¼ sec.28, T.17 N., R.23 E., Fergus County, at bridge on State Highway 19, 10.2 mi (16.4 km) south of U.S. Highway 191, 11.2 mi (18.0 km) north of U.S. Highway 87 and State Highway 18, 12 mi (19.3 km) southeast of Roy, and 12 mi (19.3 km) north of Grass Range.

Drainage area.--39.6 mi<sup>2</sup> (103 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed May 15, 1963. Altitude of gage is 3,250 ft (991 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	June 15, 1962	2.67	225
1963	May 11, 1963	1.37	30
1964	June 8, 1964	5.05	1,490
1965	April 1965	2.55	200
1966	July 3, 1966	2.86	265
1967	June 9, 1967	1.78	75
1968	June 9, 1968	4.39	940
1969	Mar. 19, 1969	3.57	500
1970	May 3, 1970	2.86	210
1971	Feb. 13, 1971	3.59	490
1972	July 19, 1972	1.85	75
1973	Aug. 24, 1973	2.19	115
1974	May 20, 1974	2.59	210

## South Fork Bear Creek tributary near Roy, Mt. (06128500)

Location.--Lat 47°13'44", long 108°47'54", in SW¼ sec.16, T.17 N., R.23 E., Fergus County, at culvert on State Highway 19, 8.7 road mi (14.0 km) south of U.S. Highway 191, 1.7 mi (2.7 km) north of South Fork Bear Creek, 10.5 mi (16.9 km) southeast of Roy, and 14 mi (22.5 km) north of Grass Range.

Drainage area.--5.40 mi<sup>2</sup> (14.0 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed May 14, 1963. Altitude of gage is 3,300 ft (1,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	June 15, 1962	1.90	28
1963	June 25, 1963	.42	1
1964	July 5, 1964	2.88	63
1965	April 1965	2.78	59
1966	July 3, 1966	2.65	53
1967	May 1967	1.33	15
1968	June 9, 1968	3.31	82
1969	Mar. 19, 1969	5.40	185
1970	May 2, 1970	3.00	68
1971	Feb. 13, 1971	4.66	148
1972	July 19, 1972	1.19	12
1973	Apr. 20, 1973	3.64	98
1974	July 7, 1974	4.15	122

## Box Elder Creek tributary near Winnett, Mt. (06128900)

Location.--Lat 47°01'45", long 108°09'32", in SW¼NW¼ sec.34, T.15 N., R.28 E., Petroleum County, 0.2 mi (0.3 km) north of State Highway 20 and 8 mi (12.9 km) east of Winnett.

Drainage area.--16.2 mi<sup>2</sup> (42.0 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 14, 1955. Altitude of gage is 2,740 ft (835 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	Aug. 23, 1955	2.20	132
1956	June 18, 1956	2.11	123
1957	Feb. 28, 1957	.66	27
1958	July 31, 1958	2.86	193
1959	Mar. 1, 1959	3.86	412
1960	Mar. 18, 1960	3.37	275
1961	Aug. 10, 1961	.90	40
1962	June 15, 1962	b8.3	a125
1963	May 11, 1963	2.87	194
1964	May 3, 1964	1.89	105
1965	March 1965	b3.84	a200
1966	March 1966	b1.36	a30
1967	May 11, 1967	1.83	100
1968	June 9, 1968	3.27	258
1969	July 6, 1969	5.85	1,030
1970	May 11, 1970	2.29	135
1971	Feb. 16, 1971	b4.32	a20
1972	June 9, 1972	2.55	160
1973	Apr. 24, 1973	1.23	70

North Fork McDonald Creek tributary near  
Heath, Mt. (06129100)

Location.--Lat 47°04'03", long 109°12'46", in NE¼ sec.17, T.15 N., R.20 E., Fergus County, at culvert on U.S. Highway 87 and State Highway 20, 5 mi (8.0 km) northeast of Heath.

Drainage area.--2.24 mi<sup>2</sup> (5.80 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 19, 1959. Altitude of gage is 4,280 ft (1,300 m), from topographic map.

North Fork McDonald Creek tributary near  
Heath, Mt. (06129100) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	1.04	22
1961	Oct. 1, 1960	.02	1
1962	May 21, 1962	1.21	27
1963	May 12, 1963	.38	6
1964	June 8, 1964	1.51	36
1965	March 1965	.90	18
1966	Mar. 31, 1966	.96	20
1967	April 1967	.83	16
1968	August 1968	.34	5
1969	Mar. 20, 1969	.40	6
1970	Apr. 6, 1970	.51	8
1971	Feb. 14, 1971	.50	8
1972	Aug. 3, 1972	.15	3
1973	June 14, 1973	1.25	28
1974	May 20, 1974	.30	5

Alkali Creek near Heath, Mt. (06129200)

Location.--Lat 47°04'41", long 109°08'48", in SE¼ sec.11,  
T.15 N., R.20 E., Fergus County, at bridge on county road,  
7.5 mi (12.1 km) northeast of Heath.

Drainage area.--3.76 mi<sup>2</sup> (9.74 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 19, 1959. Altitude of  
gage is 4,060 ft (1,240 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	1.83	a60
1961	Feb. 20, 1961	b.62	a15
1962	June 15, 1962	7.4	757
1963	--	--	a1
1964	June 8, 1964	4.12	a120
1965	March 1965	2.59	a55
1966	Mar. 10, 1966	1.51	a60
1967	June 7, 1967	.36	19
1968	June 11, 1968	-.59	2
1969	Mar. 17, 1969	b.77	a12
1970	May 19, 1970	-.08	9
1971	Feb. 14, 1971	.04	11
1972	Aug. 3, 1972	3.07	a160
1973	June 14, 1973	--	a10
1974	May 20, 1974	.86	35

South Fork McDonald Creek tributary near  
Grass Range, Mt. (06129400)

Location.--Lat 47°00'10", long 108°47'14", in center of sec.3, T.14 N., R.23 E., Fergus County, at culvert on U.S. Highway 87, 1.4 road mi (2.3 km) south of the approach road to Grass Range, 1.5 mi (2.4 km) southeast of Grass Range.

Drainage area.--0.51 mi<sup>2</sup> (1.32 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 15, 1963. Altitude of gage is 3,700 ft (1,130 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 29, 1963	0.16	6
1964	June 8, 1964	2.42	38
1965	March 1965	.40	8
1966	March 1966	b1.30	a1
1967	June 14, 1967	.95	15
1968	June 9, 1968	1.25	19
1969	July 6, 1969	2.66	42
1970	May 11, 1970	1.70	26
1971	Feb. 14, 1971	1.53	24
1972	Mar. 11, 1972	.38	8
1973	June 15, 1973	.23	7
1974	July 11, 1974	1.30	20

McDonald Creek at Winnett, Mt. (06129500)

Location.--Lat 46°59'41", long 108°21'07", in NW¼ sec.7, T.14 N., R.27 E., Petroleum County, at bridge on State Highway 244, 0.8 mi (1.3 km) south of Winnett.

Drainage area.--421 mi<sup>2</sup> (1,090 km<sup>2</sup>).

Records available.--April 1930 to December 1932, February 1934 to September 1945, and February 1953 to September 1956 (continuous record), October 1956 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Sept. 19, 1960. Prior to Oct. 1, 1956, wire-weight gage, and Oct. 1, 1956, to March 1960, crest-stage gage 1 mi (1.6 km) downstream at different datum. Altitude of gage is 2,930 ft (893 m), by barometer, at old site.



## McDonald Creek at Winnett, Mt. (06129500) Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1931	Mar. 1-3, 1931	13.30	d4.2
1932	June 9, 1932	20.40	d562
1934	June 9, 1934	18.12	d351
1935	July 8, 1935	18.30	d371
1936	Mar. 5, 1936	--	a220
1937	July 13, 1937	18.75	401
1938	July 8, 1938	18.71	d328
1939	June 19, 1939	4.55	270
1940	Mar. 3, 1940	--	a75
1941	June 28, 1941	5.42	482
1942	May 15 or 16 1942	7.5	900
1943	June 8, 18, 1943	5.59	d549
1944	June 20, 1944	7.40	853
1945	June 7, 1945	2.48	d180
1953	June 10, 1953	5.66	d424
1954	Aug. 5, 1954	3.00	47
1955	Apr. 11, 1955	4.39	241
1956	Aug. 3, 1956	2.55	88
1957	Mar. 19, 1957	2.20	67
1958	July 19, 1958	3.23	150
1959	Mar. 1, 1959	b6.84	a400
1960	Mar. 19, 1960	4.44	a200
1961	Mar. 20, 1961	1.25	.1
1962	June 17, 1962	4.20	485
1963	Feb. 4, 1963	--	a250
1964	June 10, 1964	a10.0	1,440
1965	March 1965	b7.70	a800
1966	Mar. 9, 1966	--	a200
1967	June 16, 1967	6.83	890
1968	June 9, 1968	6.37	810
1969	April 1969	4.43	500
1970	May 11, 1970	8.80	1,300
1971	Feb. 14, 1971	b9.48	a750
1972	May 21, 1972	3.08	347
1973	Apr. 24, 1973	.89	78

## Gorman Coulee near Cat Creek, Mt. (06129700)

Location.--Lat 47°00'46", long 108°05'59", in SW¼SW¼ sec.31, T.15 N., R.29 E., Petroleum County, at culvert on State Highway 20, 6 mi (9.7 km) southwest of Cat Creek.

Drainage area.--2.32 mi<sup>2</sup> (6.01 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 14, 1955. Altitude of gage is 2,740 ft (835 m), from topographic map.

## Gorman Coulee near Cat Creek, Mt. (06129700) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	Aug. 23, 1955	5.59	385
1956	June 18, 1956	2.73	126
1957	Aug. 30, 1957	1.37	43
1958	July 19, 1958	2.09	83
1959	June 26, 1959	1.84	68
1960	--	--	Unknown
1961	--	--	(c)
1962	May 16, 1962	1.06	28
1963	--	--	a5
1964	Aug. 20, 1964	1.89	70
1965	July 10, 1965	4.05	237
1966	March 1966	.14	5
1967	June 7, 1967	5.00	328
1968	Aug. 15, 1968	.79	20
1969	July 6, 1969	9.80	810
1970	June 13, 1970	2.15	85
1971	June 27, 1971	2.88	135
1972	June 9, 1972	5.18	346
1973	Sept. 1, 1973	.66	15

## Gorman Coulee tributary near Cat Creek, Mt. (06129800)

Location.--Lat 47°00'45", long 108°05'33", in SE¼SW¼ sec.31, T.15 N., R.29 E., Petroleum County, at culvert on State Highway 20, 6 mi (9.7 km) southwest of Cat Creek.

Drainage area.--0.81 mi<sup>2</sup> (2.10 km<sup>2</sup>).

Records available.--May 1955 to current year.

Gage.--Crest-stage gage installed May 27, 1955. Altitude of gage is 2,760 ft (841 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	Aug. 23, 1955	3.02	159
1956	June 18, 1956	.96	32
1957	Aug. 30, 1957	1.24	44
1958	July 31, 1958	2.52	122
1959	Sept. 22, 1959	.28	10
1960	Mar. 18, 1960	.37	12
1961	Aug. 10, 1961	.50	15
1962	May 16, 1962	.55	17
1963	--	--	a5
1964	Aug. 20, 1964	1.85	78
1965	July 10, 1965	2.74	133
1966	Mar. 9, 1966	b.52	a5
1967	June 7, 1967	4.14	230
1968	June 9, 1968	.94	31
1969	July 6, 1969	5.12	315
1970	June 13, 1970	.60	20
1971	June 27, 1971	2.52	115
1972	June 9, 1972	5.80	380
1973	Sept. 1, 1973	.20	10
1974	Jan. 17, 1974	.34	15

## Cat Creek near Cat Creek, Mt. (06130600)

Location.--Lat 47°02'38", long 108°01'00", in SW¼ sec.23, T.15 N., R.29 E., Petroleum County, at culvert on county road, 2.5 mi (4.0 km) south of Cat Creek.

Drainage area.--36.5 mi<sup>2</sup> (94.5 km<sup>2</sup>).

Records available.--April 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Apr. 19, 1958. Altitude of gage is 2,650 ft (808 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	Aug. 15, 1958	2.76	92
1959	Mar. 12, 1959	4.58	170
1960	Mar. 18, 1960	5.85	379
1961	June 23, 1961	1.27	40
1962	June 16, 1962	6.19	748
1963	June 29, 1963	.72	26
1964	Aug. 20, 1964	2.61	90
1965	May 7, 1965	3.56	125
1966	Mar. 10, 1966	1.35	43
1967	June 7, 1967	.55	13
1968	Feb. 26, 1968	b1.22	a5
1969	July 6, 1969	2.32	76
1970	June 12, 1970	3.14	108
1971	Feb. 26, 1971	2.54	85
1972	June 9, 1972	3.44	120
1973	June 15, 1973	3.44	120

## Second Creek tributary near Jordan, Mt. (06130800)

Location.--Lat 47°11'31", long 106°48'06", in NW¼NW¼ sec.31, T.17 N., R.39 E., Garfield County, at culvert on State Highway 22, 11 mi (17.7 km) southeast of Jordan.

Drainage area.--0.75 mi<sup>2</sup> (1.94 km<sup>2</sup>).

Records available.--March 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Mar. 18, 1958. Altitude of gage is 2,750 ft (838 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1954	eAug. 16, 1954	9.64	334
1958	--	--	(c)
1959	Mar. 17, 1959	1.22	13
1960	Mar. 18, 1960	1.75	21
1961	--	--	(c)
1962	Mar. 18, 1962	1.10	12
1963	Feb. 4, 1963	b2.00	a5
1964	June 18, 1964	9.62	304
1965	April 1965	1.58	18
1966	July 2, 1966	.91	8
1967	June 7, 1967	1.90	24
1968	Feb. 26, 1968	b2.54	a10
1969	July 7, 1969	6.42	74
1970	June 30, 1970	2.16	27
1971	Feb. 14, 1971	2.06	25
1972	Aug. 14, 1972	5.63	68
1973	June 18, 1973	1.25	13

## Second Creek tributary No. 2 near Jordan, Mt. (06130850)

Location.--Lat 47°12'23", long 106°48'56", in NE¼ sec.25, T.17 N., R.38 E., Garfield County, at culvert on State Highway 22, 9.5 mi (15.3 km) southeast of Jordan.

Drainage area.--1.90 mi<sup>2</sup> (4.92 km<sup>2</sup>).

Records available.--March 1958 to current year.

Gage.--Crest-stage gage installed Mar. 18, 1958. Altitude of gage is 2,750 ft (838 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	June 1958	0.86	23
1959	Mar. 17, 1959	1.7	58
1960	Mar. 18, 1960	1.98	75
1961	Sept. 11, 1961	-.37	a2
1962	Mar. 18, 1962	.51	15
1963	Feb. 26, 1963	.82	20
1964	June 18, 1964	8.40	760
1965	Mar. 31, 1965	1.65	55
1966	July 2, 1966	.40	13
1967	June 7, 1967	.73	20
1968	Feb. 26, 1968	.26	10
1969	Apr. 25, 1969	.32	11
1970	June 30, 1970	2.89	120
1971	Feb. 14, 1971	.19	8
1972	Aug. 14, 1972	5.06	270
1973	June 18, 1973	1.99	75
1974	Aug. 14, 1974	2.91	120

## Second Creek tributary No. 3 near Jordan, Mt. (06130900)

Location.--Lat 47°13'10", long 106°49'31", in NW¼ sec.24, T.17 N., R.38 E., Garfield County, at culvert on State Highway 22, 8.5 mi (13.7 km) southeast of Jordan.

Drainage area.--0.60 mi<sup>2</sup> (1.55 km<sup>2</sup>).

Records available.--July 1958 to September 1972 (discontinued).

Gage.--Crest-stage gage installed July 23, 1958. Altitude of gage is 2,780 ft (847 m), from topographic map.

Second Creek tributary No. 3 near Jordan, Mt. (06130900)  
Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	--	--	(c)
1959	Mar. 3, 1959	1.77	31
1960	Mar. 18, 1960	1.03	18
1961	June 1, 1961	.23	a3
1962	July 14, 1962	.81	14
1963	July 18, 1963	.47	8
1964	June 18, 1964	13.32	458
1965	Mar. 31, 1965	1.44	25
1966	Mar. 10, 1966	.39	7
1967	Mar. 22, 1967	.75	13
1968	Feb. 26, 1968	.76	13
1969	Apr. 25, 1969	.92	16
1970	Apr. 28, 1970	1.68	30
1971	Feb. 14, 1971	.83	14
1972	Aug. 14, 1972	2.81	55

Little Dry Creek near Van Norman, Mt. (06130950)

Location--Lat 47°20'22", long 106°21'47", in NE¼NE¼ sec.9, T.18 N., R.42 E., Garfield County, at bridge on State Highway 20, 1.5 mi (2.4 km) southeast of Van Norman.

Drainage area--1,224 mi<sup>2</sup> (3,170 km<sup>2</sup>).

Records available--May 1958 to September 1973 (discontinued).

Gage--Crest-stage gage installed May 5, 1958. Altitude of gage is 2,350 ft (716 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	July 6, 1958	0.83	160
1959	Mar. 18, 1959	6.80	5,200
1960	Mar. 20, 1960	b7.6	a4,000
1961	Sept. 11, 1961	3.08	1,320
1962	Mar. 22, 1962	2.32	850
1963	Feb. 6, 1963	b2.49	a800
1964	July 5, 1964	2.88	1,200
1965	Aug. 6, 1965	6.01	g4,300
1966	July 3, 1966	4.39	2,450
1967	March 1967	b3.19	a600
1968	July 16, 1968	4.28	2,350
1969	Mar. 21, 1969	b3.96	a1,400
1970	Apr. 28, 1970	2.92	1,200
1971	Mar. 13, 1971	4.51	2,300
1972	Mar. 13, 1972	b5.85	a3,000
1973	Sept. 7, 1973	2.90	1,200



## Livermore Creek near Babb, Mt. (06132250)

Location.--Lat 48°46'02", long 113°10'33", in NE¼ sec.28,  
T.35 N., R.12 W., Glacier County, at bridge on State High-  
way 464, 13.5 mi (21.7 km) southeast of Babb.

Drainage area.--25.0 mi<sup>2</sup> (64.8 km<sup>2</sup>).

Records available.--August 1961 to September 1967 (discontinued).

Gage.--Crest-stage gage installed Aug. 13, 1961. Altitude of  
gage is 4,730 ft (1,440 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	--	--	Unknown
1962	Apr. 13, 1962	3.43	152
1963	July 5, 1963	2.62	75
1964	June 8, 1964	--	4,880
1965	May 26, 1965	7.21	1,150
1966	June 4, 1966	7.41	196
1967	May 9, 1967	7.60	a600

## Middle Fork Milk River near Babb, Mt. (06132300)

Location.--Lat 48°50'40", long 113°12'50", in SE¼ sec.30,  
T.36 N., R.12 W., Glacier County, at culvert on State High-  
way 464, 10 mi (16.1 km) east of Babb.

Drainage area.--14.0 mi<sup>2</sup> (36.3 km<sup>2</sup>).

Records available.--August 1961 to September 1964 (discontinued).

Gage.--Crest-stage gage installed Aug. 13, 1961. Altitude of  
gage is 4,810 ft (1,470 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	--	--	Unknown
1962	Apr. 13, 1962	2.62	107
1963	July 5, 1963	b2.12	a30
1964	June 8, 1964	2.96	558

## Dry Fork Milk River near Babb, Mt. (06132400)

Location.--Lat 48°49'50", long 113°12'02", in SE¼ sec.32,  
T.36 N., R.12 W., Glacier County, at bridge on State High-  
way 464, 11 mi (17.7 km) east of Babb.

Drainage area.--17.4 mi<sup>2</sup> (45.1 km<sup>2</sup>).

Records available.--August 1961 to current year.

Gage.--Crest-stage gage installed Aug. 13, 1961. Altitude of  
gage is 4,750 ft (1,450 m), from topographic map.

## Dry Fork Milk River near Babb, Mt. (06132400) Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	--	--	Unknown
1962	Apr. 13, 1962	3.96	394
1963	July 5, 1963	2.41	70
1964	June 8, 1964	5.20	1,880
1965	Apr. 26, 1965	3.92	98
1966	June 4, 1966	4.32	450
1967	May 8, 1967	4.79	1,040
1968	May 22, 1968	3.45	125
1969	June 25, 1969	3.73	180
1970	June 13, 1970	3.85	210
1971	Apr. 15, 1971	2.99	62
1972	Mar. 16, 1972	b6.10	a1,000
1973	Apr. 12, 1973	--	a25
1974	Apr. 27, 1974	4.37	72

## Milk River near Del Bonita, Mt. (06132700)

Location.--Lat 48°57'15", long 112°45'08", in center of N½ sec.23, T.37 N., R.9 W., Glacier County, at bridge on State Highway 483, 3.5 mi (5.6 km) southeast of customs post at Del Bonita.

Drainage area.--325 mi<sup>2</sup> (842 km<sup>2</sup>).

Records available.--April 1905 to September 1930, August 1960 to September 1967 (discontinued). (Mostly seasonal record April 1905 to September 1930 and seasonal record station April 1962 to November 1964).

Gage.--Crest-stage gage installed Aug. 12, 1961. Altitude of gage is 4,030 ft (1,230 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1906	May 31, 1906	5.9	629
1907	June 23, 1907	8.90	1,940
1908	June 6, 1908	15.4	a13,000
1911	May 16, 1911	6.55	1,610
1913	Apr. 13, 1913	5.7	1,120
1914	Apr. 12, 1914	4.80	588
1915	June 25, 1915	6.9	1,820
1916	Feb. 16, 1916	8.6	2,840
1917	Apr. 8, 1917	6.42	1,520
1919	Apr. 1, 1919	3.14	326
1923	June 22, 1923	3.62	487
1924	June 8, 1924	4.96	1,230
1927	Apr. 25, 1927	7.60	3,290
1929	June 3, 1929	3.77	597
1930	Mar. 28, 1930	5.90	1,570
1961	--	--	Unknown
1962	Apr. 14, 1962	b4.13	a800
1963	Feb. 6, 1963	b5.10	d765
1964	June 8, 1964	9.0	17,300
1965	Apr. 13, 1965	4.87	1,600
1966	June 5, 1966	5.39	2,330
1967	May 8, 1967	6.98	6,600

## Van Cleeve Coulee tributary near Sunburst, Mt. (06134800)

Location.--Lat 48°53'05", long 111°49'20", on north line of NE $\frac{1}{4}$  sec.14, T.36 N., R.2 W., Toole County, at culvert on county road, 3.7 road mi (6.0 km) east of the interchange on Interstate 15 at Sunburst.

Drainage area.--10.8 mi<sup>2</sup> (28.0 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 17, 1963. Altitude of gage is 3,340 ft (1,020 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	May 3, 1964	2.08	35
1965	Apr. 7, 1965	4.00	239
1966	Mar. 9, 1966	1.55	15
1967	Mar. 22, 1967	b3.80	a110
1968	Feb. 28, 1968	1.15	10
1969	Mar. 17, 1969	b3.84	a110
1970	Mar. 20, 1970	2.26	46
1971	Feb. 14, 1971	1.26	11
1972	Mar. 16, 1972	b2.84	a30
1973	Apr. 12, 1973	1.07	10
1974	Apr. 28, 1974	1.44	13

## Spring Coulee tributary near Simpson, Mt. (06136400)

Location.--Lat 48°56'36", long 110°12'51", in SW $\frac{1}{4}$ SW $\frac{1}{4}$  sec.24, T.37 N., R.12 E., Hill County, at culvert on Highway 232, 1.3 mi (2.1 km) northwest of Simpson, 0.7 mi (1.1 km) north of mile post 39, 38 mi (61 km) northwest of Havre.

Drainage area.--2.49 mi<sup>2</sup> (6.45 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed July 17, 1974. Altitude of gage is 2,775 ft (846 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.12	Not determined
1974	May 13, 1974	2.00	8.5

## Sage Creek tributary No. 2 near Joplin, Mt. (06137600)

Location--Lat 48°54'38", long 110°46'20", in NE¼NE¼ sec.2, T.36 N., R.7 E., Liberty County, at culvert on Highway 224, 0.7 mi (1.1 km) north of Sage Creek, 5.9 mi (9.5 km) north of end of pavement, 25.2 mi (41 km) north of Joplin.

Drainage area--2.21 mi<sup>2</sup> (5.72 km<sup>2</sup>).

Records available--May 1974 to current year.

Gage--Crest-stage gage installed July 18, 1974. Altitude of gage is 3,135 ft (956 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1974	May 13, 1974	2.47	15

## England Coulee at Hingham, Mt. (06137900)

Location--Lat 48°33'34", long 110°25'15", in center of sec.3, T.32 N., R.10 E., Hill County, at culvert on farm road, 0.5 mi (0.8 km) northeast of Hingham.

Drainage area--1.08 mi<sup>2</sup> (2.80 km<sup>2</sup>).

Records available--May 1959 to September 1974 (discontinued).

Gage--Crest-stage gage installed May 27, 1959. Altitude of gage is 3,000 ft (914 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 17, 1960	1.51	14
1961	--	--	(c)
1962	June 14, 1962	5.46	299
1963	July 3, 1963	2.27	26
1964	April 1964	.06	.1
1965	Apr. 9, 1965	2.71	45
1966	Mar. 9, 1966	1.40	18
1967	Feb. 26, 1967	1.36	17
1968	--	--	(c)
1969	Mar. 22, 1969	1.83	a20
1970	June 13, 1970	1.62	23
1971	Mar. 13, 1971	1.83	28
1972	Mar. 12, 1972	b3.39	a1
1973	--	--	(c)
1974	Aug. 9, 1974	2.10	34

South Fork Spring Coulee near Havre, Mt. (06138700)

Location.--Lat 48°24'33", long 109°49'44", in NE¼ sec.31, T.31 N., R.15 E., Hill County, at culvert on county road, 12 mi (19.3 km) southwest of Havre.

Drainage area.--6.47 mi<sup>2</sup> (16.8 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 26, 1959. Altitude of gage is 2,770 ft (844 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 17, 1960	2.04	33
1961	May 31, 1961	.04	2
1962	Mar. 18, 1962	1.68	25
1963	June 22, 1963	2.06	34
1964	May 3, 1964	.10	2
1965	April 1965	2.47	44
1966	Mar. 9, 1966	4.42	190
1967	Feb. 27, 1967	3.15	59
1968	Feb. 29, 1968	--	.1
1969	Mar. 26, 1969	3.47	75
1970	Mar. 7, 1970	1.96	31
1971	Feb. 12, 1971	2.38	50
1972	Mar. 13, 1972	b1.73	a5
1973	Apr. 24, 1973	.50	5
1974	Jan. 17, 1974	3.24	60

Spring Coulee near Havre, Mt. (06138800)

Location.--Lat 48°25'20", long 109°51'49", in NW¼ sec.25, T.31 N., R.14 E., Hill County, at culverts on county road, 13 mi (20.9 km) southwest of Havre.

Drainage area.--17.8 mi<sup>2</sup> (46.1 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 26, 1959. Altitude of gage is 2,670 ft (814 m), from topographic map.



## Spring Coulee near Havre, Mt. (06138800) Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	eMar. 11, 1959	5.60	257
1960	Mar. 17, 1960	--	a10
1961	--	--	(c)
1962	Mar. 18, 1962	1.32	48
1963	Feb. 3, 1963	1.35	46
1964	--	--	(c)
1965	Apr. 6, 1965	2.01	77
1966	Mar. 9, 1966	6.24	345
1967	Mar. 22, 1967	3.41	146
1968	--	--	(c)
1969	Mar. 26, 1969	5.56	255
1970	July 13, 1970	.73	22
1971	Feb. 12, 1971	5.75	263
1972	Mar. 13, 1972	(f)	a2
1973	Feb. 28, 1973	(f)	a3

## Big Sandy Creek near Assinniboine, Mt. (06139500)

Location.--Lat 48°31'36", long 109°50'27", in SW¼SW¼ sec.18, T.32 N., R.15 E., Hill County, 2 mi (3.2 km) northwest of Assinniboine.

Drainage area.--1,805 mi<sup>2</sup> (4,675 km<sup>2</sup>).

Records available.--February 1946 to November 1953 (continuous record), April 1955 to September 1967 (discontinued).

Gage.--Water-stage recorder re-installed Apr. 9, 1955. Altitude of gage is 2,510 ft (765 m), by barometer.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1946	Feb. 27, 1946	--	h86
1947	Mar. 21, 1947	9.68	i2,080
1948	Mar. 22, 1948	--	h17
1949	Mar. 31, 1949	--	h5
1950	Mar. 29, 1950	3.88	208
1951	Mar. 23, 1951	5.01	391
1952	Apr. 3, 1952	14.70	5,570
1953	June 6, 1953	6.56	714
1954	--	--	Unknown
1955	Apr. 11, 1955	6.48	698
1956	Mar. 30, 1956	b6.47	a550
1957	Feb. 28, 1957	b5.13	a250
1958	Mar. 28, 1958	--	a500
1959	Mar. 11, 1959	7.80	1,100
1960	Mar. 25, 1960	a4.1	215
1961	June 3, 1961	3.64	132
1962	June 12, 1962	2.54	6
1963	Feb. 6, 1963	2.16	.1
1964	May 19, 1964	6.62	700
1965	Apr. 12, 1965	11.31	2,950
1966	Mar. 9, 1966	8.07	1,200
1967	June 13, 1967	6.08	630

## Bullhook Creek near Havre, Mt. (06140400)

Location.--Lat 48°30'37", long 109°38'36", in NE¼ sec.27,  
T.32 N., R.16 E., Hill County, at bridge on county road,  
3.5 mi (5.6 km) south of Havre.

Drainage area.--39.6 mi<sup>2</sup> (103 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 26, 1959. Altitude of  
gage is 2,610 ft (796 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 18, 1960	1.84	85
1961	--	--	(c)
1962	Mar. 18, 1962	1.49	55
1963	Feb. 24, 1963	.86	13
1964	May 4, 1964	1.38	47
1965	Aug. 23, 1965	3.68	350
1966	Mar. 9, 1966	3.87	390
1967	Mar. 22, 1967	2.44	135
1968	Feb. 24, 1968	1.75	75
1969	Mar. 26, 1969	4.25	470
1970	Mar. 7, 1970	1.92	90
1971	Jan. 20, 1971	6.04	700
1972	--	--	Unknown
1973	Apr. 24, 1973	1.06	9
1974	Jan. 17, 1974	3.02	190

## Milk River tributary near Lohman, Mt. (06141900)

Location.--Lat 48°35'03", long 109°25'48", in SW¼ sec.30,  
T.33 N., R.18 E., Blaine County at culvert on U.S. Highway  
2, 1.2 mi (1.9 km) west of Lohman.

Drainage area.--0.16 mi<sup>2</sup> (0.41 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 26, 1959. Altitude of  
gage is 2,450 ft (747 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 15, 1960	0.24	0.4
1961	--	--	(c)
1962	--	--	(c)
1963	--	--	(c)
1964	--	--	(c)
1965	July 7, 1965	.96	a5
1966	Mar. 9, 1966	1.24	a8
1967	Mar. 22, 1967	.48	1.4
1968	--	--	(c)
1969	Mar. 26, 1969	.57	2.5
1970	July 13, 1970	1.78	16
1971	Feb. 12, 1971	1.14	6
1972	June 9, 1972	5.33	72
1973	--	--	(c)
1974	Jan. 17, 1974	.79	3

## Black Coulee near Malta, Mt. (06155100)

Location.--Lat 48°12'44", long 108°02'46", in NE¼ sec.1, T.28 N., R.28 E., Phillips County, at bridge on U.S. Highway 191, 12 mi (19.3 km) southwest of Malta.

Drainage area.--6.64 mi<sup>2</sup> (17.2 km<sup>2</sup>).

Records available.--July 1955 to September 1967 (discontinued).

Gage.--Crest-stage gage installed July 27, 1955. Altitude of gage is 2,450 ft (747 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	July 3, 1956	1.98	a100
1957	Mar. 19, 1957	1.85	a90
1958	April 1958	1.02	28
1959	Mar. 13, 1959	b2.93	a60
1960	Mar. 18, 1960	b3.21	Not determined
1961	May 30, 1961	1.04	29
1962	July 18, 1962	2.96	a200
1963	Feb. 5, 1963	b2.93	Not determined
1964	May 3, 1964	3.16	a220
1965	May 7, 1965	2.45	a150
1966	March 1966	.91	23
1967	March 1967	b2.68	a50

## Alkali Creek near Malta, Mt. (06155200)

Location.--Lat 48°16'05", long 107°57'57", near center of sec.16, T.29 N., R.29 E., Phillips County, at bridge on U.S. Highway 191, 8.2 mi (13.2 km) southwest of Malta.

Drainage area.--162 mi<sup>2</sup> (420 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 27, 1955. Altitude of gage is 2,270 ft (692 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	Mar. 19, 1956	b0.85	a45
1957	Mar. 21, 1957	1.69	355
1958	Mar. 25, 1958	.82	104
1959	Mar. 13, 1959	b3.0	a800
1960	--	--	Unknown
1961	--	(f)	a220
1962	July 14, 1962	2.68	750
1963	Feb. 5, 1963	b3.09	a700
1964	May 4, 1964	1.36	245
1965	April 1965	a4.0	Not determined
1966	--	(f)	a10
1967	Mar. 22, 1967	b4.43	Not determined
1968	--	(f)	a10
1969	Mar. 29, 1969	1.60	322
1970	May 2, 1970	1.76	380
1971	Mar. 30, 1971	b2.63	a550
1972	July 25, 1972	(f)	a20
1973	Apr. 20, 1973	(f)	a5

## Disjardin Coulee near Malta, Mt. (06155300)

Location.--Lat 48°16'33", long 107°57'49", in SE¼NW¼ sec.16, T.29 N., R.29 E., Phillips County, at bridge on U.S. Highway 191, 8 mi (12.9 km) southwest of Malta.

Drainage area.--3.42 mi<sup>2</sup> (8.86 km<sup>2</sup>).

Records available.--July 1955 to current year.

Gage.--Crest-stage gage installed July 26, 1955. Altitude of gage is 2,290 ft (698 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	Aug. 5, 1956	3.22	160
1957	Mar. 19, 1957	1.02	22
1958	--	--	(c)
1959	Mar. 18, 1959	1.62	132
1960	Mar. 18, 1960	.61	32
1961	May 30, 1961	.44	20
1962	July 18, 1962	2.23	a200
1963	Feb. 5, 1963	b3.25	a100
1964	Aug. 20, 1964	.38	7
1965	Apr. 12, 1965	5.15	a360
1966	March 1966	1.37	34
1967	Mar. 22, 1967	1.89	90
1968	Feb. 28, 1968	.47	15
1969	March 1969	.81	30
1970	June 14, 1970	.41	13
1971	Mar. 31, 1971	.55	17
1972	July 25, 1972	.66	22
1973	--	--	(c)
1974	Aug. 20, 1974	.30	10

## South Fork Taylor Creek near Malta, Mt. (06155400)

Location.--Lat 48°19'33", long 107°54'50", in SE¼ sec.26, T.30 N., R.29 E., Phillips County, at bridge on U.S. Highway 191, 3.5 mi (5.6 km) southwest of Malta.

Drainage area.--5.08 mi<sup>2</sup> (13.2 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 28, 1955. Altitude of gage is 2,290 ft (698 m), from topographic map.

## South Fork Taylor Creek near Malta, Mt. (06155400) Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	Mar. 19, 1956	1.75	52
1957	Mar. 19, 1957	1.43	22
1958	--	--	(c)
1959	July 13, 1959	1.94	84
1960	Mar. 18, 1960	1.89	75
1961	July 30, 1961	.90	2
1962	July 18, 1962	1.54	65
1963	Feb. 5, 1963	.95	20
1964	--	--	(c)
1965	Apr. 12, 1965	.68	a1
1966	--	--	(c)
1967	Mar. 22, 1967	b2.16	a70
1968	Feb. 28, 1968	.12	a1
1969	--	--	(c)
1970	June 14, 1970	.65	8
1971	Mar. 31, 1971	1.44	24
1972	July 25, 1972	2.04	105
1973	Sept. 2, 1973	.50	1

## Unger Coulee near Vandalia, Mt. (06172300)

Location.--Lat 48°22'11", long 106°47'37", in SW¼ sec.9, T.30 N., R.38 E., Valley County, at bridge on U.S. Highway 2, 4.5 mi (7.2 km) northeast of Vandalia.

Drainage area.--11.1 mi<sup>2</sup> (28.7 km<sup>2</sup>).

Records available.--April 1958 to current year.

Gage.--Crest-stage gage installed Apr. 15, 1958. Altitude of gage is 2,220 ft (677 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	March 1958	0.92	10
1959	Apr. 1, 1959	1.41	32
1960	Mar. 20, 1960	2.32	225
1961	June 13, 1961	1.02	13
1962	July 14, 1962	3.28	575
1963	June 29, 1963	2.23	46
1964	July 19, 1964	1.20	12
1965	May 6, 1965	2.63	330
1966	March 1966	1.15	10
1967	Mar. 27, 1967	b2.75	a100
1968	Feb. 28, 1968	b2.24	a30
1969	Apr. 26, 1969	1.30	17
1970	June 30, 1970	2.75	370
1971	May 30, 1971	2.23	195
1972	June 9, 1972	6.31	4,460
1973	--	--	(c)
1974	May 20, 1974	2.84	250



## Mooney Coulee near Tampico, Mt. (06172350)

Location.--Lat 48°17'09", long 106°42'31", in NW¼ sec.7, T.29 N., R.39 E., Valley County, at bridge on U.S. Highway 2, 5.5 mi (8.8 km) east of Tampico.

Drainage area.--12.8 mi<sup>2</sup> (33.2 km<sup>2</sup>).

Records available.--August 1960 to current year.

Gage.--Crest-stage gage installed Aug. 24, 1960. Altitude of gage is 2,220 ft (677 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	Unknown
1961	June 13, 1961	2.37	400
1962	July 14, 1962	2.20	220
1963	Feb. 5, 1963	b1.30	a50
1964	--	--	(c)
1965	May 1965	.14	a1
1966	July 13, 1966	.40	2
1967	Mar. 27, 1967	b1.35	85
1968	Feb. 28, 1968	1.05	35
1969	July 6, 1969	.78	17
1970	June 13, 1970	1.30	65
1971	May 30, 1971	1.29	63
1972	June 9, 1972	2.14	210
1973	--	--	(c)
1974	Mar. 12, 1974	b1.18	a50

## Milk River tributary No. 2 near Glasgow, Mt. (06172400)

Location.--Lat 48°14'14", long 106°40'44", in center of sec.29, T.29 N., R.39 E., Valley County, at bridge on U.S. Highway 2, 3.5 mi (5.6 km) northwest of Glasgow.

Drainage area.--1.79 mi<sup>2</sup> (4.64 km<sup>2</sup>).

Records available.--June 1958 to August 1960 (discontinued).

Gage.--Crest-stage gage installed June 28, 1958.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	--	--	Unknown
1959	Apr. 1, 1959	1.79	Unknown

## Willow Creek tributary near Fort Peck, Mt. (06173300)

Location.--Lat 47°53'36", long 106°53'22", in SE¼NE¼ sec.25, T.25 N., R.37 E., Valley County, at culvert on county road, 6.8 mi (10.9 km) west of the Pines Recreation area turnoff, 19.8 mi (32 km) southwest of State Highway 24, and 21.5 mi (34.6 km) southwest of Fort Peck.

Drainage area.--0.86 mi<sup>2</sup> (2.23 km<sup>2</sup>).

Records available.--1972, June 1974 to current year.

Gage.--Crest-stage gage installed June 14, 1974. Altitude of gage is 2,275 ft (693 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	9.38	940
1974	June 21, 1974	4.40	63

## Milk River tributary No. 3 near Glasgow, Mt. (06174300)

Location.--Lat 48°12'17", long 106°33'05", in SW¼SW¼ sec.3, T.28 N., R.40 E., Valley County, at upstream end of culvert on county road, 1.4 mi (2.9 km) east of State Highway 247, 4 mi (6.4 km) northeast of Glasgow.

Drainage area.--1.82 mi<sup>2</sup> (4.71 km<sup>2</sup>).

Records available.--May 1974 to current year.

Gage.--Crest-stage gage installed June 13, 1974. Altitude of gage is 2,255 ft (687 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1974	May 20, 1974	7.05	128

## Snow Coulee at Opheim, Mt. (06174600)

Location.--Lat 48°50'27", long 106°24'47", in SE¼SE¼ sec.25, T.36 N., R.40 E., Valley County, at culvert, 1 mi (1.6 km) south of Opheim on FAS Route 247.

Drainage area.--2.95 mi<sup>2</sup> (7.64 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed June 13, 1974. Altitude of gage is 3,200 ft (975 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.56	245
1974	May 18, 1974	1.31	Not determined

## East Fork Sand Creek near Vida, Mt. (06175550)

Location.--Lat 47°48'10", long 105°36'27", in NW¼ sec.31, T.24 N., R.48 E., McCone County, at culverts on county road, 5.8 road mi (9.3 km) west of State Highway 13, on Sand Creek road, 6 mi (9.7 km) southwest of Vida.

Drainage area.--8.51 mi<sup>2</sup> (22.0 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 18, 1963. Altitude of gage is 2,200 ft (671 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 6, 1963	4.88	600
1964	June 18, 1964	1.24	94
1965	Apr. 2, 1965	--	a250
1966	July 2, 1966	5.9	1,180
1967	March 1967	1.23	94
1968	Feb. 28, 1968	.76	75
1969	Mar. 26, 1969	3.53	220
1970	Apr. 7, 1970	1.42	60
1971	Mar. 31, 1971	2.07	130
1972	Aug. 21, 1972	5.96	1,220
1973	--	--	(c)
1974	Aug. 21, 1974	2.25	120

## West Fork Wolf Creek near Lustre, Mt. (06175600)

Location.--Lat 48°22'53", long 105°59'48", in SW¼ sec.3, T.30 N., R.44 E., Roosevelt County, at bridge on county road, 5 mi (8.0 km) west of Lustre.

Drainage area.--6.57 mi<sup>2</sup> (17.0 km<sup>2</sup>).

Records available.--June 1955 to September 1967 (discontinued).

Gage.--Crest-stage gage installed June 9, 1955. Altitude of gage is 2,740 ft (835 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	June 26, 1956	0.89	Not determined
1957	Apr. 23, 1957	2.24	Not determined
1958	--	--	(c)
1959	Mar. 25, 1959	.68	Not determined
1960	Mar. 18, 1960	1.99	Not determined
1961	Apr. 3, 1961	.33	Not determined
1962	Mar. 25, 1962	.90	Not determined
1963	Mar. 6, 1963	.95	Not determined
1964	Apr. 1, 1964	--	Not determined
1965	--	--	(c)
1966	March 1966	.31	Not determined
1967	March 1967	1.16	Not determined

## East Fork Wolf Creek near Lustre, Mt. (06175700)

Location.--Lat 48°24'58", long 105°47'51", in SE° sec.30, T.31 N., R.46 E., Valley County, at culverts on county road, 4 mi (6.4 km) east of Lustre.

Drainage area.--9.61 mi<sup>2</sup> (24.9 km<sup>2</sup>).

Records available.--June 1955 to current year.

Gage.--Crest-stage gage installed June 9, 1955. Altitude of gage is 2,720 ft (829 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	June 1956	2.27	12
1957	March 1957	b3.28	a5
1958	April 1958	b.58	a1
1959	June 21, 1959	.42	2
1960	Mar. 19, 1960	b5.20	a150
1961	Mar. 5, 1961	b3.44	a130
1962	June 14, 1962	3.26	74
1963	Mar. 6, 1963	--	a40
1964	Apr. 1, 1964	b1.74	a50
1965	June 16, 1965	2.92	60
1966	March 1966	b4.79	a90
1967	March 1967	2.61	55
1968	Aug. 15, 1968	3.58	75
1969	Apr. 26, 1969	--	a280
1970	June 30, 1970	6.42	2,230
1971	Apr. 9, 1971	5.33	236
1972	Mar. 15, 1972	5.03	184
1973	--	--	(c)
1974	May 20, 1974	4.61	150

## Wolf Creek tributary near Wolf Point, Mt. (06175800)

Location.--Lat 48°14'10", long 105°46'26", in sec.29, T.29 N., R.46 E., Roosevelt County, at bridge on county road, 15 mi (24.1 km) northwest of Wolf Point.

Drainage area.--2.46 mi<sup>2</sup> (6.37 km<sup>2</sup>).

Records available.--June 1955 to September 1967 (discontinued).

Gage.--Crest-stage gage installed June 24, 1955. Altitude of gage is 2,310 ft (704 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 1955	0.50	Not determined
1956	April 1956	1.61	Not determined
1957	March 1957	.89	Not determined
1958	--	--	(c)
1959	Mar. 25, 1959	.97	Not determined
1960	--	--	Unknown
1961	Mar. 5, 1961	.33	Not determined
1962	June 14, 1962	2.46	Not determined
1963	Aug. 26, 1963	.36	Not determined
1964	May 5, 1964	.03	Not determined
1965	June 16, 1965	1.15	Not determined
1966	March 1966	.75	Not determined
1967	March 1967	b2.59	Not determined

## Wolf Creek tributary No. 2 near Wolf Point, Mt. (06175900)

Location.--Lat 48°12'05", long 105°44'45", in sec.11, T.28 N., R.46 E., Roosevelt County, at bridge on county road, 9.5 mi (15.3 km) northwest of Wolf Point.

Drainage area.--6.54 mi<sup>2</sup> (16.9 km<sup>2</sup>).

Records available.--June 1955 to current year.

Gage.--Crest-stage gage installed June 24, 1955. Altitude of gage is 2,240 ft (683 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 1955	1.50	15
1956	April 1956	1.92	26
1957	July 14, 1957	2.03	28
1958	Mar. 24, 1958	1.62	1
1959	June 20, 1959	3.81	979
1960	Mar. 18, 1960	3.24	140
1961	May 21, 1961	3.00	110
1962	July 1, 1962	4.78	365
1963	July 10, 1963	4.18	265
1964	May 5, 1964	1.56	1
1965	June 16, 1965	2.66	80
1966	July 2, 1966	3.23	135
1967	March 1967	b5.40	a300
1968	July 16, 1968	7.81	3,900
1969	Apr. 7, 1969	3.18	130
1970	July 28, 1970	3.63	185
1971	Apr. 9, 1971	3.37	155
1972	Mar. 15, 1972	5.47	380
1973	June 18, 1973	3.08	10
1974	May 20, 1974	5.25	330



Wolf Creek near Wolf Point, Mt. (06176500)

Location.--Lat 48°05'47", long 105°40'41", in N½ sec.17,  
T.27 N., R.47 E., Roosevelt County, 2.0 mi (3.2 km) north-  
west of Wolf Point.

Drainage area.--251 mi<sup>2</sup> (650 km<sup>2</sup>).

Records available.--August 1908 to July 1914 and March 1950  
to September 1953 (continuous record), 1954, May 1955 to  
September 1973 (discontinued).

Gage.--Water-stage recorder re-installed May 6, 1955. Altitude  
of gage is 2,010 ft (613 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1909	--	--	Unknown
1910	Mar. 13-15, 1910	3.9	d110
1911	Mar. 19-23, 1911	4.45	d154
1912	Apr. 1, 1912	5.9	d270
1913	--	--	Unknown
1914	--	--	Unknown
1950	Apr. 18, 1950	5.30	188
1951	Apr. 5, 1951	6.06	324
1952	Apr. 7, 1952	9.25	7,050
1953	June 3, 1953	7.29	1,010
1954	Apr. 4 or 5, 1954	12.9	9,780
1956	Mar. 23, 1956	--	a60
1957	July 14, 1957	5.29	a180
1958	Apr. 1, 1958	3.30	a6
1959	June 21, 1959	6.74	a330
1960	Mar. 20, 1960	9.71	Not determined
1961	May 22, 1961	5.97	120
1962	June 15, 1962	7.95	1,440
1963	July 11, 1963	5.60	140
1964	May 5, 1964	5.07	52
1965	July 8, 1965	6.32	a480
1966	July 2, 1966	6.92	950
1967	Mar. 29, 1967	8.13	1,700
1968	July 16, 1968	6.85	420
1969	Apr. 7, 1969	7.30	a1,000
1970	June 13, 1970	7.82	1,400
1971	--	--	Unknown
1972	Mar. 15, 1972	9.51	6,450
1973	June 18, 1973	4.09	10



## East Fork Duck Creek near Brockway, Mt. (06177050)

Location.--Lat 47°11'14", long 105°47'09", in sec.31, T.17 N., R.47 E., McCone County, at bridge on county road, 8 mi (12.9 km) south of Brockway.

Drainage area.--12.4 mi<sup>2</sup> (32.1 km<sup>2</sup>).

Records available.--June 1955 to current year.

Gage.--Crest-stage gage installed June 13, 1955. Altitude of gage is 2,660 ft (811 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 12, 1955	1.46	106
1956	Mar. 2, 1956	1.08	60
1957	July 14, 1957	3.64	505
1958	July 21, 1958	.19	8
1959	Mar. 18, 1959	2.47	273
1960	Aug. 16, 1960	1.65	140
1961	May 31, 1961	1.62	134
1962	July 14, 1962	1.97	190
1963	June 6, 1963	4.30	650
1964	July 5, 1964	1.31	93
1965	June 16, 1965	2.33	250
1966	July 1, 1966	2.19	224
1967	March 1967	b.85	a30
1968	Feb. 27, 1968	b.95	a10
1969	Mar. 17, 1969	b2.50	a120
1970	June 12, 1970	.40	12
1971	Mar. 30, 1971	1.59	130
1972	Mar. 12, 1972	2.49	280
1973	--	--	(c)
1974	June 21, 1974	.84	40

## Duck Creek near Brockway, Mt. (06177100)

Location.--Lat 47°14'20", long 105°48'30", in SE¼ sec.11, T.17 N., R.46 E., McCone County, at bridge on county road, 5 mi (8.0 km) southwest of Brockway.

Drainage area.--54.0 mi<sup>2</sup> (140 km<sup>2</sup>).

Records available.--1921-22, miscellaneous measurements only. May 1957 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 21, 1957. Altitude of gage is 2,580 ft (786 m), from topographic map.

## Duck Creek near Brockway, Mt. (06177100)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1957	July 14, 1957	4.00	640
1958	July 3, 1958	1.05	40
1959	Mar. 18, 1959	5.15	1,000
1960	Mar. 20, 1960	3.57	520
1961	June 1, 1961	-.06	a1
1962	June 6, 1962	2.59	270
1963	June 6, 1963	4.79	890
1964	July 5, 1964	1.76	a50
1965	June 16, 1965	2.88	340
1966	July 1, 1966	1.85	130
1967	March 1967	b1.57	a50
1968	Feb. 29, 1968	b1.60	a10
1969	Mar. 19, 1969	b3.04	a300
1970	June 12, 1970	2.44	240
1971	Mar. 30, 1971	2.03	160
1972	Mar. 12, 1972	4.67	840
1973	Mar. 1, 1973	.17	5

## Redwater River at Brockway, Mt. (06177150)

Location.--Lat 47°18'16", long 105°45'57", in NW¼ sec.20, T.18 N., R.47 E., McCone County, at bridge on county road, 0.2 mi (0.3 km) northwest of Brockway.

Drainage area.--216 mi<sup>2</sup> (559 km<sup>2</sup>).

Records available.--January 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Jan. 16, 1958. Altitude of gage is 2,550 ft (777 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1957	eJuly 14, 1957	5.8	1,220
1958	July 3, 1958	1.86	130
1959	Mar. 18, 1959	5.53	1,130
1960	Mar. 20, 1960	b6.94	a1,000
1961	June 1, 1961	2.26	200
1962	June 6, 1962	5.80	1,220
1963	June 6, 1963	5.45	1,520
1964	July 5, 1964	3.95	790
1965	Apr. 3, 1965	4.56	a800
1966	March 1966	3.26	420
1967	March 1967	2.50	250
1968	Feb. 26, 1968	b1.90	a50
1969	Mar. 19, 1969	2.4	240
1970	June 12, 1970	2.84	330
1971	Apr. 7, 1971	5.84	1,730
1972	Mar. 12, 1972	6.61	1,900
1973	--	.24	5

## Tusler Creek near Brockway, Mt (06177200)

Location.--Lat 47°17'49", long 105°39'48", in SE¼ sec.24, T.18 N., R.47 E., McCone County, at bridge on county road, 4 mi (6.4 km) east of Brockway.

Drainage area.--90.2 mi<sup>2</sup> (234 km<sup>2</sup>).

Records available.--October 1956 to Sept. 1972 (discontinued).

Gage.--Crest-stage gage installed Oct. 12, 1956. Altitude of gage is 2,550 ft (777 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1957	Feb. 27, 1957	1.66	200
1958	July 21, 1958	-.22	14
1959	Mar. 18, 1959	b2.16	a150
1960	Mar. 20, 1960	1.96	280
1961	Mar. 6, 1961	-.04	18
1962	July 19, 1962	3.36	430
1963	June 6, 1963	2.34	280
1964	July 5, 1964	1.88	215
1965	June 16, 1965	1.15	120
1966	March 1966	1.43	155
1967	March 1967	.73	75
1968	--	--	a10
1969	Mar. 19, 1969	1.75	197
1970	June 12, 1970	.91	93
1971	Apr. 7, 1971	3.32	420
1972	Mar. 12, 1972	b4.10	a385

## Tusler Creek tributary near Brockway, Mt. (06177250)

Location.--Lat 47°17'46", long 105°41'07", in NE¼ sec.26,

T.18 N., R.47 E., McCone County, at bridge on county road, 4 mi (6.4 km) east of Brockway.

Drainage area.--3.17 mi<sup>2</sup> (8.21 km<sup>2</sup>).

Records available.--September 1956 to Sept. 1973 (discontinued).

Gage.--Crest-stage gage installed Sept. 15, 1956. Altitude of gage is 2,590 ft (789 m), from topographic map.

Tusler Creek tributary near Brockway, Mt. (06177250)  
Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1957	July 14, 1957	0.81	61
1958	--	--	(c)
1959	Mar. 18, 1959	.46	37
1960	Aug. 16, 1960	1.10	85
1961	--	--	(c)
1962	--	--	(c)
1963	Feb. 26, 1963	1.49	a30
1964	July 5, 1964	7.80	1,610
1965	April 1965	--	a1
1966	--	--	(c)
1967	--	--	(c)
1968	--	--	(c)
1969	Mar. 18, 1969	3.04	3
1970	March 1970	5.08	41
1971	Mar. 14, 1971	4.83	35
1972	Mar. 13, 1972	7.00	a150
1973	June 18, 1973	3.38	6

## Redwater River tributary near Brockway, Mt. (06177300)

Location.--Lat 47°20'46", long 105°41'03", in NE¼SE¼ sec.2,

T.18 N., R.47 E., McCone County, at culvert on Sate Highway  
20, 4 mi (6.4 km) northeast of Brockway.

Drainage area.--0.29 mi<sup>2</sup> (0.75 km<sup>2</sup>).

Records available.--1954, July 1957 to Sept. 1973 (discontinued).

Gage.--Crest-stage gage installed Jan. 15, 1958. Altitude of  
gage is 2,500 ft (762 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1954	eAug. 18, 1954	7.40	72
1957	eJuly 14, 1957	9.40	83
1958	--	--	(c)
1959	Mar. 18, 1959	b4.35	a20
1960	Mar. 20, 1960	1.17	12
1961	July 29, 1961	1.65	16
1962	June 6, 1962	.62	8
1963	June 3, 1963	.60	8
1964	July 5, 1964	11.12	234
1965	June 16, 1965	.89	4
1966	March 1966	.69	3
1967	March 1967	.35	2
1968	Feb. 26, 1968	.88	4
1969	Mar. 19, 1969	b1.91	2
1970	June 12, 1970	.91	5
1971	--	--	(c)
1972	Mar. 13, 1972	3.70	26
1973	--	--	(c)

## South Fork Dry Ash Creek near Circle, Mt. (06177350)

Location.--Lat 47°17'23", long 105°35'29", in NW¼ sec.27, T.18 N., R.48 E., McCone County, at bridge on county road, 9.2 mi (14.8 km) south of Circle.

Drainage area.--5.74 mi<sup>2</sup> (14.9 km<sup>2</sup>).

Records available.--June 1955 to September 1972 (discontinued).

Gage.--Crest-stage gage installed June 13, 1955. Altitude of gage is 2,670 ft (814 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 12, 1955	2.18	56
1956	Mar. 1, 1956	1.37	17
1957	Feb. 26, 1957	1.58	52
1958	June 3, 1958	.23	3
1959	Mar. 22, 1959	2.12	79
1960	Aug. 16, 1960	2.40	85
1961	--	--	(c)
1962	July 14, 1962	1.12	22
1963	June 6, 1963	.76	10
1964	July 5, 1964	1.93	58
1965	June 16, 1965	2.08	66
1966	June 4, 1966	1.52	37
1967	March 1967	1.50	36
1968	--	--	(c)
1969	July 3, 1969	.66	8
1970	March 1970	b1.65	a5
1971	Mar. 13, 1971	1.83	53
1972	Mar. 12, 1972	b3.11	a80

## McCune Creek near Circle, Mt. (06177400)

Location.--Lat 47°20'53", long 105°35'14", in NW¼ sec.3, T.18 N., R.48 E., McCone County, near bridge on county road, 5 mi (8.0 km) south of Circle.

Drainage area.--29.9 mi<sup>2</sup> (77.4 km<sup>2</sup>).

Records available.--June 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 13, 1955. Altitude of gage is 2,500 ft (762 m), from topographic map.



## McCune Creek near Circle, Mt. (06177400)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 12, 1955	4.32	128
1956	Mar. 20, 1956	3.31	52
1957	July 14, 1957	4.93	175
1958	June 3, 1958	.98	6
1959	Mar. 22, 1959	--	Unknown
1960	Mar. 20, 1960	5.44	a150
1961	Mar. 6, 1961	1.36	a5
1962	July 19, 1962	7.26	235
1963	June 6, 1963	6.29	a450
1964	July 5, 1964	6.98	a1,000
1965	June 16, 1965	5.28	180
1966	Mar. 10, 1966	4.70	110
1967	March 1967	3.42	90
1968	June 10, 1968	2.38	a10
1969	June 26, 1969	3.55	120
1970	July 14, 1970	2.18	15
1971	Mar. 13, 1971	4.23	500
1972	Mar. 13, 1972	4.50	a800
1973	June 18, 1973	2.03	a5

## Cow Creek tributary near Vida, Mt. (06177700)

Location.--Lat 47°42'34", long 105°29'24", in SE¼ sec.36, T.23 N., R.48 E., McCone County, at bridge on State Highway 13, 8.8 mi (14.2 km) south of Vida, and 20 mi (32.2 km) northeast of Circle.

Drainage area.--1.71 mi<sup>2</sup> (4.43 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 18, 1963. Altitude of gage is 2,390 ft (728 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 5, 1963	4.07	750
1964	--	--	(c)
1965	June 15, 1965	.90	20
1966	July 2, 1966	2.30	200
1967	March 1967	1.25	50
1968	Feb. 26, 1968	.85	17
1969	Mar. 21, 1969	1.71	100
1970	Apr. 7, 1970	1.41	62
1971	Mar. 31, 1971	1.30	53
1972	Mar. 13, 1972	b3.10	300
1973	--	--	(c)
1974	May 20, 1974	.93	23

## Wolf Creek tributary near Vida, Mt. (06177800)

Location.--Lat 47°54'49", long 105°29'53", in SE¼ sec.15, T.25 N., R.48 E., McCone County, at bridge on State Highway 13, 11.1 road mi (17.9 km) south of the Missouri bridge near Wolf Point, and 5.5 mi (8.8 km) north of Vida.

Drainage area.--0.91 mi<sup>2</sup> (2.36 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed May 18, 1963. Altitude of gage is 2,400 ft (732 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	July 14, 1962	8.58	a1,500
1963	Aug. 25, 1963	1.83	a70
1964	--	--	(c)
1965	Apr. 13, 1965	3.00	a150
1966	July 4, 1966	5.45	850
1967	Mar. 22, 1967	b1.33	21
1968	Feb. 26, 1968	.20	1
1969	Apr. 7, 1969	1.42	40
1970	June 12, 1970	5.50	870
1971	Mar. 31, 1971	.46	7
1972	Mar. 13, 1972	1.86	38
1973	--	--	(c)
1974	Aug. 8, 1974	1.96	80

## Butte Creek tributary near Four Buttes, Mt. (06179100)

Location.--Lat 48°48'33", long 105°35'08", in SE¼SE¼ sec.5, T.35 N., R.47 E., Daniels County, attached to wooden post on left bank at upstream end of culvert on FAS Route 248, 1 mi (1.6 km) east of Four Buttes.

Drainage area.--1.57 mi<sup>2</sup> (4.07 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed June 12, 1974. Altitude of gage is 2,460 ft (750 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.55	84
1974	May 13, 1974	1.76	10

## Missouri River tributary No. 2 near Brockton, Mt. (06181200)

Location.--Lat 48°09'20", long 104°53'32", in NE¼ sec.29, T.28 N., R.53 E., Roosevelt County, at culverts on U.S Highway 2, 1.2 mi (1.9 km) east of Brockton.

Drainage area.--1.60 mi<sup>2</sup> (4.14 km<sup>2</sup>).

Records available.--August 1962 to current year.

Gage.--Crest-stage gage installed May 19, 1963. Altitude of gage is 1,960 ft (597 m), from topographic map.

Missouri River tributary No. 2 near Brockton, Mt.(06181200)  
Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	Aug. 10, 1962	8.08	260
1963	July 24, 1963	8.34	313
1964	Apr. 1, 1964	1.53	53
1965	June 15, 1965	1.88	62
1966	July 4, 1966	1.23	48
1967	March 1967	b2.91	a40
1968	Aug. 15, 1968	.43	30
1969	Apr. 6, 1969	1.30	50
1970	July 23, 1970	1.64	56
1971	Mar. 15, 1971	1.10	44
1972	June 9, 1972	5.35	142
1973	June 18, 1973	.29	12
1974	May 13, 1974	.76	20

Middle Fork Big Muddy Creek near Flaxville, Mt. (06182700)

Location.--Lat 48°48'08", long 105°06'48", in SW¼NE¼ sec.12, T.35 N., R.50 E., Daniels County, on left downstream piling of bridge on State Highway 5, 2.8 mi (4.5 km) east of Flaxville.

Drainage area.--2.88 mi<sup>2</sup> (7.46 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed June 12, 1974. Altitude of gage is 2,570 ft (783 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	3.32	Not determined
1974	May 13, 1974	1.50	Not determined

Big Muddy Creek at Plentywood, Mt. (06183000)

Location.--Lat 48°45'55", long 104°34'22", in NW¼NW¼ sec.30, T.35 N., R.55 E., Sheridan County, at Plentywood.

Drainage area.--850 mi<sup>2</sup> (2,202 km<sup>2</sup>).

Records available.--April 1948 to September 1953 (continuous record), June 1955 to September 1967 (discontinued).

Gage.--Crest-stage gage installed June 10, 1955. Recording gage April 1948 to September 1953. Altitude of gage is 1,980 ft (604 m), by barometer.

## Big Muddy Creek at Plentywood, Mt. (06183000)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1948	Apr. 19, 1948	15.64	2,850
1949	Mar. 30, 1949	10.49	1,020
1950	Apr. 18, 1950	12.27	1,620
1951	May 3, 1951	11.38	1,360
1952	Apr. 8, 1952	19.00	7,240
1953	June 30, 1953	19.40	8,000
1954	--	--	Unknown
1955	--	(f)	a210
1956	Mar. 22, 1956	b6.63	a300
1957	July 16, 1957	6.58	413
1958	Mar. 29, 1958	12.92	1,630
1959	June 30, 1959	10.61	945
1960	Mar. 22, 1960	b17.37	a3,500
1961	May 30, 1961	6.03	260
1962	Mar. 27, 1962	11.99	1,250
1963	Mar. 22, 1963	b12.00	a750
1964	May 3, 1964	7.14	390
1965	Apr. 16, 1965	7.98	500
1966	Mar. 14, 1966	9.58	750
1967	March 1967	12.04	1,300

## Box Elder Creek near Plentywood, Mt. (06183100)

Location.--Lat 48°49'30", long 104°29'50", in sec.34, T.36 N., R.55 E., Sheridan County, at culverts on county road, 4 mi (6.4 km) northeast of Plentywood.

Drainage area.--9.40 mi<sup>2</sup> (24.3 km<sup>2</sup>).

Records available.--June 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 10, 1955. Altitude of gage is 2,200 ft (671 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	March 1956	0.25	0
1957	July 23, 1957	7.24	328
1958	Mar. 30, 1958	1.88	22
1959	June 26, 1959	3.89	126
1960	Mar. 21, 1960	6.24	265
1961	July 30, 1961	1.58	41
1962	Mar. 26, 1962	2.79	65
1963	Sept. 17, 1963	4.06	103
1964	Mar. 31, 1964	5.49	217
1965	Apr. 14, 1965	2.90	72
1966	Mar. 13, 1966	2.98	75
1967	Mar. 22, 1967	b5.82	170
1968	March 1968	2.13	35
1969	Apr. 4, 1969	b6.24	a180
1970	June 13, 1970	1.95	28
1971	Apr. 5, 1971	3.83	93
1972	Mar. 15, 1972	b5.83	a200
1973	Mar. 3, 1973	.83	3

## Box Elder Creek at damsite, near Plentywood, Mt. (06183200)

Location.--Lat 48°47'39", long 104°32'15", in NE¼ sec.17, T.35 N., R.55 E., Sheridan County, at old damsite, 1.5 mi (2.4 km) north of Plentywood.

Drainage area.--19.9 mi<sup>2</sup> (51.5 km<sup>2</sup>).

Records available.--1953, March 1955 to September 1963 (discontinued).

Gage.--Crest-stage gage installed June 10, 1955. Altitude of gage is 2,120 ft (646 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1953	eJune 30, 1953	6.52	6,530
1955	eMar. 29, 1955	2.42	890
1956	--	--	(c)
1957	July 23, 1957	3.56	1,600
1958	Mar. 30, 1958	.75	210
1959	June 26, 1959	1.38	430
1960	Mar. 22, 1960	2.27	820
1961	Mar. 20, 1961	1.26	395
1962	Mar. 26, 1962	1.59	530
1963	Sept.17, 1963	.81	230

## Spring Creek near Plentywood, Mt. (06183300)

Location.--Lat 48°48'45", long 104°28'16", in SE¼ sec.1, T.35 N., R.55 E., Sheridan County, at culvert on county road, 5 mi (8.0 km) northeast of Plentywood.

Drainage area.--7.05 mi<sup>2</sup> (18.3 km<sup>2</sup>).

Records available.--June 1955 to current year.

Gage.--Crest-stage gage installed June 10, 1955. Altitude of gage is 2,260 ft (689 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1955	July 7, 1955	0.69	5
1956	--	--	(c)
1957	July 23, 1957	2.77	76
1958	Mar. 30, 1958	1.49	25
1959	June 26, 1959	1.30	20
1960	Mar. 21, 1960	5.19	240
1961	July 30, 1961	1.20	17
1962	Mar. 26, 1962	1.32	24
1963	Sept.17, 1963	a2.7	72
1964	Mar. 31, 1964	b5.45	a40
1965	Apr. 14, 1965	b.67	a10
1966	Mar. 13, 1966	2.33	60
1967	April 1967	1.07	16
1968	March 1968	1.80	40
1969	Apr. 4, 1969	b5.56	a40
1970	June 13, 1970	1.28	23
1971	Apr. 5, 1971	1.00	11
1972	Mar. 15, 1972	b5.12	a60
1973	Mar. 3, 1973	.22	1
1974	May 20, 1974	2.63	70



## Spring Creek at Highway 16, near Plentywood, Mt. (06183400)

Location.--Lat 48°46'03", long 104°31'10", in SE¼ sec.21, T.35 N., R.55 E., Sheridan County, at bridge on State Highway 16, 1.5 mi (2.4 km) east of Plentywood.

Drainage area.--16.9 mi<sup>2</sup> (43.8 km<sup>2</sup>).

Records available.--June 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 23, 1955. Altitude of gage is 2,040 ft (622 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	--	--	(c)
1956	Apr. 3, 1956	0.74	4
1957	July 23, 1957	3.38	540
1958	Mar. 30, 1958	2.40	230
1959	June 26, 1959	3.70	660
1960	May 24, 1960	3.56	600
1961	Mar. 20, 1961	1.02	10
1962	Mar. 26, 1962	2.85	375
1963	Sept. 17, 1963	3.61	620
1964	May 3, 1964	1.24	26
1965	Apr. 15, 1965	1.18	20
1966	Mar. 13, 1966	b2.77	a60
1967	April 1967	1.64	80
1968	March 1968	b2.01	a40
1969	Apr. 4, 1969	b3.55	a100
1970	June 13, 1970	.81	4
1971	May 31, 1971	1.17	20
1972	Mar. 15, 1972	b3.65	a300
1973	June 3, 1973	.83	4

## Lost Creek tributary near Homestead, Mt. (06184200)

Location.--Lat 48°24'09", long 104°29'49", in NW¼NW¼ sec.31, T.31 N., R.56 E., Sheridan County, at right downstream end of bridge on State Highway 16, 2.3 mi (3.7 km) southeast of Homestead, 4.6 mi (7.4 km) north of Froid.

Drainage area.--1.90 mi<sup>2</sup> (4.92 km<sup>2</sup>).

Records available.--1972, May 1974 to current year.

Gage.--Crest-stage gage installed June 11, 1974. Altitude of gage is 1,970 ft (600 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
--	--	3.48	Not determined
1974	May 14, 1974	1.62	8

## Big Muddy Creek tributary near Culbertson, Mt. (06185100)

Location.--Lat 48°11'34", long 104°41'49", in center of east edge of sec.11, T.28 N., R.54 E., Roosevelt County, at culverts on county road, 1.9 mi (3.1 km) north of U.S. Highway 2, 10 mi (16.1 km) northeast of Brockton, and 9 mi (14.5 km) northwest of Culbertson.

Drainage area.--7.38 mi<sup>2</sup> (10.1 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 19, 1963. Altitude of gage is 1,940 ft (591 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	July 10, 1963	9.6	676
1964	June 18, 1964	3.60	85
1965	June 15, 1965	1.00	20
1966	March 1966	.75	10
1967	Mar. 24, 1967	8.8	340
1968	Feb. 29, 1968	1.90	45
1969	Apr. 7, 1969	4.82	115
1970	--	--	(c)
1971	Mar. 16, 1971	2.21	22
1972	June 9, 1972	8.28	195
1973	Mar. 3, 1973	.60	10
1974	Jan. 17, 1974	.76	12

Missouri River tributary No. 3 near Culbertson, Mt.  
(06185200)

Location.--Lat 48°06'17", long 104°30'55", in center of sec.8, T.27 N., R.56 E., Richland County, at culvert on county road along the south side of the Missouri River, 2.2 mi (3.5 km) west of State Highway 16, 3 mi (4.8 km) south of Culbertson.

Drainage area.--1.29 mi<sup>2</sup> (3.34 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 19, 1963. Altitude of gage is 1,950 ft (594 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	Aug. 25, 1963	3.88	142
1964	--	--	(c)
1965	--	--	a1
1966	July 4, 1966	--	2,570
1967	March 1967	1.44	14
1968	Feb. 29, 1968	.87	3
1969	July 7, 1969	1.52	16
1970	Apr. 7, 1970	1.23	9
1971	June 24, 1971	2.45	47
1972	Aug. 14, 1972	1.68	20
1973	--	--	(c)
1974	Jan. 17, 1974	1.98	28

Missouri River tributary No. 4 near Bainville, Mt.  
(06185300)

Location.--Lat 48°08'24", long 104°20'35", in NW¼ sec.34, T.28 N., R.57 E., Roosevelt County, at culvert on U.S. Highway 2, 0.8 mi (1.3 km) east of Lannark, 8 mi (12.9 km) east of Culbertson.

Drainage area.--11.6 mi<sup>2</sup> (30.0 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 19, 1963. Altitude of gage is 2,000 ft (610 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	July 24, 1963	2.83	323
1964	June 14, 1964	12.02	1,670
1965	Apr. 17, 1965	2.28	250
1966	July 4, 1966	5.67	739
1967	March 1967	3.95	500
1968	Feb. 29, 1968	2.16	230
1969	July 7, 1969	4.54	580
1970	Apr. 7, 1970	1.21	80
1971	June 24, 1971	2.43	270
1972	Mar. 15, 1972	4.34	550
1973	--	--	(c)
1974	Jan. 17, 1974	2.70	310

Missouri River tributary No. 5 at Culbertson, Mt.  
(06185400)

Location.--Lat 48°09'31", long 104°30'55", in SE¼ sec.20, T.28 N., R.56 E., Roosevelt County, at culvert on State Highway 16, 0.7 mi (1.1 km) north of U.S. Highway 2, at Culbertson Rodeo Grounds.

Drainage area.--3.67 mi<sup>2</sup> (9.51 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 19, 1963. Altitude of gage is 1,970 ft (600 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	July 24, 1963	6.60	495
1964	June 14, 1964	2.59	128
1965	Apr. 17, 1965	1.01	a30
1966	July 4, 1966	2.14	95
1967	March 1967	b2.52	a90
1968	Feb. 29, 1968	b.98	a10
1969	Apr. 7, 1969	1.02	30
1970	Apr. 7, 1970	1.09	33
1971	Mar. 16, 1971	2.00	85
1972	Mar. 15, 1972	2.19	100
1973	Mar. 3, 1973	.30	5
1974	Jan. 17, 1974	.65	15

Yellowstone River tributary near Greycliff, Mt.  
(06201550)

Location.--Lat  $45^{\circ}44'07''$ , long  $109^{\circ}43'51''$ , in SE $\frac{1}{4}$  sec.23, T.1 S., R.16 E., Sweet Grass County, at culvert on Interstate Highway 90, and U.S. Highway 10, 4 mi (6.4 km) southeast of Greycliff.

Drainage area.--2.72 mi<sup>2</sup> (7.04 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 5, 1959. Altitude of gage is 3,860 ft (1,180 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	--	--	(c)
1961	--	--	(c)
1962	Feb. 8, 1962	0.45	3
1963	June 14, 1963	.55	4
1964	--	--	(c)
1965	Aug. 22, 1965	2.31	48
1966	Mar. 10, 1966	.48	3
1967	June 14, 1967	1.52	32
1968	Feb. 19, 1968	1.22	16
1969	Mar. 17, 1969	2.51	55
1970	May 21, 1970	1.22	16
1971	Feb. 15, 1971	.80	8
1972	July 19, 1972	.98	10
1973	Apr. 20, 1973	.51	8
1974	Jan. 15, 1974	1.95	35

Bridger Creek near Greycliff, Mt. (06201600)

Location.--Lat  $45^{\circ}41'30''$ , long  $109^{\circ}42'55''$ , in NW $\frac{1}{4}$  sec.2, T.2 S., R.16 E., Sweet Grass County, at bridge on county road, 6 mi (9.7 km) southeast of Greycliff.

Drainage area.--61.5 mi<sup>2</sup> (159 km<sup>2</sup>).

Records available.--May 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed May 5, 1959. Altitude of gage is 4,080 ft (1,240 m), from topographic map.

## Bridger Creek near Greycliff, Mt. (06201600)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 1960	0.62	18
1961	March 1961	-.03	5
1962	May 26, 1962	1.36	67
1963	June 14, 1963	1.46	71
1964	June 9, 1964	--	a80
1965	Aug. 28, 1965	1.08	58
1966	May 5, 1966	1.38	75
1967	June 14, 1967	--	2,680
1968	June 9, 1968	3.81	315
1969	June 9, 1969	5.49	844
1970	May 21, 1970	4.98	650
1971	Apr. 26, 1971	2.57	135
1972	May 24, 1972	1.92	65
1973	May 1, 1973	3.93	355
1974	Jan. 15, 1974	2.78	170

## Work Creek near Reed Point, Mt. (06201650)

Location.--Lat 45°42'12", long 109°37'28", in SE¼ sec.33, T.1 S., R.17 E., Sweet Grass County, at bridge on county road, 4 mi (6.4 km) west of Reed Point.

Drainage area.--32.5 mi<sup>2</sup> (84.2 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 4, 1959. Altitude of gage is 3,820 ft (1,160 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	Sept. 21, 1959	2.3	a100
1960	May 1960	--	a5
1961	--	--	(c)
1962	June 13, 1962	4.08	406
1963	June 14, 1963	1.97	19
1964	--	--	(c)
1965	Apr. 2, 1965	2.05	25
1966	Mar. 10, 1966	2.48	73
1967	June 14, 1967	4.65	720
1968	June 9, 1968	3.64	320
1969	June 9, 1969	3.72	345
1970	May 21, 1970	4.56	670
1971	Feb. 15, 1971	2.54	80
1972	Feb. 28, 1972	b2.78	a50
1973	May 1, 1973	3.93	280



## Hump Creek near Reed Point, Mt. (06201700)

Location.--Lat  $45^{\circ}42'33''$ , long  $109^{\circ}35'35''$ , in NE $\frac{1}{4}$  sec.35, T.1 S., R.17 E., Sweet Grass County, at bridge on Interstate Highway 90 and U.S. Highway 10, 2 mi (3.2 km) west of Reed Point.

Drainage area.--7.61 mi<sup>2</sup> (19.7 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 4, 1959. Altitude of gage is 3,780 ft (1,150 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 19, 1960	0.50	15
1961	--	--	(c)
1962	June 13, 1962	2.96	307
1963	May 12, 1963	.29	8
1964	--	(f)	a1
1965	Apr. 2, 1965	.2	5
1966	Mar. 10, 1966	.76	30
1967	June 27, 1967	1.93	130
1968	June 9, 1968	1.62	87
1969	Mar. 17, 1969	.97	28
1970	May 21, 1970	1.16	40
1971	Feb. 15, 1971	.76	18
1972	Aug. 3, 1972	1.00	30
1973	May 1, 1973	1.52	45
1974	Jan. 15, 1974	2.77	227

## Berry Creek near Columbus, Mt. (06201750)

Location.--Lat  $45^{\circ}42'20''$ , long  $109^{\circ}23'26''$ , in NW $\frac{1}{4}$  sec.33, T.1 S., R.19 E., Stillwater County, at bridge on county road, 8 mi (12.9 km) northwest of Columbus.

Drainage area.--23.5 mi<sup>2</sup> (60.9 km<sup>2</sup>).

Records available.--May 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 4, 1959. Altitude of gage is 3,700 ft (1,130 m), from topographic map.

## Berry Creek near Columbus, Mt (06201750)-Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	eJuly 7, 1958	4.54	620
1959	eMar. 1, 1959	3.86	283
1960	June 15, 1960	.02	0
1961	May 15, 1961	.10	0
1962	July 31, 1962	6.62	a2,000
1963	June 14, 1963	2.60	55
1964	Apr. 24, 1964	.53	.5
1965	Aug. 22, 1965	.52	.5
1966	Mar. 10, 1966	.31	0
1967	May 1967	.66	.8
1968	June 9, 1968	.83	10
1969	Mar. 17, 1969	2.80	70
1970	May 21, 1970	3.30	135
1971	Feb. 15, 1971	1.70	11
1972	Feb. 19, 1972	b1.24	.2
1973	May 1973	.85	1.5

## Allen Creek near Park City, Mt. (06205100)

Location.--Lat 45°35'43", long 109°03'22", in NE¼ sec.7, T.3 S., R.22 E., Stillwater County, about 200 ft (61 m) upstream from Cove ditch flume, 7 mi (11.3 km) west of Park City.

Drainage area.--7.17 mi<sup>2</sup> (18.6 km<sup>2</sup>).

Records available.--June 1961 to current year.

Gage.--Crest-stage gage installed June 15, 1961. Altitude of gage is 3,470 ft (1,060 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	eMay 24, 1961	5.68	1,580
1962	Feb. 1, 1962	1.30	120
1963	June 3, 1963	.15	10
1964	--	--	(c)
1965	Apr. 2, 1965	.35	30
1966	June 19, 1966	2.40	260
1967	June 17, 1967	2.00	196
1968	Feb. 19, 1968	1.05	90
1969	June 20, 1969	1.45	135
1970	May 21, 1970	1.24	110
1971	Feb. 28, 1971	1.75	75
1972	Feb. 19, 1972	--	5
1973	May 1, 1973	.75	60
1974	Jan. 15, 1974	1.92	190

## Wets Creek near Billings, Mt. (06216200)

Location.--Lat 45°37'38", long 108°24'14", in SW¼ sec.28, T.2 S., R.27 E., Yellowstone County, at bridge on county road, 19 mi (30.6 km) southeast of Billings.

Drainage area.--8.14 mi<sup>2</sup> (21.1 km<sup>2</sup>).

Records available.--May 1955 to current year.

Gage.--Crest-stage gage installed May 26, 1955. Altitude of gage is 3,550 ft (1,080 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	Aug. 25, 1955	--	a5
1956	Feb. 22, 1956	3.23	65
1957	June 8, 1957	1.66	105
1958	July 2, 1958	.50	40
1959	June 4, 1959	1.14	70
1960	May 2, 1960	2.50	160
1961	May 21, 1961	.40	35
1962	Mar. 9, 1962	1.92	118
1963	June 8, 1963	2.7	170
1964	Apr. 26, 1964	6.9	565
1965	June 25, 1965	2.20	135
1966	Mar. 9, 1966	4.18	292
1967	June 6, 1967	2.46	155
1968	June 9, 1968	1.43	90
1969	June 26, 1969	3.10	200
1970	June 12, 1970	2.24	140
1971	June 10, 1971	2.23	138
1972	May 21, 1972	3.52	235
1973	Apr. 25, 1973	1.90	110
1974	June 8, 1974	3.03	200

## West Buckeye Creek near Billings, Mt. (06216300)

Location.--Lat 45°39'03", long 108°23'53", in NE¼ sec.21, T.2 S., R.27 E., Yellowstone County, 2,000 ft (610 m) upstream from bridge on county road, 17 mi (27.4 km) southeast of Billings.

Drainage area.--1.54 mi<sup>2</sup> (3.99 km<sup>2</sup>).

Records available.--May 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 26, 1955. Altitude of gage is 3,500 ft (1,070 m), from topographic map.

West Buckeye Creek near Billings, Mt. (06216300)  
Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	Aug. 25, 1955	1.54	17
1956	May 29, 1956	2.24	92
1957	May 12, 1957	1.81	185
1958	July 2, 1958	1.31	83
1959	June 4, 1959	.68	15
1960	May 2, 1960	1.16	60
1961	May 24, 1961	.80	22
1962	Mar. 9, 1962	1.03	44
1963	June 20, 1963	1.37	a30
1964	Apr. 26, 1964	4.48	215
1965	Apr. 2, 1965	3.38	135
1966	Mar. 10, 1966	3.8	225
1967	June 6, 1967	2.69	149
1968	June 9, 1968	2.62	142
1969	July 18, 1969	5.05	924
1970	June 12, 1970	1.10	47
1971	June 10, 1971	2.65	142
1972	Feb. 20, 1972	1.19	47
1973	Apr. 25, 1973	1.13	38

Pryor Creek near Billings, Mt. (06216500)

Location.--Lat 45°42'54", long 108°18'47", in sec.30, T.1 S., R.28 E., Yellowstone County, at bridge on Interstate Highway 90, and U.S. Highway 87, 11 mi (17.7 km) southeast of Billings.

Drainage area.--435 mi<sup>2</sup> (1,127 km<sup>2</sup>).

Records available.--September 1911 to September 1924 and March 1938 to December 1953 (continuous record), May 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 26, 1955. Wire-weight gage September 1911 to September 1924 and March 1938 to December 1953. Altitude of gage is 3,310 ft (1,010 m), by barometer.

## Pryor Creek near Billings, Mt. (06216500)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1912	July 3, 1912	11.2	d930
1913	aMar. 20, 1913	12.54	1,130
1914	June 26, 1914	9.3	d595
1915	June 12, 1915	9.7	d645
1916	May 22, 1916	7.01	d333
1917	June 5, 1917	10.4	d750
1918	Mar. 27, 1918	8.35	d480
1919	Aug. 2, 1919	7.30	d344
1920	May 12, 1920	10.37	d740
1921	June 9, 1921	9.60	d635
1922	May 11, 1922	7.65	d400
1923	Sept. 30, 1923	9.25	d590
1924	Apr. 4, 1924	10.04	d705
1938	June 24, 1938	7.9	1,230
1939	June 18, 1939	3.35	d332
1940	Apr. 16, 1940	2.83	d208
1941	Sept. 8, 1941	4.68	d607
1942	May 14, 1942	9.2	1,500
1943	Mar. 26, 1943	- -	h1,000
1944	June 19, 1944	7.66	d1,150
1945	June 11, 1945	4.80	625
1946	June 12, 1946	3.98	d489
1947	Mar. 19, 1947	- -	h890
1948	Apr. 20, 1948	3.95	d464
1949	June 3, 1949	2.22	d133
1950	Feb. 25, 1950	- -	h230
1951	Mar. 22, 1951	b9.82	d761
1952	May 22, 1952	4.25	d424
1953	June 7, 1953	2.43	d145
1955	June 16, 1955	3.44	286
1956	Feb. 22, 1956	b9.12	a800
1957	June 8, 1957	6.14	825
1958	Feb. 20, 1958	3.26	262
1959	Mar. 2, 1959	4.65	508
1960	May 2, 1960	9.9	1,700
1961	Sept. 20, 1961	3.44	288
1962	Mar. 9, 1962	6.20	840
1963	Apr. 28, 1963	8.40	1,330
1964	Apr. 26, 1964	15.04	3,720
1965	Apr. 2, 1965	7.09	1,040
1966	Mar. 11, 1966	8.84	1,440
1967	June 14, 1967	4.72	520
1968	June 10, 1968	8.10	1,270
1969	June 26, 1969	9.48	1,600
1970	May 30, 1970	6.61	910
1971	Feb. 14, 1971	9.39	a750
1972	Feb. 28, 1972	b11.64	1,600
1973	Apr. 25, 1973	7.66	1,160



## Twelvemile Creek near Shepherd, Mt. (06217300)

Location.--Lat 45°55'16", long 108°27'44", in NW¼SW¼ sec.14, T.2 N., R.26 E., Yellowstone County, at bridge on Highway 87, 5.6 mi (9.0 km) north of junction with old Highway 10, 6.0 mi (9.7 km) west of Shepherd.

Drainage area.--9.05 mi<sup>2</sup> (24.6 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 29, 1973. Altitude of gage is 3,220 ft (981 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	1.89	Not determined
1974	June 8, 1974	1.20	Not determined

## Crooked Creek tributary near Shepherd, Mt. (06217700)

Location.--Lat 46°04'23", long 108°30'09", in SW¼ sec.21, T.4 N., R.26 E., Yellowstone County, at bridge on county road, 1.7 mi (2.7 km) west of U.S. Highway 87 between Billings and Roundup, 12 mi (19.3 km) northwest of Shepherd, and 20 mi (32.2 km) north of Billings.

Drainage area.--7.21 mi<sup>2</sup> (18.7 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed Apr. 22, 1963. Altitude of gage is 3,400 ft (1,040 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJune 4, 1962	13.68	5,120
1963	June 21, 1963	5.26	1,110
1964	June 18, 1964	1.76	a150
1965	June 25, 1965	--	47
1966	Mar. 8, 1966	3.54	a600
1967	June 11, 1967	7.85	1,980
1968	Sept. 22, 1968	1.46	a150
1969	March 1969	2.20	250
1970	May 30, 1970	1.86	220
1971	Feb. 12, 1971	.88	85
1972	June 9, 1972	1.37	140
1973	Aug. 23, 1973	.82	80
1974	Aug. 20, 1974	1.49	160

Yellowstone River tributary No. 2 near Pompeys Pillar, Mt.  
(06217800)

Location.--Lat 46°02'31", long 107°47'47", in NW¼ sec.6, T.3 N., R.32 E., Yellowstone County, at culvert on Interstate Highway 94 and U.S. Highways 10 and 312, 0.7 mi (1.1 km) west of Spring Creek, 8 mi (12.9 km) east of Pompeys Pillar, and 13 mi (20.9 km) west of Custer.

Drainage area.--0.70 mi<sup>2</sup> (1.81 km<sup>2</sup>).

Records available.--May 1962 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Apr. 28, 1963. Altitude of gage is 2,850 ft (869 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eMay 13, 1962	a1.5	22
1963	--	--	(c)
1964	--	--	(c)
1965	--	--	(c)
1966	Mar. 14, 1966	.20	a2
1967	--	--	(c)
1968	--	--	.1
1969	Mar. 18, 1969	.15	a2
1970	Apr. 28, 1970	--	.1
1971	Feb. 12, 1971	.76	11
1972	Feb. 28, 1972	.34	5
1973	Feb. 26, 1973	b.06	a.1

Little Bighorn River tributary near Wyola, Mt. (06290200)

Location.--Lat 45°08'18", long 107°23'08", in SE¼NW¼ sec.14, T.8 S., R.35 E., Big Horn County, on left bank along side of private road, 0.3 mi (0.5 km) east of U.S. Highway 87, 0.8 mi (1.3 km) northeast of Wyola.

Drainage area.--4.43 mi<sup>2</sup> (11.5 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 30, 1973. Altitude of gage is 3,680 ft (1,120 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.15	Not determined
1974	May 1974	--	1

## Long Otter Creek near Lodgegrass, Mt. (06293300)

Location--Lat 45°26'15", long 107°23'42", near center of line between the NE¼ and NW¼ of SE¼ sec.28, T.4 S., R.35 E., Big Horn County, at culvert on U.S. Highway 87, 10 mi (16 km) north of Lodgegrass.

Drainage area--11.7 mi<sup>2</sup> (30.3 km<sup>2</sup>).

Records available--October 1973 to current year.

Gage--Crest-stage gage installed Oct. 30, 1973. Altitude of gage is 3,210 ft (978 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.81	Not determined
1974	Jan. 16, 1974	1.65	Not determined

## Andresen Coulee near Custer, Mt. (06294400)

Location--Lat 46°03'53", long 107°32'30", in center of W½ sec.30, T.4 N., R.34 E., Yellowstone County, at culvert on State Highway 47, 4.5 mi (7.2 km) south of Custer, and 5.3 road mi (8.5 km) south of U.S. Highways 10 and 312.

Drainage area--2.35 mi<sup>2</sup> (6.09 km<sup>2</sup>).

Records available--April 1963 to current year.

Gage--Crest-stage gage installed Apr. 27, 1963. Altitude of gage is 2,820 ft (860 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 4, 1963	1.57	40
1964	June 18, 1964	1.06	20
1965	Aug. 23, 1965	.87	13
1966	Mar. 9, 1966	--	a5
1967	February 1967	.30	2
1968	June 9, 1968	.90	14
1969	Mar. 18, 1969	1.06	20
1970	Apr. 6, 1970	.05	1
1971	Feb. 12, 1971	b1.72	a5
1972	Feb. 28, 1972	b1.18	9
1973	Sept. 1, 1973	.33	2
1974	Jan. 15, 1974	.33	2

## Tullock Creek tributary near Hardin, Mt. (06294600)

Location--Lat 45°47'52", long 107°15'40", in NW¼NW¼ sec.33, T.1 N., R.36 E., Big Horn County, at culvert on State Highway 384, 18 mi (30 km) northeast of Hardin.

Drainage area--8.63 mi<sup>2</sup> (22.4 km<sup>2</sup>).

Records available--October 1973 to current year.

Gage--Crest-stage gage installed Oct. 30, 1973. Altitude of gage is 3,180 ft (969 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.12	95
1974	June 8, 1974	1.75	Not determined

## Unknown Creek near Bighorn, Mt. (06294800)

Location.--Lat 46°11'50", long 107°24'33", in SE¼ sec.12, T.5 N., R.34 E., Treasure County, at bridge on Interstate Highway 94 and U.S. Highways 10 and 312, 4 mi (6.4 km) east of Bighorn.

Drainage area.--14.6 mi<sup>2</sup> (37.8 km<sup>2</sup>).

Records available.--May 1962 to current year.

Gage.--Crest-stage gage installed Apr. 27, 1963. Altitude of gage is 2,690 ft (820 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eMay 13, 1962	3.98	a800
1963	June 4, 1963	3.60	657
1964	June 18, 1964	2.73	a370
1965	July 19, 1965	3.48	610
1966	Mar. 9, 1966	b2.33	a50
1967	March 1967	b2.29	a100
1968	June 9, 1968	1.69	157
1969	June 26, 1969	2.44	300
1970	Apr. 28, 1970	.49	20
1971	July 15, 1971	.88	55
1972	Feb. 28, 1972	b1.12	10
1973	Feb. 28, 1973	b1.34	a15
1974	Jan. 20, 1974	b1.36	a20

## Buckingham Coulee near Myers, Mt. (06294850)

Location.--Lat 46°14'12", long 107°17'24", in SW¼ sec.25, T.6 N., R.35 E., Treasure County, at bridge on Interstate Highway 94 and U.S. Highways 10 and 312, 3 mi (4.8 km) southeast of Myers, and 5 mi (8.0 km) southwest of Hysham.

Drainage area.--2.63 mi<sup>2</sup> (6.81 km<sup>2</sup>).

Records available.--May 1962 to current year.

Gage.--Crest-stage gage installed Apr. 27, 1963. Altitude of gage is 2,820 ft (860 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eMay 13, 1962	1.10	20
1963	June 4, 1963	.50	6
1964	June 18, 1964	2.20	122
1965	July 9, 1965	3.84	398
1966	Mar. 9, 1966	b1.84	a40
1967	June 12, 1967	.78	11
1968	June 13, 1968	1.08	20
1969	Mar. 18, 1969	1.62	50
1970	--	--	(c)
1971	July 2, 1971	1.91	84
1972	Feb. 28, 1972	.93	15
1973	--	--	(c)
1974	June 8, 1974	.84	6



Middle Fork Froze to Death Creek tributary near  
Ingomar, Mt.(06294900)

Location.--Lat  $46^{\circ}34'52''$ , long  $107^{\circ}23'59''$ , in NE $\frac{1}{4}$  sec.35,  
T.10 N., R.34 E., Rosebud County, at culverts on U.S. High-  
way 12, 1.1 mi (1.8 km) west of Ingomar.

Drainage area.--1.36 mi<sup>2</sup> (3.52 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed May 16, 1963. Altitude of  
gage is 2,990 ft (911 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 16, 1962	9.08	463
1963	June 21, 1963	1.30	44
1964	June 18, 1964	1.95	65
1965	July 10, 1965	5.44	300
1966	July 15, 1966	1.55	52
1967	June 18, 1967	1.89	67
1968	June 9, 1968	1.57	54
1969	July 7, 1969	2.40	90
1970	Aug. 6, 1970	3.25	132
1971	May 31, 1971	1.23	45
1972	Aug. 14, 1972	2.81	110
1973	Apr. 20, 1973	1.72	60
1974	Jan. 15, 1974	.73	28

Sarpy Creek tributary near Colstrip, Mt. (06294930)

Location.--Lat  $45^{\circ}54'54''$ , long  $107^{\circ}07'57''$ , in SW $\frac{1}{4}$ SW $\frac{1}{4}$  sec.16,  
T.2 N., R.37 E., Treasure County, at culvert on county road,  
0.1 mi (0.2 km) north of the Treasure and Big Horn county  
line, 25 mi (40 km) west of Colstrip.

Drainage area.--4.44 mi<sup>2</sup> (11.5 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 30, 1973. Altitude of  
gage is 3,120 ft (951 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.33	194
1973	--	1.27	6
1974	--	--	(c)



## Anderson Creek at Vananda, Mt. (06294960)

Location.--Lat 46°23'35", long 107°00'27", in SE¼NE¼ sec.6, T.7 N., R.38 E., Rosebud County, at bridge on U.S. Highway 12, at Vananda.

Drainage area.--5.71 mi<sup>2</sup> (14.8 km<sup>2</sup>).

Records available.--September 1973 to current year.

Gage.--Crest-stage gage installed Sept. 4, 1973. Altitude of gage is 2,690 ft (820 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.44	Not determined
1974	June 21, 1974	1.83	Not determined

## East Fork Armells Creek tributary near Colstrip, Mt. (06294985)

Location.--Lat 46°04'01", long 106°42'39", in SE¼SE¼ sec.26, T.4 N., R.40 E., Rosebud County, on bridge on State Highway 315, 13 mi (21 km) north of Colstrip.

Drainage area.--1.87 mi<sup>2</sup> (4.84 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 31, 1973. Altitude of gage is 2,860 ft (872 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.15	Not determined
1974	July 3, 1974	2.48	5

## Short Creek near Forsyth, Mt. (06295020)

Location.--Lat 46°17'44", long 106°40'05", in NW¼ sec.12, T.6 N., R.40 E., Rosebud County, at bridge on county road, 2.4 mi (3.9 km) northeast of U.S. Highway 12, and 2 mi (3.2 km) north of Forsyth.

Drainage area.--4.38 mi<sup>2</sup> (11.3 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed Apr. 27, 1963. Altitude of gage is 2,550 ft (777 m), from topographic map.

## Short Creek near Forsyth, Mt. (06295020) -Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJune 15, 1962	4.84	406
1963	June 19, 1963	1.30	20
1964	Aug. 29, 1964	1.67	35
1965	July 12, 1965	6.64	938
1966	June 4, 1966	6.20	790
1967	March 1967	2.71	105
1968	March 1968	b4.23	a100
1969	Mar. 18, 1969	b3.50	a100
1970	June 12, 1970	1.85	45
1971	Aug. 30, 1971	6.55	910
1972	Oct. 18, 1971	2.10	60
1973	June 18, 1973	5.26	500
1974	Jan. 15, 1974	3.72	210

## Little Porcupine Creek near Forsyth, Mt. (06295050)

Location.--Lat 46°18'15", long 106°34'28", in NE¼ sec.3, T.6 N., R.41 E., Rosebud County, at bridge on county road, 6 mi (9.7 km) northeast of Forsyth.

Drainage area.--614 mi<sup>2</sup> (1,590 km<sup>2</sup>).

Records available.--May 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 9, 1958. Altitude of gage is 2,480 ft (756 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	June 3, 1958	4.9	1,480
1959	Mar. 20, 1959	7.08	2,650
1960	Mar. 20, 1960	7.17	2,700
1961	Sept. 20, 1961	8.14	3,320
1962	June 15, 1962	4.53	1,310
1963	June 3, 1963	5.98	2,030
1964	Apr. 27, 1964	2.75	680
1965	Apr. 1, 1965	9.00	3,750
1966	July 2, 1966	4.57	1,350
1967	June 12, 1967	5.16	1,600
1968	Feb. 29, 1968	4.03	1,100
1969	Mar. 21, 1969	b7.66	a1,000
1970	June 12, 1970	(f)	a500
1971	Apr. 10, 1971	2.45	580
1972	Mar. 16, 1972	11.7	9,350
1973	Apr. 20, 1973	2.13	500

## Rosebud Creek near Kirby, Mt. (06295100)

Location.--Lat 45°14'01", long 106°57'23", in NE¼ sec.16, T.7 S., R.39 E., Big Horn County, at culvert on private road, 7 mi (11.3 km) south of Kirby.

Drainage area.--34.2 mi<sup>2</sup> (88.6 km<sup>2</sup>).

Records available.--April 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed Apr. 15, 1959. Altitude of gage is 4,180 ft (1,270 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 19, 1960	1.78	55
1961	--	--	(c)
1962	June 16, 1962	1.45	44
1963	Apr. 28, 1963	2.67	85
1964	Apr. 26, 1964	2.24	60
1965	Apr. 1, 1965	b4.78	a250
1966	June 22, 1966	2.50	78
1967	June 12, 1967	5.20	287
1968	June 9, 1968	5.72	540
1969	June 26, 1969	4.72	195
1970	May 7, 1970	5.00	240
1971	Apr. 25, 1971	4.51	165
1972	Mar. 10, 1972	b2.29	55
1973	Apr. 20, 1973	2.20	66
1974	June 7, 1974	.95	24

## Rosebud Creek tributary near Busby, Mt. (06295130)

Location.--Lat 45°35'00", long 106°51'32", in NE¼ sec.13, T.3 S., R.39 E., Big Horn County, at bridge on U.S. Highway 212, 1.1 mi (1.8 km) east of Two Moon Creek, 6 mi (9.7 km) northeast of Busby.

Drainage area.--1.14 mi<sup>2</sup> (2.95 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 23, 1963. Altitude of gage is 3,310 ft (1,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	June 18, 1964	1.31	10
1965	Aug. 21, 1965	1.23	8
1966	Mar. 11, 1966	b.81	a1
1967	March 1967	.99	6
1968	February 1968	b1.17	a3
1969	Mar. 19, 1969	b1.61	9
1970	July 22, 1970	.66	3
1971	Apr. 25, 1971	1.16	8
1972	May 19, 1972	1.01	6
1973	--	--	(c)
1974	Apr. 7, 1974	.66	4

## Ridgewalker Creek near Busby, Mt. (06295150)

Location.--Lat  $45^{\circ} 36' 04''$ , long  $106^{\circ} 49' 08''$ , in SE $\frac{1}{4}$  sec.5, T.3 S., R.40 E., Big Horn County, at bridge on State Highway 8, 8 mi (12.9 km) east of Busby.

Drainage area.--2.24 mi<sup>2</sup> (5.80 km<sup>2</sup>).

Records available.--April 1959 to September 1962 (discontinued).

Gage.--Crest-stage gage installed Apr. 15, 1959. Altitude of gage is 3,300 ft (1,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	March 1959	--	a5
1960	Mar. 20, 1960	0.83	Unknown
1961	July 20, 1961	.40	Unknown
1962	July 27, 1962	1.40	Unknown

## Whitedirt Creek near Lame Deer, Mt. (06295200)

Location.--Lat  $45^{\circ} 36' 29''$ , long  $106^{\circ} 45' 02''$ , in NE $\frac{1}{4}$  sec.2, T.3 S., R.40 E., Big Horn County, at bridge on county road, 4.5 mi (7.2 km) west of Lame Deer.

Drainage area.--1.58 mi<sup>2</sup> (4.09 km<sup>2</sup>).

Records available.--April 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Apr. 15, 1959. Altitude of gage is 3,290 ft (1,000 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	March 1959	--	a5
1960	Mar. 20, 1960	0.59	3
1961	Sept.10, 1961	.32	2
1962	February 1962	.53	3
1963	June 3, 1963	1.38	31
1964	June 8, 1964	1.43	33
1965	July 1, 1965	.86	8
1966	Sept.12, 1966	1.37	30
1967	June 12, 1967	1.3	19
1968	June 13, 1968	1.68	45
1969	Mar. 19, 1969	b1.36	a4
1970	June 12, 1970	.50	1
1971	Mar. 25, 1971	1.24	23
1972	Mar. 15, 1972	1.14	18
1973	--	--	(c)

## Rosebud Creek near Forsyth, Mt. (06296000)

Location.--Lat  $46^{\circ}11'50''$ , long  $106^{\circ}28'25''$ , in SW $\frac{1}{4}$  sec.9, T.5 N., R.42 E., Rosebud County, 10 mi (16.1 km) southeast of Forsyth.

Drainage area.--1,260 mi<sup>2</sup> (3,263 km<sup>2</sup>).

Records available.--May 1947 to December 1953 (continuous record), July 1955 to September 1967, 1969 (discontinued).

Gage.--Water-stage recorder re-installed July 15, 1955. Altitude of gage is 2,540 ft (774 m), by barometer.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1948	July 21, 1948	8.41	382
1949	Mar. 8, 1949	8.96	418
1950	June 9, 1950	7.90	250
1951	Sept. 1, 1951	8.42	280
1952	Mar. 29, 1952	7.81	269
1953	May 30, 1953	10.27	d596
1954	--	--	Unknown
1955	--	--	50
1956	March 1956	8.78	a350
1957	June 17, 1957	8.78	342
1958	March 1958	--	Not determined
1959	Mar. 3, 1959	--	a570
1960	March 1960	--	Unknown
1961	Sept. 10, 1961	9.58	435
1962	June 7, 1962	9.16	378
1963	June 16, 1963	6.58	182
1964	June 19, 1964	9.49	420
1965	Apr. 1, 1965	10.42	a600
1966	June 4, 1966	7.07	215
1967	June 19, 1967	7.79	265
1969	Mar. 19, 1969	11.66	a3,000

## Snell Creek near Hathaway, Mt. (06296100)

Location.--Lat  $46^{\circ}17'39''$ , long  $106^{\circ}08'52''$ , in NW $\frac{1}{4}$  sec.7, T.6 N., R.45 E., Custer County, at bridge on old U.S. Highways 10 and 12, 2.5 mi (4.0 km) northeast of Hathaway, and 3 mi (4.8 km) southwest of Cottonwood Creek.

Drainage area.--10.5 mi<sup>2</sup> (27.2 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 26, 1963. Altitude of gage is 2,550 ft (777 m), from topographic map.



## Snell Creek near Hathaway, Mt. (06296100)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 3, 1963	1.69	a170
1964	Aug. 29, 1964	.30	1
1965	June 14, 1965	2.20	a340
1966	June 4, 1966	2.35	a380
1967	June 7, 1967	1.3	85
1968	Feb. 26, 1968	1.05	45
1969	Mar. 18, 1969	2.33	375
1970	July 14, 1970	1.37	96
1971	Mar. 25, 1971	b1.95	a70
1972	Mar. 14, 1972	b1.17	32
1973	Apr. 20, 1973	1.47	95
1974	June 7, 1974	1.35	75

## Reservation Creek near Miles City, Mt. (06296115)

Location.--Lat 46°22'38", long 105°58'21", in SE¼NE¼ sec.9, T.7 N., R.46 E., Custer County, at bridge on county road No. 446, 6.5 mi (10.5 km) southwest of Miles City.

Drainage area.--6.29 mi<sup>2</sup> (16.3 km<sup>2</sup>).

Records available.--August 1973 to current year.

Gage.--Crest-stage gages installed Aug. 24, 1973. Altitude of gage is 2,440 ft (744 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	10.57	120
1974	May 28, 1974	1.19	Not determined

## Spring Creek near Decker, Mt. (06306900)

Location.--Lat 45°05'09", long 106°50'12", in SE¼ sec.33, T.8 S., R.40 E., Big Horn County, at bridge on county road 5 mi (8.0 km) north of Decker.

Drainage area.--36.3 mi<sup>2</sup> (94.0 km<sup>2</sup>).

Records available.--May 1958 to current year.

Gage.--Crest-stage gage installed May 9, 1958. Altitude of gage is 3,500 ft (1,070 m), from topographic map.

## Spring Creek near Decker, Mt. (06306900)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	June 7, 1958	3.4	184
1959	Mar. 17, 1959	1.19	45
1960	Mar. 19, 1960	1.31	49
1961	--	--	(c)
1962	June 16, 1962	6.59	a900
1963	June 15, 1963	1.07	40
1964	Apr. 22, 1964	.05	15
1965	Aug. 21, 1965	2.61	362
1966	Sept. 26, 1966	.11	a15
1967	June 12, 1967	2.81	390
1968	June 9, 1968	.72	130
1969	Mar. 18, 1969	1.82	250
1970	May 14, 1970	1.35	195
1971	Feb. 14, 1971	6.50	1,400
1972	Feb. 28, 1972	2.90	420
1973	Sept. 1, 1973	.26	a20
1974	Mar. 28, 1974	1.31	40

## Leaf Rock Creek near Kirby, Mt. (06306950)

Location.--Lat 45°11'16", long 106°54'50", in center of sec.35, T.7 S., R.39 E., Big Horn County, at culvert on county road, 10 mi(16.1 km) south of Kirby.

Drainage area.--6.04 mi<sup>2</sup> (15.6 km<sup>2</sup>).

Records available.--April 1959 to current year.

Gage.--Crest-stage gage installed Apr. 15, 1959. Altitude of gage is 3,950 ft (1,200 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	eJune 7, 1958	6.77	222
1959	--	--	Unknown
1960	Mar. 19, 1960	5.03	168
1961	--	--	(c)
1962	June 16, 1962	6.37	216
1963	June 15, 1963	6.77	222
1964	Apr. 6, 1964	1.17	30
1965	Apr. 1, 1965	1.62	45
1966	July 12, 1966	3.42	123
1967	June 7, 1967	.55	13
1968	March 1968	--	a.5
1969	July 15, 1969	5.53	182
1970	May 4, 1970	1.11	28
1971	Feb. 14, 1971	1.49	40
1972	Feb. 28, 1972	--	a40
1973	Mar. 1, 1973	b.65	a.5
1974	Jan. 15, 1974	--	a2

## Canyon Creek near Birney, Mt. (06307520)

Location.--Lat 45°14'28", long 106°40'32", in SW¼ sec.11, T.7 S., R.41 E., Rosebud County, on county bridge, 11 mi (18 km) southwest of Birney.

Drainage area.--50.2 mi<sup>2</sup> (130 km<sup>2</sup>).

Records available.--1972, April 1973 to current year.

Gage.--Crest-stage gage installed Apr. 14, 1973. Altitude of f gage is 3,230 ft (985 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	1.05	Not determined
1973	--	-.34	4
1974	Feb. 16, 1974	.25	Not determined

## Tie Creek near Birney, Mt. (06307620)

Location.--Lat 45°28'21", long 106°31'33", in SW¼SE¼ sec.22, T.4 S., R.42 E., Rosebud County, at bridge on State Highway 315, and 11 mi (18 km) north of Birney.

Drainage area.--18.7 mi<sup>2</sup> (48.4 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 31, 1973. Altitude of gage is 3,470 ft (1,060 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	--	(c)
1974	Feb. 16, 1974	1.53	Not determined

## Spring Creek near Ashland, Mt. (06307640)

Location.--Lat 45°33'06", long 106°17'07", in NW¼ sec.27, T.3 S., R.44 E., Rosebud County, at culvert on county road, along east side of Tongue River, 3.3 road mi (5.3 km) south of U.S. Highway 212, 3 mi (4.8 km) south of Ashland.

Drainage area.--1.48 mi<sup>2</sup> (3.83 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed Apr. 24, 1963. Altitude of gage is 2,980 ft (908 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJune 16, 1962	4.12	110
1963	July 5, 1963	6.90	148
1964	June 18, 1964	b1.60	a30
1965	July 12, 1965	6.8	215
1966	June 22, 1966	2.98	80
1967	June 12, 1967	3.34	94
1968	June 9, 1968	2.58	64
1969	June 19, 1969	14.52	2,080
1970	June 12, 1970	6.06	138
1971	Aug. 30, 1971	4.53	117
1972	June 25, 1972	8.18	135
1973	July 23, 1973	--	140
1974	July 2, 1974	--	116

## Walking Horse Creek near Ashland, Mt. (06307660)

Location.--Lat  $45^{\circ}36'23''$ , long  $106^{\circ}17'14''$ , in NW $\frac{1}{4}$  sec.3, T.3 S., R.44 E., Rosebud County, at culvert on county road along west side of Tongue River, 1.3 mi (2.1 km) north of U.S. Highway 212, and 1.5 mi (2.4 km) northwest of Ashland.

Drainage area.--2.79 mi<sup>2</sup> (7.23 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 24, 1963. Altitude of gage is 2,950 ft (899 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	--	--	(c)
1965	July 1, 1965	0.50	5
1966	--	--	(c)
1967	June 12, 1967	.28	1
1968	February 1968	1.75	58
1969	Mar. 19, 1969	1.52	a40
1970	--	--	(c)
1971	Feb. 14, 1971	1.20	24
1972	Feb. 28, 1972	1.13	20
1973	--	--	(c)
1974	July 2, 1974	.53	2

## Cow Creek near Fort Howes ranger station, near Otter, Mt. (06307700)

Location.--Lat  $45^{\circ}17'20''$ , long  $106^{\circ}09'14''$ , in SW $\frac{1}{4}$ NW $\frac{1}{4}$  sec.30, T.6 S., R.46 E., Powder River County, at bridge on county road, 0.8 mi (1.3 km) south of Fort Howes ranger station, and 6.6 mi (10.6 km) north of Otter Creek Post Office.

Drainage area.--8.37 mi<sup>2</sup> (21.7 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed August 21, 1973. Altitude of gage is 3,290 ft (1,003 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	2.39	Not determined
1973	--	1.43	Not determined
1974	July 3, 1974	1.78	20

## Brian Creek near Ashland, Mt. (06307720)

Location.--Lat  $45^{\circ}24'37''$ , long  $106^{\circ}09'07''$ , in SW $\frac{1}{4}$ SW $\frac{1}{4}$  sec.11, T.5 S., R.45 E., Powder River County, at culvert on county road, 8.1 mi (13.0 km) north of Fort Howes ranger station, and 13.5 mi (22 km) south of Ashland.

Drainage area.--8.03 mi<sup>2</sup> (20.8 km<sup>2</sup>).

Records available.--August 1973 to current year.

Gage.--Crest-stage gage installed August 20, 1973. Altitude of gage is 3,140 ft (957 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	--	(c)
1974	--	--	(c)



## Stebbins Creek near Ashland, Mt. (06307760)

Location.--Lat 45°37'10", long 106°24'35", in center of sec.34, T.2 S., R.43 E., Rosebud County, at culvert on U.S. Highway 212, 7.5 road mi (12.1 km) west of Ashland.

Drainage area.--5.41 mi<sup>2</sup> (14.0 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 23, 1963. Altitude of gage is 3,400 ft (1,040 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	Apr. 4, 1963	0.1	a0.5
1964	Apr. 6, 1964	.20	1
1965	Aug. 23, 1965	1.59	16
1966	Mar. 11, 1966	b1.85	a2
1967	May 1967	--	a1
1968	Aug. 23, 1968	2.18	39
1969	Mar. 19, 1969	b1.90	25
1970	June 12, 1970	.56	a2
1971	Feb. 14, 1971	b2.40	a10
1972	Feb. 28, 1972	--	3
1973	Sept. 7, 1973	--	.5
1974	Jan. 15, 1974	.61	2

## Stebbins Creek at mouth, near Ashland, Mt. (06307780)

Location.--Lat 45°38'27", long 106°17'34", in NW¼ sec.27, T.2 S., R.44 E., Rosebud County, at bridge on county road along west side of Tongue River, 3.6 road mi (5.8 km) north of U.S. Highway 212, 3.5 mi (5.6 km) northwest of Ashland.

Drainage area.--20.8 mi<sup>2</sup> (53.9 km<sup>2</sup>).

Records available.--April 1963 to current year.

Gage.--Crest-stage gage installed Apr. 24, 1963. Altitude of gage is 2,950 ft (899 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 15, 1963	2.44	75
1964	June 18, 1964	3.40	210
1965	Aug. 23, 1965	3.56	248
1966	Mar. 12, 1966	b1.85	a15
1967	July 7, 1967	2.44	75
1968	Aug. 23, 1968	2.80	110
1969	Mar. 19, 1969	4.45	570
1970	May 8, 1970	2.20	50
1971	Feb. 17, 1971	1.94	30
1972	Aug. 2, 1972	4.76	508
1973	Apr. 2, 1973	1.37	5
1974	Feb. 16, 1974	1.39	7



## Jack Creek near Volborg, Mt. (06307930)

Location.--Lat 46°04'55", long 105°51'08", in NE¼NW¼ sec.26, T.4 N., R.47 E., Custer County, at bridge on State Highway 332, 19 mi (31 km) northwest of Volborg.

Drainage area.--5.47 mi<sup>2</sup> (14.2 km<sup>2</sup>).

Records available.--October 1973 to current year.

Gage.--Crest-stage gage installed Oct. 31, 1973. Altitude of gage is 2,630 ft (802 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.83	225
1974	June 21, 1974	2.60	Not determined

## Sixmile Creek tributary near Epsie, Mt. (06308100)

Location.--Lat 45°31'27", long 105°45'10", in SW¼SW¼ sec.36, T.3 S., R.48 E., Powder River County, at culvert on U.S. Highway 212, and 5.2 mi (8.4 km) northwest of Epsie.

Drainage area.--0.24 mi<sup>2</sup> (0.62 km<sup>2</sup>).

Records available.--August 1973 to current year. Highwater mark at undetermined date prior to installation of gage.

Gage.--Crest-stage gage installed Aug. 21, 1973. Altitude of gage is 3,480 ft (1,061 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
--	--	7.82	Not determined
1973	--	3.18	74
1974	Apr. 20, 1974	3.13	70

## Basin Creek tributary near Volborg, Mt. (06308200)

Location.--Lat 45 53'11", long 105 41'12", in NW° sec.31, T.2 N., R.49 E., Custer County, at culvert on county road, 3.5 mi (5.6 km) north of Volborg.

Drainage area.--0.14 sq mi (0.36 sq km).

Records available.--July 1955 to current year.

Gage.--Crest-stage gage installed July 23, 1955. Altitude of gage is 2,900 ft (884 m), from topographic map.

Basin Creek tributary near Volborg, Mt. (06308200)  
Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 29, 1955	0.24	20
1956	--	--	(c)
1957	--	--	(c)
1958	July 2, 1958	6.96	390
1959	March 1959	--	a2
1960	Mar. 21, 1960	.97	12
1961	--	--	(c)
1962	June 17, 1962	2.76	36
1963	June 22, 1963	9.38	94
1964	June 18, 1964	1.07	14
1965	Apr. 1, 1965	1.41	18
1966	July 29, 1966	3.11	41
1967	June 14, 1967	8.10	85
1968	June 20, 1968	1.93	24
1969	May 21, 1969	1.06	13
1970	March 1970	1.15	14
1971	June 16, 1971	2.37	29
1972	Mar. 6, 1972	b5.79	a5
1973	--	--	(c)
1974	--	--	(c)

Basin Creek near Volborg, Mt. (06308300)

Location.--Lat 45°53'11", long 105°39'58", in NW¼ sec.32,  
T.2 N., R.49 E., Custer County, at bridge on U.S. Highway  
212, 4 mi (6.4 km) north of Volborg.

Drainage area.--10.9 mi<sup>2</sup> (28.2 km<sup>2</sup>).

Records available.--July 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 23, 1955. Altitude of  
gage is 2,850 ft (869 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	July 29, 1955	1.1	20
1956	Aug. 27, 1956	5.76	953
1957	Apr. 24, 1957	3.45	300
1958	July 2, 1958	5.79	965
1959	Mar. 11, 1959	1.87	75
1960	Mar. 21, 1960	5.26	770
1961	Sept. 10, 1961	1.04	18
1962	Feb. 11, 1962	3.18	250
1963	June 22, 1963	5.69	920
1964	June 18, 1964	2.48	145
1965	Apr. 1, 1965	3.93	400
1966	July 29, 1966	2.32	125
1967	June 14, 1967	j6.06	a200
1968	June 20, 1968	2.28	120
1969	May 21, 1969	2.03	90
1970	June 13, 1970	1.60	20
1971	June 16, 1971	5.86	990
1972	Mar. 6, 1972	j4.17	a60
1973	June 18, 1973	1.66	30

## Deer Creek tributary near Volborg, Mt. (06308330)

Location.--Lat 46°02'04", long 105°31'15", in extreme southwest corner of sec.4, T.3 N., R.50 E., Custer County, at culvert on county road, 3 mi (5 km) east of U.S. Highway 312, and 16 mi (26 km) northeast of Volborg.

Drainage area.--1.65 mi<sup>2</sup> (4.27 km<sup>2</sup>).

Records available.--November 1973 to current year.

Gage.--Crest-stage gage installed Nov. 1, 1973. Altitude of gage is 2,780 ft (847 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	11.55	1,170
1974	May 30, 1974	2.90	32

## La Grange Creek near Volborg, Mt. (06308340)

Location.--Lat 46°06'17", long 105°33'20", in NE¼NW¼ sec.18, T.4 N., R.50 E., Custer County, at culvert near mile post 27 on U.S. Highway 312, and 19 mi (31 km) north of Volborg.

Drainage area.--3.66 mi<sup>2</sup> (9.48 km<sup>2</sup>).

Records available.--August 1973 to current year.

Gage.--Crest-stage gages installed Aug. 23, 1973. Altitude of gages are 2,660 ft (811 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	Sept. 3, 1973	3.40	Not determined
1974	May 30, 1974	2.33	Not determined

North Sunday Creek tributary at Rock Springs, Mt.  
(06309020)

Location.--Lat 46°49'07", long 106°14'56", in SE¼ sec.1, T.12 N., R.43 E., Rosebud County, at culvert on State Highway 22, 0.4 mi (0.6 km) northwest of Rock Springs.

Drainage area.--1.19 mi<sup>2</sup> (3.08 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 17, 1963. Altitude of gage is 2,970 ft (905 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	--	--	(c)
1964	June 18, 1964	0.38	3
1965	July 11, 1965	1.76	23
1966	Mar. 13, 1966	2.74	38
1967	Mar. 23, 1967	b1.76	a5
1968	March 1968	b.41	a3
1969	Mar. 19, 1969	b3.81	a9
1970	Apr. 6, 1970	b1.04	a9
1971	Mar. 31, 1971	b2.37	a10
1972	Mar. 13, 1972	2.84	39
1973	Feb. 28, 1973	.54	4
1974	Mar. 2, 1974	.50	4

## Dry House Creek near Angela, Mt. (06309040)

Location.--Lat 46°41'14", long 106°10'28", in SE¼SW¼ sec.22, T.11 N., R.44 E., Rosebud County, near bridge on State Highway 22, 3.2 mi (5.1 km) south of Angela.

Drainage area.--35.6 mi<sup>2</sup> (5.1 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 17, 1963. Altitude of gage is 2,760 ft (841 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	June 4, 1963	3.60	380
1964	June 18, 1964	3.18	280
1965	Apr. 1, 1965	4.13	500
1966	Mar. 19, 1966	b2.08	a10
1967	June 13, 1967	6.65	1,500
1968	March 1968	b2.19	a15
1969	Apr. 26, 1969	b2.27	a100
1970	June 12, 1970	1.77	70
1971	Mar. 31, 1971	4.18	530
1972	Mar. 14, 1972	5.40	580
1973	July 22, 1973	3.38	85
1974	May 20, 1974	1.72	22

North Sunday Creek tributary No. 2 near Angela, Mt.  
(06309060)

Location.--Lat 46°34'00", long 106°03'51", in NE¼ sec.4, T.9 N., R.45 E., Custer County, at culvert on State Highway 22, 14.1 road mi (22.7 km) northwest of Yellowstone River bridge at Miles City, 15 mi (24.1 km) northwest of Miles City, and 13 mi (20.9 km) southeast of Angela.

Drainage area.--0.34 mi<sup>2</sup> (0.88 km<sup>2</sup>).

Records available.--June 1962 to current year.

Gage.--Crest-stage gage installed May 17, 1963. Altitude of gage is 2,680 ft (817 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJune 1, 1962	2.42	45
1963	June 3, 1963	5.20	158
1964	June 18, 1964	1.47	19
1965	July 11, 1965	4.89	144
1966	Mar. 19, 1966	4.56	130
1967	June 13, 1967	2.77	56
1968	June 9, 1968	1.76	26
1969	July 7, 1969	7.94	320
1970	July 17, 1970	1.75	26
1971	Mar. 31, 1971	2.00	32
1972	Mar. 15, 1972	b5.17	29
1973	Apr. 20, 1973	1.48	20
1974	May 20, 1974	2.96	60



## Tree Coulee near Kinsey, Mt. (06309078)

Location.--Lat 46°33'17", long 105°47'48", in NE¼NW¼ sec.10, T.9 N., R.47 E., Custer County, at culvert on county road, 5.3 mi (8.5 km) north of road to Kinsey, 6.5 mi (10.5 km) west of Kinsey, and 10.9 mi (18 km) northeast of State Highway at Miles City.

Drainage area.--4.13 mi<sup>2</sup> (10.7 km<sup>2</sup>).

Records available.--1972, August 1974 to current year.

Gage.--Crest-stage gage installed Aug. 16, 1974. Altitude of gage is 2,425 ft (739 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	8.73	1,630
1974	--	2.29	12

## Deep Creek near Kinsey, Mt. (06309080)

Location.--Lat 46°33'25", long 105°37'12", in SE¼SE¼ sec.1 T.9 N., R.48 E., Custer County, at culvert on Interstate Highway 94 and U.S. Highway 10, 3.1 mi (5.0 km) southwest of Shirley railroad station, 2 mi (3.2 km) southeast of Kinsey, and 13 mi (20.9 km) northeast of Miles City.

Drainage area.--11.1 mi<sup>2</sup> (28.7 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed May 16, 1963. Altitude of gage is 2,320 ft (707 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 14, 1962	7.80	828
1963	June 5, 1963	16.77	2,420
1964	Aug. 29, 1964	13.83	1,830
1965	July 11, 1965	10.79	1,300
1966	June 3, 1966	3.61	260
1967	June 12, 1967	3.93	300
1968	June 9, 1968	6.90	700
1969	Apr. 26, 1969	5.91	550
1970	July 14, 1970	5.89	550
1971	June 9, 1971	3.02	200
1972	June 9, 1972	16.78	2,430
1973	Apr. 20, 1973	10.70	1,300
1974	May 29, 1974	3.58	250



## Ash Creek near Locate, Mt. (06309090)

Location.--Lat 46°21'57", long 105°29'48", in center of N½ sec.17, T.7 N., R.50 E., Custer County, at wooden culvert on State Highway 333 between U.S. Highway 12 and Mizpah, 3.2 road mi (5.1 km) southeast of U.S. Highway 12, and 10 mi (16.1 km) southwest of Locate.

Drainage area.--6.67 mi<sup>2</sup> (17.3 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed Apr. 24, 1963. Altitude of gage is 3,040 ft (927 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1962	eJuly 14, 1962	8.6	1,400
1963	June 21, 1963	.31	1
1964	Aug. 29, 1964	1.60	18
1965	Apr. 1, 1965	2.96	60
1966	Mar. 14, 1966	.80	5
1967	June 12, 1967	1.77	19
1968	May 13, 1968	3.63	90
1969	Mar. 27, 1969	1.04	a7
1970	May 8, 1970	1.84	20
1971	Mar. 31, 1971	3.22	70
1972	June 9, 1972	2.52	40
1973	Mar. 13, 1973	.76	3
1974	June 21, 1974	1.06	10

## Sand Creek near Broadus, Mt. (06324700)

Location.--Lat 45°25'48", long 105°26'28", in SE¼ sec.5, T.5 S., R.51 E., Powder River County, at culverts on Moorhead road, 1.8 mi (2.9 km) southwest of Broadus.

Drainage area.--10.6 mi<sup>2</sup> (27.5 km<sup>2</sup>).

Records available.--July 1955 to current year.

Gage.--Crest-stage gage installed July 22, 1955. Altitude of gage is 3,090 ft (942 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1955	--	--	(c)
1956	Mar. 16, 1956	1.75	19
1957	Aug. 28, 1957	1.55	15
1958	June 7, 1958	3.95	93
1959	Mar. 18, 1959	4.78	252
1960	Mar. 20, 1960	b4.79	a150
1961	--	--	(c)
1962	June 11, 1962	2.85	50
1963	Feb. 5, 1963	2.00	23
1964	June 8, 1964	1.58	13
1965	Apr. 1, 1965	2.96	53
1966	July 29, 1966	1.27	7
1967	June 14, 1967	1.50	12
1968	Feb. 29, 1968	b1.96	a5
1969	Mar. 17, 1969	--	a120
1970	June 12, 1970	.50	1
1971	Feb. 14, 1971	b4.71	a55
1972	June 9, 1972	5.39	715
1973	Sept. 2, 1973	1.03	3
1974	July 3, 1974	1.77	20

## Badger Creek at Biddle, Mt. (06324995)

Location.--Lat 45°04'43", long 105°21'42", in NW¼SE¼ sec.4, T.9 S., R.52 E., Powder River County, at culvert on State Highway 59, 0.2 mi (0.3 km) south of Biddle.

Drainage area.--6.06 mi<sup>2</sup> (15.7 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 21, 1973. Altitude of gage is 3,310 ft (1,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.89	185
1973	--	.73	8
1974	--	--	(c)

## Powder River tributary near Powderville, Mt. (06325700)

Location.--Lat 45°48'46", long 105°03'51", in NE¼NE¼ sec.25, T.1 N., R.53 E., Custer County, at culvert on county road, 2 mi (3.0 km) north of Custer-Powder River county line and 4.5 mi (7.2 km) north of Powderville.

Drainage area.--3.20 mi<sup>2</sup> (8.29 km<sup>2</sup>).

Records available.--November 1973 to current year.

Gage.--Crest-stage gage installed Nov. 1, 1973. Altitude of gage is 2,850 ft (869 m), from AMS topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	16.91	480
1974	July 3, 1974	3.22	52

## Cut Coulee near Mizpah, Mt. (06325950)

Location.--Lat 46°08'38", long 105°10'05", in NE¼SW¼, sec.36, T.5 N., R.52 E., Custer County, at culvert on county road, 8.5 mi (13.7 km) southeast of Mizpah.

Drainage area.--2.23 mi<sup>2</sup> (5.77 km<sup>2</sup>).

Records available.--November 1973 to current year.

Gage.--Crest-stage gage installed Nov. 1, 1973. Altitude of gage is 2,670 ft (814 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	7.95	252
1974	May 30, 1974	4.77	125

## Meyers Creek near Locate, Mt. (06326400)

Location.--Lat  $46^{\circ}23'17''$ , long  $105^{\circ}16'43''$ , in SE $\frac{1}{4}$  sec.1, T.7 N., R.51 E., Custer County, at culvert on county road on east side of Powder River, 3.4 road mi (5.5 km) south of U.S. Highway 12, and 3 mi (4.8 km) southeast of Locate.

Drainage area.--9.58 mi<sup>2</sup> (24.8 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed Apr. 25, 1963. Altitude of gage is 2,520 ft (768 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 14, 1962	7.79	500
1963	June 6, 1963	8.24	1,370
1964	Aug. 29, 1964	6.62	200
1965	Apr. 1, 1965	5.00	150
1966	Mar. 14, 1966	1.70	55
1967	May 11, 1967	6.13	190
1968	June 24, 1968	7.10	230
1969	June 25, 1969	7.63	360
1970	May 8, 1970	6.70	205
1971	June 16, 1971	2.75	82
1972	June 9, 1972	7.00	220
1973	Sept. 2, 1973	8.01	840
1974	May 30, 1974	6.97	220

## Locate Creek tributary near Locate, Mt. (06326510)

Location.--Lat  $46^{\circ}25'52''$ , long  $105^{\circ}10'51''$ , in SW $\frac{1}{4}$ SE $\frac{1}{4}$  sec.23, T.8 N., R.52 E., Custer County, at culvert on U.S. Highway 12, 5.5 mi (8.9 km) east of Locate, 6.4 road mi (10.3 km) east of Locate and 6.5 mi (10.5 km) east of Powder River bridge.

Drainage area.--0.91 mi<sup>2</sup> (2.36 km<sup>2</sup>).

Records available.--1973, May 1974 to current year.

Gage.--Crest-stage gage installed Aug. 16, 1974. Altitude of gage is 2,660 ft (811 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.41	22
1974	May 30, 1974	1.47	Not determined

## Cherry Creek tributary near Terry, Mt. (06326550)

Location.--Lat  $46^{\circ}51'18''$ , long  $105^{\circ}20'26''$ , in NE $\frac{1}{4}$ SW $\frac{1}{4}$  sec.25, T.13 N., R.50 E., Prairie County, on bridge on abandoned part of State Highway 253, 4.8 mi (7.7 km) north of Terry.

Drainage area.--2.52 mi<sup>2</sup> (6.53 km<sup>2</sup>).

Records available.--September 1973 to current year.

Gage.--Crest-stage gage installed Sept. 6, 1973. Altitude of gage is 2,340 ft (713 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	3.05	72
1974	May 28, 1974	2.49	10

## O'Fallon Creek near Ismay, Mt. (06326600)

Location.--Lat 46°25'17", long 104°45'40", near center of east edge of sec.30, T.8 N., R.56 E., Fallon County, at bridge on U.S. Highway 12, 11.5 mi (18.5 km) west of Plevna, 1 mi (1.6 km) east of road to Ismay, and 6.5 mi (10.5 km) south-east of Ismay.

Drainage area.--669 mi<sup>2</sup> (1,733 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed Apr. 26, 1963. Altitude of gage is 2,590 ft (789 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	July 14, 1962	7.23	2,480
1963	June 7, 1963	4.12	950
1964	June 18, 1964	4.20	980
1965	July 12, 1965	7.27	2,500
1966	July 26, 1966	5.07	1,370
1967	June 6, 1967	5.62	1,640
1968	Aug. 23, 1968	1.71	240
1969	Mar. 20, 1969	7.12	2,440
1970	May 8, 1970	2.61	440
1971	Mar. 13, 1971	5.19	1,425
1972	Mar. 6, 1972	8.87	4,100
1973	Sept. 2, 1973	4.36	1,100
1974	May 30, 1974	3.61	750

## O'Fallon Creek tributary near Ismay, Mt. (06326650)

Location.--Lat 46°25'10", long 104°44'22", in SE¼ sec.29, T.8 N., R.56 E., Fallon County, at culvert on U.S. Highway 12, 2 mi (3.2 km) east of road to Ismay, 1 mi (1.6 km) east of O'Fallon Creek bridge, and 7 mi (11.3 km) southeast of Ismay.

Drainage area.--0.17 mi<sup>2</sup> (0.44 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed Apr. 25, 1963. Altitude of gage is 2,750 ft (838 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 14, 1962	3.64	49
1963	June 7, 1963	5.26	59
1964	June 18, 1964	5.27	59
1965	July 12, 1965	3.36	47
1966	July 26, 1966	4.33	54
1967	June 23, 1967	5.55	61
1968	Aug. 23, 1968	1.20	24
1969	Mar. 18, 1969	b1.44	a10
1970	May 8, 1970	.96	18
1971	Mar. 14, 1971	1.06	20
1972	Oct. 19, 1971	1.23	24
1973	Sept. 2, 1973	1.16	23
1974	May 30, 1974	.71	11



## Deep Creek near Baker, Mt. (06326700)

Location.--Lat 46°18'58", long 104°18'00", in SW¼ sec.2, T.6 N., R.59 E., Fallon County, at culverts on State Highway 7, 5 road mi (8.0 km) south of U.S. Highway 12 in Baker, and 5 mi (8.0 km) south of Baker.

Drainage area.--1.55 mi<sup>2</sup> (4.01 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed Apr. 25, 1963. Altitude of gage is 3,080 ft (939 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 7, 1962	2.64	86
1963	July 11, 1963	2.55	80
1964	June 8, 1964	3.90	190
1965	July 12, 1965	3.29	136
1966	July 13, 1966	3.87	185
1967	May 8, 1967	2.09	54
1968	June 9, 1968	2.86	100
1969	June 27, 1969	2.46	74
1970	June 13, 1970	2.88	102
1971	June 5, 1971	4.25	225
1972	June 24, 1972	2.59	82
1973	Sept. 2, 1973	3.82	182
1974	Aug. 14, 1974	2.85	100

## Pennel Creek near Baker, Mt. (06326800)

Location.--Lat 46°29'57", long 104°14'17", in center of south edge of sec.36, T.9 N., R.59 E., Fallon County, at culvert on State Highway 7, 7.8 mi (12.6 km) north of U.S. Highway 12 in Baker, and 8 mi (12.9 km) north of Baker.

Drainage area.--1.00 mi<sup>2</sup> (2.59 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed Apr. 25, 1963. Altitude of gage is 3,090 ft (942 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 7, 1962	6.0	240
1963	June 5, 1963	8.51	350
1964	June 18, 1964	1.94	85
1965	Apr. 9, 1965	1.98	88
1966	June 4, 1966	2.28	97
1967	June 14, 1967	1.94	40
1968	Aug. 23, 1968	1.45	30
1969	June 27, 1969	1.60	35
1970	July 14, 1970	2.10	50
1971	Apr. 6, 1971	2.90	45
1972	June 24, 1972	2.35	30
1973	Sept. 2, 1973	2.28	27
1974	May 30, 1974	2.10	25



Yellowstone River tributary No. 4 near Fallon, Mt.  
(06326900)

Location.--Lat 46°51'43", long 105°06'33", in SW¼ sec.23, T.13 N., R.52 E., Prairie County, at culvert on Interstate Highway 94 and U.S. Highway 10, 0.5 mi (0.8 km) northeast of the north end of the Yellowstone River bridge near Fallon, and 2 mi (3.2 km) north of Fallon.

Drainage area.--0.67 mi<sup>2</sup> (1.74 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed May 17, 1963. Altitude of gage is 2,250 ft (686 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eJuly 14, 1962	9.58	338
1963	June 6, 1963	.67	a40
1964	June 8, 1964	1.05	55
1965	July 12, 1965	1.36	60
1966	--	--	(c)
1967	May 13, 1967	2.20	105
1968	June 15, 1968	6.94	260
1969	June 29, 1969	5.65	220
1970	Apr. 7, 1970	1.59	80
1971	Mar. 5, 1971	4.82	195
1972	Mar. 11, 1972	b2.18	10
1973	Apr. 20, 1973	1.36	70
1974	June 21, 1974	1.18	63

Spring Creek tributary near Fallon, Mt. (06326940)

Location.--Lat 46°48'06", long 104°59'25", in NE¼NE¼ sec.13, T.12 N., R.53 E., Prairie County, at culvert on county road, 6.8 mi (10.9 km) southeast of Fallon.

Drainage area.--3.10 mi<sup>2</sup> (8.03 km<sup>2</sup>).

Records available.--1972, September 1973 to current year.

Gage.--Crest-stage gage installed Sept. 6, 1973. Altitude of gage is 2,470 ft (753 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	8.93	Not determined
1973	--	3.06	Not determined
1974	--	--	(c)

Yellowstone River tributary No. 5 near Marsh, Mt.  
(06326950)

Location.--Lat 46°57'11", long 104°53'53", in SW¼ sec.21, T.14 N., R.54 E., Dawson County, at culvert on Interstate Highway 94 and U.S. Highway 10, 2.4 mi (3.9 km) northeast of Cracker Box Creek, 2.5 mi (4.0 km) southwest of Clear Creek, and 5 mi (8.0 km) northeast of Marsh.

Drainage area.--0.87 mi<sup>2</sup> (2.25 km<sup>2</sup>).

Records available.--July 1962 to current year.

Gage.--Crest-stage gage installed May 17, 1963. Altitude of gage is 2,300 ft (701 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1962	eJuly 14, 1962	2.97	127
1963	June 6, 1963	1.40	12
1964	June 8, 1964	.70	2
1965	Apr. 1, 1965	b2.81	a10
1966	June 4, 1966	1.68	a20
1967	May 13, 1967	.66	2
1968	--	--	(c)
1969	Mar. 18, 1969	b3.31	a30
1970	--	--	(c)
1971	Mar. 31, 1971	1.92	34
1972	Mar. 11, 1972	b2.90	15
1973	--	--	Unknown
1974	July 3, 1974	9.64	334

Griffith Creek near Glendive, Mt. (06327700)  
(Formerly published as 06327800)

Location.--Lat 47°06'12", long 104°33'42", in NE¼ sec.36, T.16 N., R.56 E., Dawson County, near bridge on Interstate Highway 94 and U.S. Highway 10, 8 mi (12.9 km) east of Glendive.

Drainage area.--15.5 mi<sup>2</sup> (40.1 km<sup>2</sup>).

Records available.--June 1955 to September 1963, June 1965 to September 1967 (discontinued).

Gage.--Crest-stage gage installed June 30, 1955. Altitude of gage is 2,220 ft (677 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1955	July 28, 1955	1.80	a100
1956	Mar. 19, 1956	.86	a80
1957	Mar. 20, 1957	.27	50
1958	July 3, 1958	.55	101
1959	Mar. 17, 1959	.74	157
1960	Mar. 20, 1960	1.41	Not determined
1961	June 29, 1961	3.96	Not determined
1962	June 6, 1962	.82	21
1963	June 22, 1963	1.70	Not determined
1965	June 16, 1965	--	14,600
1966	Mar. 11, 1966	--	a150
1967	June 14, 1967	1.68	a30

## Griffith Creek tributary near Glendive, Mt. (06327720)

Location.--Lat 47°06'20", long 104°35'48", in NE¼NW¼ sec.35, T.16 N., R.56 E., Dawson County, at culvert on U.S.

Interstate Highway 94, 0.5 mi (0.8 km) east of Glendive.

Drainage area.--3.48 mi<sup>2</sup> (9.01 km<sup>2</sup>).

Records available.--1965, June 1974 to current year.

Gage.--Crest-stage gage installed June 27, 1974. Altitude of gage is 2,180 ft (664 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1965	--	15.28	1,070
1974	Aug. 8, 1974	1.57	2

Krug Creek tributary near Wibaux, Mt. (06327800)  
(Formerly published as 06327700)

Location.--Lat 47°01'08", long 104°19'18", in NW¼NW¼ sec.36, T.15 N., R.58 E., Dawson County, at culvert on Interstate Highway 94 and U.S. Highway 10, 8 mi (12.9 km) northwest of Wibaux.

Drainage area.--1.74 mi<sup>2</sup> (4.51 km<sup>2</sup>).

Records available.--June 1955 to September 1961 (discontinued).

Gage.--Crest-stage gage installed June 30, 1955. Altitude of gage is 2,720 ft (829 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	--	--	(c)
1956	March 1956	0.23	1
1957	Mar. 20, 1957	1.61	18
1958	July 3, 1958	2.70	49
1959	Mar. 18, 1959	.60	3
1960	June 12, 1960	3.00	70
1961	--	--	(c)

## Yellowstone River tributary No. 6 near Glendive, Mt. (06328100)

Location.--Lat 47°09'26", long 104°39'14", in NW¼SW¼ sec.8, T.16 N., R.56 E., Dawson County, at bridge on county road to Belle Prairie, and 3 mi (4.8 km) northeast of Glendive.

Drainage area.--2.93 mi<sup>2</sup> (7.59 km<sup>2</sup>).

Records available.--June 1974 to current year.

Gage.--Crest-stage gages installed June 27, 1974. Altitude of gages are 1,950 ft (594 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1974	Aug. 8, 1974	1.35	Not determined

## Thirteenmile Creek tributary near Bloomfield, Mt. (06328400)

Location.--Lat 47°24'46", long 104°49'58", in SE¼SE¼ sec.9, T.19 N., R.54 E., Dawson County, at culvert on county road, 3.9 mi (6.3 km) east of Bloomfield.

Drainage area.--0.67 mi<sup>2</sup> (1.74 km<sup>2</sup>).

Records available.--1972, August 1974 to current year.

Gage.--Crest-stage gage installed Aug. 18, 1974. Altitude of gage is 2,525 ft (770 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.70	110
1974	Aug. 8, 1974	2.00	36

## Linden Creek at Intake, Mt. (06328700)

Location.--Lat 47°17'40", long 104°31'16", in NE¼ sec.25, T.18 N., R.56 E., Dawson County, at bridge on State Highway 16, 0.8 mi (1.3 km) northeast of Intake.

Drainage area.--5.01 mi<sup>2</sup> (13.0 km<sup>2</sup>).

Records available.--March 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Mar. 11, 1958. Altitude of gage is 2,080 ft (634 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	July 3, 1958	0.98	6
1959	Sept. 21, 1959	1.54	12
1960	June 21, 1960	1.35	10
1961	--	--	(c)
1962	June 15, 1962	1.46	10
1963	Feb. 5, 1963	2.38	a30
1964	--	--	(c)
1965	June 16, 1965	1.63	11
1966	July 2, 1966	1.11	4
1967	June 14, 1967	1.36	22
1968	Feb. 27, 1968	1.04	15
1969	July 3, 1969	1.38	23
1970	--	--	(c)
1971	May 22, 1971	1.25	20
1972	June 9, 1972	1.41	24
1973	--	--	(c)

## Indian Creek at Intake, Mt. (06328800)

Location.--Lat 47°17'20", long 104°31'38", in SW¼ sec.25, T.18 N., R.56 E., Dawson County, at culvert on State Highway 16, 500 ft (152 m) northeast of Intake.

Drainage area.--0.45 mi<sup>2</sup> (1.17 km<sup>2</sup>).

Records available.--March 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Mar. 11, 1958. Altitude of gage is 2,090 ft (637 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	July 3, 1958	3.23	99
1959	Sept. 21, 1959	3.28	105
1960	Mar. 20, 1960	.60	(c)
1961	Mar. 13, 1961	1.04	(c)
1962	Aug. 10, 1962	2.93	38
1963	Feb. 5, 1963	1.83	3
1964	June 8, 1964	2.08	6
1965	June 16, 1965	3.18	55
1966	July 2, 1966	2.40	13
1967	February 1967	2.14	7
1968	July 16, 1968	2.68	a25
1969	July 3, 1969	2.00	5
1970	Sept. 9, 1970	2.09	6
1971	May 22, 1971	1.99	5 (revised)
1972	June 9, 1972	3.90	150
1973	Sept. 3, 1973	1.96	4

## War Dance Creek near Intake, Mt. (06328900)

Location.--Lat 47°19'38", long 104°29'17", in SW¼ sec.8, T.18 N., R.57 E., Dawson County, at culvert on State Highway 16, 3.5 mi (5.6 km) northeast of Intake.

Drainage area.--4.31 mi<sup>2</sup> (11.2 km<sup>2</sup>).

Records available.--March 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed Mar. 11, 1958. Altitude of gage is 2,080 ft (634 m), from topographic map.



## War Dance Creek near Intake, Mt. (06328900)--Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	--	--	(c)
1959	Mar. 17, 1959	1.96	62
1960	Mar. 20, 1960	1.83	55
1961	--	--	(c)
1962	June 6, 1962	.94	18
1963	Feb. 5, 1963	-.22	0.4
1964	--	--	(c)
1965	June 16, 1965	.81	15
1966	--	--	(c)
1967	March 1967	1.36	33
1968	--	--	(c)
1969	March 1969	1.38	34
1970	Apr. 7, 1970	.45	6
1971	Mar. 27, 1971	.38	5
1972	Mar. 11, 1972	b2.23	a30
1973	Apr. 20, 1973	.57	9

## Fox Creek tributary near Lambert, Mt. (06329510)

Location.--Lat 47°38'58", long 104°36'52", in NW¼SW¼ sec.24, T.22 N., R.55 E., Richland County, at bridge on county road, 2.4 road mi (3.9 km) south of Lambert and 2.2 mi (3.5 km) south of Lambert.

Drainage area.--5.07 mi<sup>2</sup> (13.1 km<sup>2</sup>).

Records available.--1972, June 1974 to current year.

Gage.--Crest-stage gage installed Aug. 17, 1974. Altitude of gage is 2,375 ft (724 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	5.18	139
1974	June 21, 1974	2.52	36

## First Hay Creek near Sidney, Mt. (06329570)

Location.--Lat 47°50'08", long 104°16'16", in SE¼ sec.16, T.24 N., R.58 E., Richland County, at bridge on State Highway 16, 4.1 road mi (6.6 km) north of "Dryland Crop and Soils Research Station" sign, and 10 mi (16.1 km) northwest of Sidney.

Drainage area.--30.0 mi<sup>2</sup> (77.7 km<sup>2</sup>).

Records available.--May 1963 to current year.

Gage.--Crest-stage gage installed May 20, 1963. Altitude of gage is 2,170 ft (661 m), from topographic map.

## First Hay Creek near Sidney, Mt. (06329570)-Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1963	Aug. 23, 1963	1.02	20
1964	July 5, 1964	.90	15
1965	Apr. 8, 1965	--	a100
1966	March 1966	2.15	120
1967	March 1967	2.10	115
1968	Feb. 29, 1968	.70	10
1969	April 1969	1.38	45
1970	June 12, 1970	.73	10
1971	Mar. 27, 1971	2.40	160
1972	Mar. 11, 1972	2.32	325
1973	Mar. 11, 1973	.83	13
1974	May 13, 1974	.60	6

## North Creek near Alzada, Mt. (06332900)

Location.--Lat 45°04'03", long 104°32'03", in SE¼NW¼ sec.7, T.9 S., R.59 E., Carter County, 8 mi (12.9 km) northwest of Alzada.

Drainage area.--0.68 mi<sup>2</sup> (1.76 km<sup>2</sup>).

Records available.--May to September 1951 (continuous record), July 1955 to current year.

Gage.--Water-stage gage re-installed July 21, 1955. Altitude of gage is 3,480 ft (1,060 m), by barometer.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1951	June 17, 1951	5.18	260
1955	--	--	(c)
1956	July 2, 1956	4.32	276
1957	Aug. 28, 1957	4.32	276
1958	June 3, 1958	4.66	417
1959	June 30, 1959	3.21	58
1960	Aug. 17, 1960	3.77	142
1961	Sept. 18, 1961	4.05	203
1962	May 21, 1962	5.47	1,300
1963	June 14, 1963	5.23	890
1964	June 22, 1964	3.22	34
1965	July 1, 1965	4.82	486
1966	July 28, 1966	2.92	15
1967	June 5, 1967	5.28	890
1968	June 23, 1968	4.72	430
1969	July 18, 1969	5.42	1,020
1970	June 12, 1970	3.63	120
1971	May 30, 1971	4.81	480
1972	June 10, 1972	3.42	55
1973	June 18, 1973	4.04	170
1974	May 20, 1974	4.48	340

## Wolf Creek near Hammond, Mt. (06334100)

Location.--Lat 45°09'53", long 104°45'20", in SE¼ sec.5, T.8 S., R.57 E., Carter County, at culvert on U.S. Highway 212, 8 mi (12.9 km) southeast of Hammond.

Drainage area.--9.09 mi<sup>2</sup> (23.5 km<sup>2</sup>).

Records available.--July 1955 to current year.

Gage.--Crest-stage installed July 22, 1955. Altitude of gage is 3,590 ft (1,090 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1955	eJuly 11, 1955	4.08	298
1956	Mar. 22, 1956	3.45	175
1957	Aug. 29, 1957	4.58	365
1958	June 3, 1958	5.76	550
1959	Mar. 19, 1959	3.32	154
1960	Mar. 21, 1960	5.26	485
1961	Sept. 18, 1961	2.31	30
1962	May 21, 1962	5.62	540
1963	Aug. 3, 1963	3.54	190
1964	June 22, 1964	3.85	240
1965	Aug. 22, 1965	12.38	1,170
1966	July 28, 1966	5.66	555
1967	June 14, 1967	9.94	1,100
1968	Feb. 29, 1968	b4.02	a260
1969	Apr. 26, 1969	4.00	270
1970	June 12, 1970	3.65	210
1971	June 11, 1971	5.83	590
1972	Mar. 5, 1972	b3.50	a50
1973	June 18, 1973	3.15	120
1974	Jan. 17, 1974	2.48	40

## Willow Creek near Alzada, Mt. (06334200)

Location.--Lat 45°07'27", long 104°35'37", in center of sec.27, T.8 S., R.58 E., Carter County, near bridge on U.S. Highway 212, 11 mi (17.7 km) northwest of Alzada.

Drainage area.--123 mi<sup>2</sup> (319 km<sup>2</sup>).

Records available.--May 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed May 8, 1958. Altitude of gage is 3,460 ft (1,060 m), from topographic map.

## Willow Creek near Alzada, Mt. (06334200)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	June 5, 1958	7.54	455
1959	Mar. 19, 1959	7.31	548
1960	Mar. 23, 1960	11.19	al,350
1961	Sept. 18, 1961	1.77	40
1962	May 21, 1962	11.98	al,700
1963	Aug. 3, 1963	7.28	480
1964	June 22, 1964	4.84	200
1965	Aug. 22, 1965	8.39	550
1966	July 28, 1966	4.97	220
1967	June 14, 1967	12.57	1,800
1968	July 29, 1968	5.94	300
1969	July 18, 1969	10.73	1,240
1970	Apr. 11, 1970	7.88	650
1971	Mar. 27, 1971	11.30	1,400
1972	Feb. 29, 1972	9.36	820
1973	June 18, 1973	8.38	610

## Little Missouri River tributary near Albion, Mt. (06334330)

Location.--Lat 45°12'42", long 104°15'41", in SW¼NW¼ sec.21, T.7 S., R.61 E., Carter County, at culvert on FAS Highway 270, and 1.8 mi (2.9 km) north of Albion.

Drainage area.--0.74 mi<sup>2</sup> (1.92 km<sup>2</sup>).

Records available.--August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 22, 1973. Altitude of gage is 3,290 ft (1,003 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	1.86	Not determined
1974	Jan. 16, 1974	1.47	Not determined

## Box Elder Creek tributary near Albion, Mt. (06334610)

Location.--Lat 45°23'20", long 104°28'38", in SE¼ sec.19, T.5 S., T.59 E., Carter County, at culvert on State Highway 323, 17 mi (27 km) northwest of Albion.

Drainage area.--0.73 mi<sup>2</sup> (1.89 km<sup>2</sup>).

Records available.--August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 22, 1973. Altitude of gage is 3,480 ft (1,061 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	2.13	16
1974	May 20, 1974	3.30	Not determined

North Fork Coal Bank Creek near Mill Iron, Mt.  
(06334640)

Location.--Lat 45°56'35", long 104°05'28", in SW¼ sec.12, T.2 N., R.61 E., Fallon County, at bridge on county road, 5 mi (8.0 km) south of Soda Creek tributary crest-stage gage, 9 mi (14.5 km) northeast of Mill Iron and 11 mi (17.7 km) southeast of Webster.

Drainage area.--15.0 mi<sup>2</sup> (38.8 km<sup>2</sup>).

Records available.--May 1962 to current year.

Gage.--Crest-stage gage installed Apr. 26, 1963. Altitude of gage is 3,040 ft (927 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eMay 22, 1962	4.72	a750
1963	July 10, 1963	2.65	355
1964	June 9, 1964	1.70	210
1965	Aug. 23, 1965	1.27	150
1966	March 1966	b1.90	a100
1967	May 7, 1967	1.60	195
1968	Feb. 29, 1968	--	a10
1969	Mar. 20, 1969	b2.58	a240
1970	June 12, 1970	(f)	a1
1971	June 16, 1971	3.28	450
1972	June 24, 1972	2.42	320
1973	June 30, 1973	.45	62
1974	Jan. 17, 1974	.54	70

Soda Creek tributary near Webster, Mt. (06334720)

Location.--Lat 46°00'34", long 104°05'30", in NE¼ sec.23, T.3 N., R.61 E., Fallon County, at culvert on county road, 0.3 mi (0.5 km) south of Soda Creek, and 8 mi (12.9 km) southeast of Webster.

Drainage area.--2.22 mi<sup>2</sup> (5.75 km<sup>2</sup>).

Records available.--May 1962 to current year.

Gage.--Crest-stage gage installed Apr. 26, 1963. Altitude of gage is 3,100 ft (945 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1962	eMay 22, 1962	5.19	106
1963	July 10, 1963	1.57	12
1964	Aug. 29, 1964	2.55	28
1965	July 5, 1965	1.05	7
1966	Mar. 14, 1966	1.00	9
1967	June 14, 1967	1.7	12
1968	July 17, 1968	.79	5
1969	Mar. 19, 1969	4.59	75
1970	June 12, 1970	--	a1
1971	June 16, 1971	2.50	30
1972	June 24, 1972	3.52	46
1973	Mar. 12, 1973	1.11	4
1974	Jan. 17, 1974	1.14	4



## Spring Creek near Wibaux, Mt. (06336450)

Location.--Lat 46°53'04", long 104°12'02", in sec.14, T.13 N.,  
R.59 E., Wibaux County, near bridge on State Highway 7,  
7 mi (11.3 km) south of Wibaux.

Drainage area.--3.88 mi<sup>2</sup> (10.0 km<sup>2</sup>).

Records available.--June 1955 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 29, 1955. Altitude of  
gage is 2,770 ft (844 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1956	March 1956	0.67	61
1957	Sept. 5, 1957	1.36	127
1958	March 1958	.54	52
1959	Mar. 21, 1959	1.18	108
1960	Mar. 20, 1960	.84	76
1961	--	--	(c)
1962	July 19, 1962	3.34	438
1963	Feb. 5, 1963	.57	53
1964	July 5, 1964	.95	85
1965	Apr. 1, 1965	b1.91	a100
1966	Mar. 11, 1966	1.32	125
1967	March 1967	b1.57	a10
1968	Feb. 27, 1968	b1.46	a10
1969	Mar. 19, 1969	1.28	120
1970	Apr. 6, 1970	b1.21	a20
1971	Mar. 30, 1971	b1.33	a30
1972	Mar. 10, 1972	b3.53	305
1973	Mar. 12, 1973	b.43	a20

## COLUMBIA RIVER BASIN

## Cayuse Creek near Trego, Mt. (12300400)

Location.--Lat 48°36'33", long 115°01'42", in SW¼SW¼NE¼ sec.24, T.33 N., R.27 W., Lincoln County, at culvert on U.S. Forest Service road, 9.8 mi (15.8 km) southwest of Trego.

Drainage area.--5.29 mi<sup>2</sup> (13.7 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 8, 1973. Altitude of gage is 3,890 ft (1,190 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	3.70	Not determined
1973	--	2.16	Not determined
1974	Jan. 15, 1974	2.55	187

## Fortine Creek near Trego, Mt. (12300500)

Location.--Lat 48°38'41", long 114°54'36", in NE¼ sec.11, T.33 N., R.26 W., Lincoln County, 5.5 mi (8.8 km) southwest of Trego.

Drainage area.--112 mi<sup>2</sup> (290 km<sup>2</sup>).

Records available.--December 1946 to September 1953 (continuous record), 1954, May 1958 to September 1973 (discontinued).

Gage.--Crest-stage gage installed July 1, 1959. Wire-weight gage December 1946 to September 1953. Altitude of gage is 3,340 ft (1,020 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1947	Apr. 29, 1947	10.24	948
1948	May 22, 1948	10.46	1,000
1949	May 11, 1949	9.34	d754
1950	May 16, 1950	11.8	1,810
1951	May 7, 1951	9.95	875
1952	Apr. 28, 1952	9.65	798
1953	May 7, 1953	9.90	860
1954	May 20, 1954	11.8	1,810
1958	May 24, 1958	10.2	a850
1959	--	--	Unknown
1960	Apr. 8, 1960	9.7	700
1961	May 11, 1961	a10.0	a700
1962	Apr. 19, 1962	8.96	540
1963	Apr. 26, 1963	6.01	360
1964	May 18, 1964	9.48	600
1965	Apr. 27, 1965	11.13	1,060
1966	May 4, 1966	8.51	500
1967	May 23, 1967	11.34	1,160
1968	May 23, 1968	7.23	377
1969	Apr. 24, 1969	9.41	610
1970	May 17, 1970	9.73	680
1971	May 4, 1971	11.46	1,030
1972	May 14, 1972	11.12	900
1973	May 7, 1973	5.02	200

## Deep Creek near Fortine, Mt. (12300800)

Location.--Lat 48°45'41", long 114°52'32", in SW¼ sec.30, T.35 N., R.25 W., Lincoln County, at culvert on county road, 1.2 mi (1.9 km) east of Fortine.

Drainage area.--17.9 mi<sup>2</sup> (46.4 km<sup>2</sup>).

Records available.--July 1959 to current year.

Gage.--Crest-stage gage installed July 1, 1959. Altitude of gage is 3,000 ft (914 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	2.8	150
1960	June 6, 1960	2.67	138
1961	May 31, 1961	2.92	161
1962	May 28, 1962	1.75	82
1963	June 22, 1963	2.26	108
1964	June 8, 1964	4.90	310
1965	May 28, 1965	3.28	180
1966	May 4, 1966	4.20	208
1967	May 24, 1967	3.06	140
1968	May 24, 1968	2.12	92
1969	May 30, 1969	3.40	160
1970	June 16, 1970	3.52	166
1971	May 4, 1971	2.70	126
1972	May 25, 1972	4.31	210
1973	May 7, 1973	2.09	95
1974	June 12, 1974	4.79	175

## Kootenai River tributary near Rexford, Mt. (12301700)

Location.--Lat 48°48'22", long 115°17'59", in SW¼ sec.12, T.35 N., R.29 W., Lincoln County, at culvert on State Highway 37, 7 mi (11.3 km) southwest of Rexford.

Drainage area.--1.11 mi<sup>2</sup> (2.87 km<sup>2</sup>).

Records available.--July 1959 to 1970 (discontinued).

Gage.--Crest-stage gage installed July 1, 1959. Altitude of gage is 2,280 ft (695 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	0.5	2
1960	Apr. 8, 1960	1.25	9
1961	May 12, 1961	1.28	9
1962	May 21, 1962	1.16	8
1963	May 14, 1963	.55	3
1964	May 21, 1964	1.00	7
1965	May 27, 1965	1.10	8
1966	May 4, 1966	.88	6
1967	May 22, 1967	1.48	12
1968	May 22, 1968	.50	2
1969	Apr. 24, 1969	1.70	14
1970	May 17, 1970	.84	5

## Gold Creek near Rexford, Mt. (12301800)

Location.--Lat 48°46'58", long 115°18'32", in NW¼ sec.23, T.35 N., R.29 W., Lincoln County, at culvert on State Highway 37, 8 mi (12.9 km) southwest of Rexford.

Drainage area.--6.04 mi<sup>2</sup> (15.6 km<sup>2</sup>).

Records available.--July 1959 to 1969 (discontinued).

Gage.--Crest-stage gage installed July 1, 1959. Altitude of gage is 2,260 ft (689 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	1.5	103
1960	Apr. 8, 1960	.85	55
1961	May 21, 1961	.97	64
1962	May 12, 1962	.78	50
1963	May 14, 1963	.27	22
1964	May 20, 1964	.93	61
1965	Apr. 27, 1965	.95	62
1966	May 4, 1966	.91	60
1967	May 22, 1967	1.85	134
1968	May 22, 1968	.51	34
1969	Apr. 24, 1969	4.14	230

## Little Jackson Creek near Libby, Mt. (12301900)

Location.--Lat 48°27'04", long 115°18'37", in center of sec.16, T.31 N., R.29 W., Lincoln County, at culvert on State Highway 37, 12 mi (19.3 km) northeast of Libby.

Drainage area.--2.60 mi<sup>2</sup> (6.73 km<sup>2</sup>).

Records available.--May 1961 to 1969 (discontinued).

Gage.--Crest-stage gage installed May 16, 1961. Altitude of gage is 2,180 ft (664 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	eMay 15, 1961	0.4	13
1962	--	(f)	a4
1963	February 1963	b.22	a5
1964	--	(f)	a4
1965	April 1965	.36	12
1966	--	(f)	a4
1967	June 28, 1967	-.02	4
1968	May 7, 1968	-.38	a.1
1969	--	--	Unknown

## Wolf Creek tributary near Libby, Mt. (12301993)

Location--Lat 48°23'52", long 114°55'05", in NW¼NE¼NE¼ sec.4, T.30 N., R.26 W., Lincoln County, on right bank 9 ft (3 m) from Burlington Northern railroad culvert, 0.3 mi (0.5 km) from mouth, 28.8 mi (46.3 km) east of Libby.

Drainage area--2.76 mi<sup>2</sup> (7.15 km<sup>2</sup>).

Records available--September 1973 to current year.

Gage--Crest-stage gage installed Sept. 11, 1973. Altitude of gage is 3,240 ft (988 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1974	Apr. 25, 1974	.82	19

## Richards Creek near Libby, Mt. (12301997)

Location--Lat 48°15'31", long 115°11'57", in SE¼NW¼SE¼ sec.20, T.29 N., R.28 W., Lincoln County, at bridge on county road, 0.1 mi (0.2 km) upstream from mouth, 18.5 mi (30 km) south-east of Libby.

Drainage area--9.50 mi<sup>2</sup> (24.6 km<sup>2</sup>).

Records available--September 1973 to current year.

Gage--Crest-stage gage installed Sept. 11, 1973. Altitude of gage is 2,720 ft (829 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	.31	5
1974	Apr. 26, 1974	1.11	49

## Peoples Creek near Libby, Mt. (12302050)

Location--Lat 48°20'18", long 115°18'49", in NW¼ sec.28, T.30 N., R.29 W., Lincoln County, at culvert on private road, 12 mi (19.3 km) east of Libby.

Drainage area--2.65 mi<sup>2</sup> (6.86 km<sup>2</sup>).

Records available--May 1961 to September 1967 (discontinued).

Gage--Crest-stage gage installed May 16, 1961. Altitude of gage is 2,200 ft (671 m), from topographic map.



## Peoples Creek near Libby, Mt. (12302050)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	eMay 15, 1961	0.3	10
1962	May 18, 1962	.05	4
1963	--	(f)	a0.5
1964	Apr. 21, 1964	-.04	1
1965	Apr. 27, 1965	.46	15
1966	May 12, 1966	.34	a2
1967	May 22, 1967	.34	1

## Severn Gulch near Jennings, Mt. (12302100)

Location.--Lat 48°21'45", long 115°24'13", in SE¼ sec.14, T.30 N., R.30 W., Lincoln County, at culvert on private road, 3 mi (4.8 km) west of Jennings.

Drainage area.--1.16 mi<sup>2</sup> (3.00 km<sup>2</sup>).

Records available.--July 1959 to May 1961 (discontinued).

Gage.--Crest-stage gage installed July 2, 1959.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	April 1960	0.03	a1
1961	--	--	Unknown

## Tub Gulch near Libby, Mt. (12302200)

Location.--Lat 48°25'03", long 115°27'49", in NE¼SE¼ sec.29, T.31 N., R.30 W., Lincoln County, at culvert on State Highway 37, 4 mi (6.4 km) northeast of Libby.

Drainage area.--1.47 mi<sup>2</sup> (3.81 km<sup>2</sup>).

Records available.--July 1959 to May 1961 (discontinued).

Gage.--Crest-stage gage installed July 2, 1959.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	June 3, 1960	-0.18	Unknown
1961	--	--	Unknown

## Shaughnessy Creek near Libby, Mt. (12302400)

Location.--Lat 48°18'11", long 115°35'37", in W½ sec.5, T.29 N., R.31 W., Lincoln County, at culvert on county road, 6.5 mi (10.5 km) southwest of Libby.

Drainage area.--1.11 mi<sup>2</sup> (2.87 km<sup>2</sup>).

Records available.--July 1959 to current year.

Gage.--Crest-stage gage installed July 2, 1959. Altitude of gage is 2,820 ft (860 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	0.4	16
1960	--	(f)	a4
1961	Mar. 30, 1961	.73	33
1962	May 16, 1962	.67	29
1963	Apr. 4, 1963	.09	6
1964	April 1964	.39	a16
1965	April 1965	.97	48
1966	May 4, 1966	.35	14
1967	May 22, 1967	.03	6
1968	May 22, 1968	.28	12
1969	Apr. 24, 1969	.41	16
1970	June 27, 1970	.21	9
1971	May 5, 1971	.31	13
1972	May 14, 1972	.16	8
1973	June 14, 1973	.05	6
1974	Jan. 15, 1974	--	a200

## Ross Creek near Troy, Mt. (12303400)

Location.--Lat 48°12'26", long 115°52'08", in SE¼NE¼ sec.8, T.28 N., R.33 W., Lincoln County, at bridge on Forest Service road, 11.3 mi (18 km) north of Heron, 17.5 mi (28 km) south of Troy.

Drainage area.--23.8 mi<sup>2</sup> (61.6 km<sup>2</sup>).

Records available.--August 1973 to current year. Discharge and gage-height at undetermined date prior to installation of gage.

Gage.--Crest-stage gage installed Aug. 9, 1973. Altitude of gage is 2,420 ft (738 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
--	--	7.5	3,200
1973	--	5.05	1,450
1974	Jan. 15, 1974	4.70	1,240

## Camp Creek near Troy, Mt. (12303440)

Location.--Lat 48°18'46", long 115°50'35", in SW¼SE¼ sec.32, T.30 N., R.33 W., Lincoln County, at bridge on Forest Service road, 0.8 mi (1.3 km) east of Highway 202, 12.6 mi (20.3 km) south of Troy.

Drainage area.--11.3 mi<sup>2</sup> (29.3 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 9, 1973. Altitude of gage is 2,440 ft (744 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	3.87	980
1973	--	1.79	295
1974	June 14, 1974	1.92	335

## Blacktail Creek near Yaak, Mt. (12304060)

Location.--Lat 48°57'03", long 115°32'27", in SW¼SW¼ sec.20, T.37 N., R.30 W., Lincoln County, at bridge on Forest Service road, 200 ft (61 m) upstream from mouth, 10.3 mi (16.6 km) northeast of Yaak.

Drainage area.--8.66 mi<sup>2</sup> (22.4 km<sup>2</sup>).

Records available.--1964, 1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 8, 1973. Altitude of gage is 3,430 ft (1,040 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1964	--	2.72	280
1972	--	1.76	126
1973	--	1.01	35
1974	May 9, 1974	1.29	84

## Zulu Creek near Yaak, Mt. (12304120)

Location.--Lat 48°43'49", long 115°38'30", in NW¼NW¼ sec.8, T.34 N., R.31 W., Lincoln County, at culvert on South Fork Yaak River road, 8.5 mi (13.7 km) south of Yaak.

Drainage area.--5.27 mi<sup>2</sup> (13.6 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 8, 1973. Altitude of gage is 3,680 ft (1,120 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	2.56	190
1973	--	1.12	32
1974	May 9, 1974	1.30	47

## Whitetail Creek near Yaak, Mt. (12304250)

Location.--Lat 48°49'42", long 115°48'45", in NE¼ sec.1,  
T.35 N., R.33 W., Lincoln County, 500 ft (152 m) upstream  
from mouth, 5 mi (8.0 km) west of Yaak.

Drainage area.--2.61 mi<sup>2</sup> (6.76 km<sup>2</sup>).

Records available.--July 1960 to September 1974 (discontinued).

Gage.--Crest-stage gage installed July 15, 1960. Altitude of  
gage is 2,930 ft (893 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	(k)	0.7	33
1961	May 1, 1961	1.02	49
1962	May 21, 1962	.45	11
1963	Apr. 4, 1963	.58	15
1964	May 22, 1964	.70	31
1965	Apr. 26, 1965	.96	42
1966	May 4, 1966	.79	23
1967	May 22, 1967	.88	26
1968	May 22, 1968	.56	14
1969	Apr. 24, 1969	1.23	44
1970	May 17, 1970	.87	24
1971	May 4, 1971	.79	32
1972	May 14, 1972	.78	32
1973	May 13, 1973	.61	22
1974	Jan. 15, 1974	2.10	100

## Cyclone Creek near Yaak, Mt. (12304300)

Location.--Lat 48°45'01", long 115°54'06", in SE¼ sec.32,  
T.35 N., R.33 W., Lincoln County, at bridge 0.2 mi (0.3 km)  
upstream from mouth, 10.5 mi (16.9 km) southwest of Yaak.

Drainage area.--5.66 mi<sup>2</sup> (14.7 km<sup>2</sup>).

Records available.--July 1960 to current year.

Gage.--Crest-stage gage installed July 15, 1960. Altitude of  
gage is 2,790 ft (850 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	(k)	2.06	220
1961	May 26, 1961	1.78	172
1962	May 21, 1962	1.26	97
1963	Apr. 4, 1963	1.58	133
1964	May 22, 1964	1.94	150
1965	Apr. 27, 1965	1.38	73
1966	May 4, 1966	1.56	130
1967	May 22, 1967	1.75	168
1968	May 22, 1968	1.42	118
1969	May 31, 1969	1.45	125
1970	May 1970	.95	92
1971	May 5, 1971	1.25	138
1972	May 18, 1972	1.29	155
1973	May 13, 1973	1.03	110
1974	Jan. 15, 1974	b3.68	a350

## Fourth of July Creek near Yaak, Mt. (12304400)

Location.--Lat 48°42'04", long 115°52'04", in NW¼ sec.22, T.34 N., R.33 W., Lincoln County, at bridge 500 ft (152 m) upstream from mouth, 12 mi (19.3 km) southwest of Yaak.

Drainage area.--7.70 mi<sup>2</sup> (19.9 km<sup>2</sup>).

Records available.--July 1960 to September 1974 (discontinued).

Gage.--Crest-stage gage installed July 14, 1960. Altitude of gage is 2,650 ft (808 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	(k)	2.5	258
1961	May 26, 1961	2.06	196
1962	Apr. 19, 1962	1.60	138
1963	Apr. 14, 1963	.95	61
1964	May 22, 1964	2.20	190
1965	Apr. 26, 1965	1.98	165
1966	May 4, 1966	2.00	188
1967	May 22, 1967	2.19	215
1968	May 22, 1968	1.79	160
1969	Apr. 24, 1969	2.39	178
1970	May 17, 1970	2.59	180
1971	May 21, 1971	2.60	164
1972	May 14, 1972	2.48	155
1973	June 8, 1973	1.17	52
1974	Jan. 15, 1974	b5.01	a400

## Smith Gulch near Silver Bow, Mt. (12323300)

Location.--Lat 45°57'26", long 112°39'45", in N½ sec.1, T.2 N., R.9 W., Silver Bow County, at culvert on Interstate Highway 15, and U.S. Highway 91, 4 mi (6.4 km) south of Silverbow.

Drainage area.--4.85 mi<sup>2</sup> (12.6 km<sup>2</sup>).

Records available.--May 1959 to current year.

Gage.--Crest-stage gage installed May 11, 1959. Altitude of gage is 5,510 ft (1,680 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	--	--	a5
1960	Mar. 21, 1960	1.97	43
1961	Sept. 11, 1961	2.41	67
1962	Apr. 14, 1962	1.70	32
1963	Feb. 4, 1963	4.91	80
1964	Mar. 30, 1964	3.04	10
1965	Dec. 23, 1965	5.75	123
1966	Mar. 30, 1966	3.04	9
1967	May 8, 1967	3.28	19
1968	Feb. 21, 1968	2.77	2
1969	June 9, 1969	4.31	56
1970	June 12, 1970	3.34	19
1971	Feb. 12, 1971	3.30	18
1972	Mar. 17, 1972	3.12	12
1973	Apr. 22, 1973	3.11	11
1974	Jan. 15, 1974	3.73	33



## Clark Fork tributary near Drummond, Mt. (12324700)

Location.--Lat 46°36'58", long 113°02'08", in SW¼ sec.18, T.10 N., R.11 W., Powell County, 0.5 mi (0.8 km) upstream from Interstate Highway 90 and U.S. Highway 10, 6.5 mi (10.5 km) east of Drummond.

Drainage area.--4.61 mi<sup>2</sup> (11.9 km<sup>2</sup>).

Records available.--June 1959 to current year.

Gage.--Crest-stage gage installed June 17, 1959. Altitude of gage is 4,080 ft (1,240 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	eJune 9, 1958	1.64	133
1959	--	--	(c)
1960	Mar. 18, 1960	1.62	84
1961	Apr. 3, 1961	.70	20
1962	Apr. 4, 1962	.62	18
1963	Feb. 4, 1963	1.44	56
1964	Mar. 31, 1964	.98	21
1965	Feb. 5, 1965	1.53	64
1966	Mar. 9, 1966	2.00	125
1967	Mar. 18, 1967	.55	15
1968	Feb. 20, 1968	1.45	66
1969	Mar. 31, 1969	1.53	75
1970	Feb. 16, 1970	1.27	54
1971	Feb. 14, 1971	1.99	124
1972	Feb. 29, 1972	.11	2
1973	Mar. 1, 1973	.66	17
1974	Jan. 15, 1974	1.11	41

## Morris Creek near Drummond, Mt. (12324800)

Location.--Lat 46°39'57", long 113°05'58", in NW¼NW¼ sec.34, T.11 N., R.12 W., Granite County, at culvert on State Highway 271, 2 mi (3.2 km) east of Drummond.

Drainage area.--12.6 mi<sup>2</sup> (32.6 km<sup>2</sup>).

Records available.--June 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed June 17, 1959. Altitude of gage is 4,170 ft (1,270 m), from topographic map.

## Morris Creek near Drummond, Mt. (12324800)-Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 26, 1960	1.23	14
1961	Apr. 3, 1961	.47	3
1962	Apr. 23, 1962	.65	4
1963	Mar. 21, 1963	.76	6
1964	May 20, 1964	1.06	10
1965	May 29, 1965	.83	12
1966	Mar. 29, 1966	.87	13
1967	Mar. 18, 1967	.82	12
1968	Feb. 20, 1968	1.02	10
1969	Mar. 31, 1969	1.16	12
1970	May 7, 1970	1.61	23
1971	May 5, 1971	.68	5
1972	June 1, 1972	.69	5
1973	Mar. 1, 1973	.73	5
1974	Jan. 15, 1974	1.43	12

## Edwards Gulch at Drummond, Mt. (12331700)

Location--Lat 46°40'25", long 113°08'31", in SW¼SW¼ sec.29, T.11 N., R.12 W., Granite County, at culvert on private road, 0.4 mi (0.6 km) north of Interstate Highway 90 and U.S. Highway 10 at Drummond.

Drainage area--4.69 mi<sup>2</sup> (12.1 km<sup>2</sup>).

Records available--June 1959 to September 1962 (discontinued).

Gage--Crest-stage gage installed June 17, 1959. Altitude of gage is 4,000 ft (1,220 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Mar. 21, 1960	bl.14	Unknown
1961	Apr. 3, 1961	.14	2
1962	Apr. 14, 1962	.55	8

## Monture Creek at Forest Service boundary, near Ovando, Mt. (12338600)

Location--Lat 47°05'37", long 113°09'10", in SW¼SW¼ sec.32, T.16 N., R.12 W., Powell County, on left bank 800 ft (240 m) upstream from Forest service boundary, 5.2 mi (8.4 km) north of Ovando.

Drainage area--105 mi<sup>2</sup> (272 km<sup>2</sup>).

Records available--June 1964, August 1973 to current year.

Gage--Crest-stage gage installed Aug. 7, 1973. Altitude of gage is 4,060 ft (1,240 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1964	June 1964	4.71	2,400
1974	June 18, 1974	3.63	1,500

## West Twin Creek near Bonner, Mt. (12339900)

Location.--Lat 46°54'44", long 113°42'50", in SW¼ sec.2, T.13 N., R.17 W., Missoula County, at bridge on State Highway 200, 8 mi (12.9 km) east of Bonner.

Drainage area.--7.47 mi<sup>2</sup> (19.3 km<sup>2</sup>).

Records available.--June 1959 to current year.

Gage.--Crest-stage gage installed June 17, 1959. Altitude of gage is 3,410 ft (1,040 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 1959	0.7	98
1960	Apr. 6, 1960	.63	82
1961	May 27, 1961	.91	128
1962	Apr. 19, 1962	.92	92
1963	May 29, 1963	.63	63
1964	June 8, 1964	b1.10	a150
1965	Apr. 14, 1965	1.33	a120
1966	May 28, 1966	.45	42
1967	May 22, 1967	1.48	200
1968	May 22, 1968	.91	80
1969	Apr. 24, 1969	1.05	120
1970	May 20, 1970	.97	112
1971	May 11, 1971	1.25	156
1972	May 14, 1972	1.04	130
1973	May 14, 1973	.64	42
1974	Jan. 15, 1974	b2.55	a300

## Marshall Creek near Missoula, Mt. (12340200)

Location.--Lat 46°53'15", long 113°55'27", in NW¼ sec.18, T.13 N., R.18 W., Missoula County, at culvert on Interstate Highway 90 and U.S. Highways 10 and 12, 3 mi (4.8 km) east of Missoula.

Drainage area.--5.47 mi<sup>2</sup> (14.2 km<sup>2</sup>).

Records available.--June 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 19, 1959. Altitude of gage is 3,310 ft (1,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	June 1959	0.3	13
1960	Apr. 7, 1960	.26	11
1961	May 27, 1961	.27	12
1962	Apr. 25, 1962	.53	15
1963	May 6, 1963	.38	7
1964	May 21, 1964	1.05	a50
1965	May 29, 1965	.54	26
1966	April 1966	.20	a10
1967	May 22, 1967	.34	10
1968	May 5, 1968	.32	10
1969	Apr. 24, 1969	.21	17
1970	May 18, 1970	.56	31
1971	June 13, 1971	.26	23
1972	May 14, 1972	.27	29
1973	June 14, 1973	.09	20

## Burke Gulch near Darby, Mt. (12344300)

Location.--Lat 46°01'28", long 114°08'45", in S½ sec.12, T.3 N., R.21 W., Ravalli County, 1 mi (1.6 km) upstream from mouth, 1.5 mi (2.4 km) east of Darby.

Drainage area.--6.28 mi<sup>2</sup> (16.3 km<sup>2</sup>).

Records available.--April 1958 to current year.

Gage.--Staff gage installed Apr. 16, 1958. Crest-stage gage installed July 21, 1959. Altitude of gage is 4,100 ft (1,250 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	May 12, 1958	0.94	11
1959	May 16, 1959	--	a5
1960	Apr. 7, 1960	.85	8
1961	May 27, 1961	.40	2
1962	May 1962	(f)	a4
1963	February 1963	1.08	13
1964	Apr. 21, 1964	.95	11
1965	Apr. 22, 1965	.95	7
1966	June 1966	.59	3
1967	May 22, 1967	.84	8
1968	May 22, 1968	.80	8
1969	Apr. 24, 1969	.84	8
1970	May 17, 1970	.94	10
1971	May 5, 1971	1.66	25
1972	May 14, 1972	1.29	12
1973	May 17, 1973	.50	3
1974	May 26, 1974	1.32	13

## Camas Creek near Hamilton, Mt. (12345800)

Location.--Lat 46°08'42", long 114°12'58", in SW¼ sec.34, T.5 N., R.21 W., Ravalli County, 8 mi (12.9 km) southwest of Hamilton.

Drainage area.--6.01 mi<sup>2</sup> (15.6 km<sup>2</sup>).

Records available.--April 1958 to September 1973 (discontinued).

Gage.--Staff gage installed Apr. 17, 1958. Crest-stage gage installed July 21, 1959. Altitude of gage is 4,000 ft (1,220 m), from topographic map.

## Camas Creek near Hamilton, Mt. (12345800)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	May 20, 1958	2.52	240
1959	June 7, 1959	2.30	190
1960	June 4, 1960	2.65	265
1961	May 28, 1961	2.30	190
1962	June 25, 1962	2.06	80
1963	May 25, 1963	2.03	74
1964	June 26, 1964	2.15	120
1965	June 12, 1965	2.39	148
1966	May 6, 1966	2.07	102
1967	May 22, 1967	3.06	190
1968	June 2, 1968	2.72	108
1969	May 21, 1969	2.80	120
1970	June 5, 1970	3.22	240
1971	June 13, 1971	2.84	150
1972	June 1, 1972	3.04	225
1973	May 17, 1973	1.97	78

## Sleeping Child Creek near Hamilton, Mt. (12345850)

Location.--Lat 46°07'58", long 114°03'26", in SE¼SW¼NW¼ sec.2, T.4 N., R.20 W., Ravalli County, Bitterroot National Forest on right bank 5.8 mi (9.3 km) upstream from mouth and 10.8 mi (17.4 km) southeast of Hamilton.

Drainage area.---62.6 mi<sup>2</sup> (162 km<sup>2</sup>).

Records available.--May 1973 to current year.

Gage.--Crest-stage gage installed May 20, 1973. Altitude of gage is 4,090 ft (1,247 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	May 20, 1973	3.54	305
1974	June 14, 1974	4.90	800

## Willow Creek near Corvallis, Mt. (12348500)

Location.--Lat 46°17'40", long 113°59'40", in SW¼NE¼ sec.8, T.6 N., R.19 W., Ravalli County, 800 ft (244 m) downstream from Butterfly ranger station, 0.5 mi (0.8 km) downstream from Horn ditch, and 6 mi (9.7 km) southeast of Corvallis.

Drainage area.---22.4 mi<sup>2</sup> (58.0 km<sup>2</sup>).

Records available.--April 1920 to May 1924 (no winter records), September 1957 to December 1965 (continuous record), January 1966 to September 1973 (discontinued).

Gage.--Wire-weight gage. Crest-stage gage installed July 20, 1959. Altitude of gage is 4,130 ft (1,260 m), from topographic map.



## Willow Creek near Corvallis, Mt. (12348500)-Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1920	June 22, July 2 1920	1.50	60
1921	June 8, 1921	2.04	114
1922	June 15, 1922	2.20	130
1923	June 26, 1923	1.80	d92
1958	May 28, 1958	2.70	103
1959	June 21, 1959	2.56	84
1960	June 3, 1960	2.60	99
1961	May 30, 1961	2.60	88
1962	June 13, 1962	2.56	88
1963	June 21, 1963	2.60	106
1964	June 17, 1964	2.70	144
1965	June 12, 1965	2.87	168
1966	May 28, 1966	1.39	61
1967	June 6, 1967	2.06	134
1968	June 2, 1968	1.81	106
1969	May 21, 1969	1.83	108
1970	June 5, 1970	1.94	124
1971	May 13, 1971	1.80	120
1972	June 2, 1972	2.31	170
1973	June 14, 1973	1.27	50

## Gash Creek near Victor, Mt. (12350200)

Location.--Lat 46°24'20", long 114°15'21", in W½ sec.32, T.8 N., R.21 W., Ravalli County, 5 mi (8.0 km) west of Victor.

Drainage area.--3.37 mi<sup>2</sup> (8.73 km<sup>2</sup>).

Records available.--July 1958 to September 1973 (discontinued).

Gage.--Staff gage installed July 8, 1958. Crest-stage gage installed July 20, 1959. Altitude of gage is 5,500 ft (1,680 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1958	May 21, 1958	--	a200
1959	June 5, 1959	1.58	160
1960	June 4, 1960	.75	80
1961	May 28, 1961	1.57	99
1962	June 25, 1962	1.26	47
1963	June 5, 1963	1.19	a60
1964	June 26, 1964	1.36	75
1965	June 12, 1965	1.81	165
1966	May 28, 1966	1.56	98
1967	June 6, 1967	2.02	200
1968	June 2, 1968	1.49	90
1969	May 21, 1969	1.83	150
1970	June 5, 1970	1.65	95
1971	June 13, 1971	1.74	157
1972	June 1, 1972	1.71	152
1973	May 17, 1973	.93	55

## Kootenai Creek near Stevensville, Mt. (12350500)

Location.--Lat  $46^{\circ}32'30''$ , long  $114^{\circ}10'00''$ , in SW $\frac{1}{4}$ NW $\frac{1}{4}$  sec.18, T.9 N., R.20 W., Ravalli County, 3 mi (4.8 km) upstream from mouth and 4 mi (6.4 km) northwest of Stevensville.

Drainage area.--28.9 mi<sup>2</sup> (74.9 km<sup>2</sup>).

Records available.--December 1948 to September 1953, August 1957 to September 1963 (continuous record), October 1963 to September 1973 (discontinued).

Gage.--Water-stage recorder. Altitude of gage is 3,780 ft (1,150 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1948	May-June 1948	--	1,250
1949	May 16, 1949	5.11	980
1950	June 17, 1950	5.85	1,300
1951	June 15, 1951	4.36	654
1952	June 6, 1952	3.76	381
1953	June 13, 1953	3.99	490
1958	May 24, 1958	5.63	1,080
1959	June 13, 1959	5.39	1,020
1960	June 16, 1960	5.30	998
1961	June 4, 1961	4.99	840
1962	June 16, 1962	4.53	630
1963	June 5, 1963	4.29	562
1964	June 8, 1964	4.88	790
1965	June 12, 1965	4.82	765
1966	May 27, 1966	4.27	535
1967	June 6, 1967	5.14	910
1968	June 2, 1968	4.58	660
1969	May 30, 1969	5.19	940
1970	June 5, 1970	5.40	1,020
1971	May 28, 1971	4.98	840
1972	May 31, 1972	5.79	1,220
1973	May 17, 1973	4.33	560

Burnt Fork Bitterroot River near Stevensville, Mt.  
(12351000)

Location.--Lat  $46^{\circ}27'50''$ , long  $113^{\circ}56'40''$ , in NW $\frac{1}{4}$ SW $\frac{1}{4}$  sec.11, T.8 N., R.19 W., Ravalli County, 150 ft (46 m) upstream from county road bridge, and 8 mi (12.9 km) southeast of Stevensville.

Drainage area.--74.0 mi<sup>2</sup> (192 km<sup>2</sup>).

Records available.--May to November 1920, April 1922 to September 1924 (no winter records), April to June 1938, October 1938 to September 1962 (continuous record), October 1962 to September 1973 (discontinued).

Gage.--Staff gage. Crest-stage gage installed July 1959.

Altitude of gage is 4,270 ft (1,300 m), from topographic map.

Burnt Fork Bitterroot River near Stevensville, Mt.  
(12351000) -Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1920	June 16, 1920	2.16	d347
1922	June 10, 1922	2.64	d620
1923	June 19, 1923	1.92	d276
1924	May 18, 1924	1.90	d268
1938	May 28, 1938	2.92	d641
1939	May 4, 1939	1.74	d192
1940	May 25, 1940	1.40	d121
1941	June 4, 1941	1.36	d119
1942	May 26, 1942	2.12	d371
1943	June 19, 1943	2.04	d382
1944	June 19, 1944	1.50	d183
1945	June 4, 6, 1945	1.40	d139
1946	May 28, 1946	1.43	d142
1947	May 8, 9, 1947	2.20	d414
1948	May 28, 29, 1948	2.54	d565
1949	May 17, 1949	2.05	d310
1950	June 21, 1950	2.22	d379
1951	May 24, 1951	2.16	d361
1952	May 26, 1952	1.86	d233
1953	June 13, 1953	2.19	d351
1954	June 28, 1954	2.09	d300
1955	June 15, 1955	3.28	d284
1956	May 24, 1956	3.72	d414
1957	June 3, 4, 1957	3.46	d320
1958	May 21, 22, 1958	3.48	d371
1959	June 14, 1959	--	h310
1960	June 5, 1960	3.24	317
1961	June 4, 1961	3.62	411
1962	June 14, 1962	3.28	303
1963	June 5, 1963	3.35	312
1964	June 8, 1964	4.73	720
1965	June 12, 1965	4.19	530
1966	May 27, 1966	3.15	240
1967	May 23, 1967	5.82	1,100
1968	June 2, 1968	3.48	320
1969	May 21, 1969	3.93	450
1970	June 5, 1970	3.90	440
1971	June 6, 1971	3.97	510
1972	June 1, 1972	4.62	730
1973	May 17, 1973	2.89	185

## Eightmile Creek near Florence, Mt. (12351400)

Location.--Lat  $46^{\circ}39'10''$ , long  $113^{\circ}57'30''$ , in SW $\frac{1}{4}$ SW $\frac{1}{4}$  sec.2, T.10 N., R.19 W., Ravalli County, 0.6 mi (1.0 km) upstream from Granite Creek, 5 mi (8.0 km) upstream from mouth, and 6 mi (9.7 km) east of Florence.

Drainage area.--20.6 mi<sup>2</sup> (53.4 km<sup>2</sup>).

Records available.--September 1957 to September 1963 (continuous record), October 1963 to September 1973 (discontinued).

Gage.--Water-stage recorder prior to October 1963. Crest-stage gage installed October 1963. Altitude of gage is 3,800 ft (1,160 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1958	May 13, 1958	2.72	62
1959	June 6, 1959	2.06	33
1960	Apr. 10, 1960	2.03	30
1961	May 30, 1961	2.19	38
1962	May 25, 1962	2.27	36
1963	May 26, 1963	1.98	26
1964	June 8, 1964	3.60	104
1965	May 12, 1965	3.63	75
1966	Mar. 27, 1966	3.28	57
1967	June 6, 1967	2.89	57
1968	May 5, 1968	2.33	33
1969	May 20, 1969	2.70	50
1970	June 5, 1970	4.25	104
1971	May 5, 1971	3.75	65
1972	May 14, 1972	3.91	77
1973	June 14, 1973	2.08	8

## Hayes Creek near Missoula, Mt. (12352200)

Location.--Lat  $46^{\circ}48'49''$ , long  $114^{\circ}05'36''$ , in center of sec.10, T.12 N., R.20 W., Missoula County, at culvert on U.S. Highways 12 and 93, 2 mi (3.2 km) southwest of Missoula.

Drainage area.--4.16 mi<sup>2</sup> (10.8 km<sup>2</sup>).

Records available.--June 1959 to current year.

Gage.--Crest-stage gage installed June 19, 1959. Altitude of gage is 3,300 ft (1,010 m), from topographic map.

Annual maximum data.--

Water year	Date	Gage height (ft)	Discharge (cfs)
1959	(k)	0.6	3
1960	Apr. 5, 1960	3.77	56
1961	May 27, 1961	.70	4
1962	Apr. 24, 1962	1.34	14
1963	Mar. 22, 1963	.58	3
1964	May 22, 1964	1.63	21
1965	May 12, 1965	2.45	29
1966	Mar. 30, 1966	.52	2
1967	--	--	Unknown
1968	May 5, 1968	-.12	5
1969	Apr. 24, 1969	.20	14
1970	May 5, 1970	.19	14
1971	May 5, 1971	.30	18
1972	May 14, 1972	.47	29
1973	May 17, 1973	-.35	2
1974	Jan. 16, 1974	.45	25

## Ninemile Creek near Alberton, Mt. (12353250)

Location.--Lat 47°11'09", long 114°35'13", in SE¼SE¼ sec.36, T.17 N., R.24 W., Missoula County, on left bank about 400 ft (122 m) above a large right bank diversion ditch, 0.3 mi (0.5 km) west of main road, corner of fence line and tree with T.17 N., R.23 W., sign on it, 0.5 mi (0.8 km) south of Little Blue Creek, 14.2 mi (22.8 km) northwest of Alberton.

Drainage area.--50.2 mi<sup>2</sup> (130 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 15, 1973. Altitude of gage is 3,570 ft (1,090 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	4.36	1,280
1974	Jan. 16, 1974	3.07	780

## Nigger Gulch near Alberton, Mt. (12353400)

Location.--Lat 47°01'22", long 114°31'22", in NW¼ sec.33, T.15 N., R.23 W., Mineral County, at culvert on county road, 2.6 mi (4.2 km) west of Alberton.

Drainage area.--8.02 mi<sup>2</sup> (20.8 km<sup>2</sup>).

Records available.--June 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 19, 1959. Altitude of gage is 3,000 ft (914 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	0.7	23
1960	Apr. 6, 1960	.80	27
1961	May 2, 1961	.74	24
1962	May 29, 1962	.54	16
1963	May 6, 1963	.59	18
1964	June 9, 1964	1.01	67
1965	Apr. 28, 1965	2.05	170
1966	Mar. 30, 1966	.45	20
1967	May 11, 1967	.47	21
1968	May 5, 1968	.28	8
1969	Apr. 10, 1969	.62	32
1970	May 16, 1970	1.80	142
1971	May 5, 1971	.65	42
1972	Mar. 17, 1972	1.02	68
1973	May 17, 1973	.05	3



## Flat Creek near Superior, Mt. (12353700)

Location.--Lat 47°13'23", long 114°52'27", in NW¼ sec.23, T.17 N., R.26 W., Mineral County, at culvert on county road, 2 mi (3.2 km) north of Superior.

Drainage area.--13.0 mi<sup>2</sup> (33.7 km<sup>2</sup>).

Records available.--July 1959 to May 1961 (discontinued).

Gage.--Crest-stage gage installed July 3, 1959.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Apr. 6, 1960	0.31	Unknown
1961	--	--	Unknown

## Thompson Creek near Superior, Mt. (12353800)

Location.--Lat 47°11'55", long 114°55'00", in SW¼ sec.28, T.17 N., R.26 W., Mineral County, 1.2 mi (1.9 km) west of Superior.

Drainage area.--12.2 mi<sup>2</sup> (31.6 km<sup>2</sup>).

Records available.--May 1961 to current year.

Gage.--Crest-stage gage installed May 15, 1961. Altitude of gage is 2,710 ft (826 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	May 26, 1961	0.53	a55
1962	Apr. 24, 1962	.82	85
1963	Apr. 14, 1963	.15	20
1964	May 21, 1964	.53	79
1965	Apr. 14, 1965	3.0	190
1966	May 4, 1966	.09	54
1967	May 22, 1967	.57	80
1968	May 22, 1968	-.84	24
1969	May 1, 1969	-.04	56
1970	May 20, 1970	-.20	61
1971	May 13, 1971	1.07	109
1972	May 14, 1972	1.68	153
1973	May 17, 1973	-1.38	4
1974	Jan. 16, 1974	3.52	230

## East Fork Timber Creek near Haugan, Mt. (12353850)

Location.--Lat 47°24'49", long 115°24'46", in NE¼ sec.16, T.19 N., R.30 W., Mineral County, at culvert on county road, 2 mi (3.2 km) north of Haugan.

Drainage area.--2.72 mi<sup>2</sup> (7.04 km<sup>2</sup>).

Records available.--May 1961 to current year.

Gage.--Crest-stage gage installed May 15, 1961. Altitude of gage is 3,350 ft (1,020 m), from topographic map.

## East Fork Timber Creek near Haugan, Mt. (12353850)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	May 2, 1961	0.38	23
1962	Apr. 15, 1962	.82	45
1963	Apr. 14, 1963	.33	20
1964	May 22, 1964	.87	40
1965	Apr. 14, 1965	1.46	66
1966	Apr. 6, 1966	.48	27
1967	May 22, 1967	.67	42
1968	May 5, 1968	.23	15
1969	Apr. 24, 1969	.82	44
1970	May 17, 1970	.77	42
1971	May 5, 1971	1.22	55
1972	May 14, 1972	1.03	52
1973	May 17, 1973	-.12	8
1974	Jan. 16, 1974	1.14	50

## St. Regis River tributary near St. Regis, Mt. (12353900)

Location.--Lat 47°18'46", long 115°13'00", in NW¼ sec.19,  
T.18 N., R.28 W., Mineral County, at culvert on Interstate  
Highway 90 and U.S. Highway 10, 6 mi (9.7 km) west of  
St. Regis.

Drainage area.--1.16 mi<sup>2</sup> (3.00 km<sup>2</sup>).

Records available.--July 1959 to May 1961 (discontinued).

Gage.--Crest-stage gage installed July 3, 1959.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	0.5	Unknown
1960	May 9, 1960	.28	Unknown
1961	--	--	Unknown

North Fork Little Joe Creek near St. Regis, Mt.  
(12354100)

Location.--Lat 47°16'13", long 115°08'28", in SW¼SE¼ sec.34,  
T.18 N., R.28 W., Mineral County, at bridge on county road,  
3 mi (4.8 km) southwest of St. Regis.

Drainage area.--14.7 mi<sup>2</sup> (38.1 km<sup>2</sup>).

Records available.--July 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed July 3, 1959. Altitude of  
gage is 2,850 ft (869 m), from topographic map.

North Fork Little Joe Creek near St. Regis, Mt  
(12354100) -Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	May 12, 1960	1.84	179
1961	May 26, 1961	1.88	185
1962	May 27, 1962	1.16	91
1963	May 28, 1963	.95	57
1964	June 8, 1964	1.91	212
1965	May 29, 1965	1.83	200
1966	May 5, 1966	1.60	147
1967	May 22, 1967	1.61	195
1968	May 22, 1968	.79	102
1969	Apr. 30, 1969	1.42	175
1970	May 25, 1970	1.64	205
1971	May 13, 1971	1.97	262
1972	May 14, 1972	2.31	295
1973	Apr. 26, 1973	1.87	220
1974	Jan. 16, 1974	1.59	210

Big Creek at Big Creek ranger station, near Columbia Falls, Mt.  
(12355350)

Location.--Lat 48°36'07", long 114°09'55", in SW¼SW¼ sec.22, T.33 N., R.20 W., Flathead County, Flathead National Forest, on right bank, at Big Creek ranger station, 300 ft (91.4 m) upstream from North Fork road bridge, 0.4 mi (0.6 km) upstream from mouth, 16.0 mi (25.7 km) north of Columbia Falls.

Drainage area.--82.1 mi<sup>2</sup> (213 km<sup>2</sup>).

Records available.--June 1964, April 1973 to current year.

Gage.--Crest-stage gage installed Apr. 11, 1973. Altitude of gage is 3,330.58 ft (1,015.16 m), from U.S. Forest Service bench mark.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1964	June 1964	6.60	2,130
1973	June 1973	4.69	930
1974	June 21, 1974	5.76	1,600

Skyland Creek near Essex, Mt. (12356000)

Location.--Lat 48°17'30", long 113°23'10", in SE¼NW¼ sec.9, T.29 N., R.14 W., Flathead County, 10 mi (16.1 km) north-east of Essex.

Drainage area.--8.09 mi<sup>2</sup> (21.0 km<sup>2</sup>).

Records available.--January 1946 to September 1952 (continuous record), 1954, June 1959 to current year.

Gage.--Water-stage recorder re-installed June 30, 1959, destroyed June 8, 1964. Crest-stage gage installed Sept. 10, 1964. Datum of gage is 4,835.83 ft (1,473.96 m) above mean sea level, datum of 1929 (Corps of Engineers bench mark).

## Skyland Creek near Essex, Mt. (12356000)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1946	May 28, 1946	1.72	117
1947	May 9, 1947	1.84	189
1948	May 22, 1948	2.15	284
1949	May 16, 1949	1.68	126
1950	June 12, 1950	2.46	268
1951	June 15, 1951	2.05	179
1952	May 15, 1952	1.87	148
1954	May 19, 1954	2.3	230
1959	June 5, 1959	2.1	189
1960	June 3, 1960	2.00	169
1961	May 30, 1961	2.48	267
1962	May 29, 1962	1.58	93
1963	June 5, 1963	1.52	82
1964	June 8, 1964	9.55	3,580
1965	May 29, 1965	4.76	a120
1966	May 26, 1966	4.30	140
1967	June 1967	(f)	a100
1968	May 23, 1968	3.62	90
1969	Apr. 24, 1969	3.60	140
1970	June 5, 1970	3.73	198
1971	June 13, 1971	3.38	176
1972	June 17, 1972	3.48	191
1973	May 18, 1973	2.89	106
1974	June 4, 1974	3.00	166

## Moccasin Creek near West Glacier, Mt. (12357300)

Location.--Lat 48°28'54", long 113°50'51", in SW¼ sec.36,

T.32 N., R.18 W., Flathead County, at culvert on U.S. Highway 2, 6.5 mi (10.5 km) east of West Glacier.

Drainage area.--1.97 mi<sup>2</sup> (5.10 km<sup>2</sup>).

Records available.--June 1959 to September 1974 (discontinued)

Gage.--Crest-stage gage installed June 30, 1959. Altitude of gage is 3,300 ft (1,010 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	1.3	102
1960	June 3, 1960	1.29	120
1961	May 27, 1961	1.43	105
1962	Apr. 24, 1962	1.17	50
1963	May 25, 1963	1.15	48
1964	June 8, 1964	--	Not determined
1965	May 29, 1965	5.60	a490
1966	May 26, 1966	4.11	262
1967	June 6, 1967	3.96	226
1968	May 23, 1968	3.49	115
1969	Apr. 24, 1969	3.21	62
1970	May 25, 1970	3.24	64
1971	June 13, 1971	3.25	69
1972	June 1, 1972	3.53	128
1973	Apr. 23, 1973	3.84	170
1974	June 4, 1974	3.56	114



Middle Fork Flathead River tributary at West Glacier, Mt.  
(12357400)

Location.--Lat 48°29'49", long 113°57'43", in NE¼ sec.36,  
T.32 N., R.19 W., Flathead County, at culvert on U.S. High-  
way 2, 0.9 mi (1.4 km) east of West Glacier.

Drainage area.--0.10 mi<sup>2</sup> (0.26 km<sup>2</sup>).

Records available.--June 1959 to September 1974 (discontinued).

Gage.--Crest-stage gage installed June 30, 1959. Altitude of  
gage is 3,250 ft (991 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	Apr. 3, 1960	0.27	3
1961	May 2, 1961	.19	2
1962	Apr. 23, 1962	.11	1
1963	--	(f)	a.5
1964	June 8, 1964	.32	a8
1965	Apr. 21, 1965	.49	9
1966	June 4, 1966	.40	6
1967	June 6, 1967	.27	3
1968	May 24, 1968	.09	1
1969	Apr. 24, 1969	.52	a10
1970	June 1, 1970	.16	2
1971	May 3, 1971	.23	3
1972	June 1, 1972	-.20	.5
1973	May 18, 1973	.02	1
1974	Apr. 20, 1974	.28	3

Spring Creek near Stryker, Mt. (12363800)

Location.--Lat 48°37'42", long 114°40'53", in N¼ sec.15,  
T.33 N., R.24 W., Flathead County, at culvert on U.S. High-  
way 93, 5 mi (8.0 km) southeast of Stryker.

Drainage area.--3.86 mi<sup>2</sup> (10.0 km<sup>2</sup>).

Records available.--July 1959 to May 1961 (discontinued).

Gage.--Crest-stage gage installed July 1, 1959. Altitude of  
gage is 3,260 ft (994 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	0.7	12
1960	June 3, 1960	-.08	8
1961	May 15, 1961	.62	10

Rock Creek near Olney, Mt. (12363900)

Location.--Lat 48°36'44", long 114°39'04", in NE¼ sec.23,  
T.33 N., R.24 W., Flathead County, at culvert on U.S. High-  
way 93, 6 mi (9.7 km) northwest of Olney.

Drainage area.--6.18 mi<sup>2</sup> (16.0 km<sup>2</sup>).

Records available.--May 1961 to current year.

Gage.--Crest-stage gage installed May 16, 1961. Altitude of  
gage is 3,240 ft (988 m), from topographic map.



## Rock Creek near Olney, Mt. (12363900)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1961	eMay 15, 1961	1.2	24
1962	May 21, 1962	.82	13
1963	May 14, 1963	.56	6
1964	May 2, 1964	1.29	25
1965	Apr. 28, 1965	1.40	29
1966	June 4, 1966	.96	14
1967	May 24, 1967	.74	13
1968	May 24, 1968	.55	9
1969	Apr. 24, 1969	1.15	20
1970	May 17, 1970	.80	11
1971	May 3, 1971	1.03	17
1972	June 1, 1972	.80	11
1973	May 17, 1973	.51	5
1974	June 20, 1974	1.40	40

## Dayton Creek near Proctor, Mt. (12370500)

Location.--Lat 47°54'59", long 114°20'14", in NW¼ sec.20, T.25 N., R.21 W., Lake County, at culvert on county road, 2.5 mi (4.0 km) northwest of Proctor.

Drainage area.--20.9 mi<sup>2</sup> (54.1 km<sup>2</sup>).

Records available.--June 1959 to current year.

Gage.--Crest-stage gage installed June 18, 1959. Altitude of gage is 3,350 ft (1,020 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	1.3	37
1960	May 12, 1960	1.74	51
1961	May 27, 1961	3.00	93
1962	Apr. 24, 1962	1.54	45
1963	Apr. 13, 1963	.28	7
1964	June 8, 1964	1.06	29
1965	Apr. 15, 1965	5.09	131
1966	Mar. 29, 1966	1.03	28
1967	May 22, 1967	2.16	60
1968	May 14, 1968	.88	22
1969	Apr. 24, 1969	2.07	48
1970	May 21, 1970	2.21	49
1971	May 13, 1971	1.53	40
1972	May 14, 1972	2.53	70
1973	Apr. 5, 1973	.75	20
1974	Jan. 16, 1974	3.17	98

## Teepee Creek near Polson, Mt. (12370900)

Location--Lat 47°49'16", long 114°01'24", in SW¼ sec.23, T.24 N., R.19 W., Lake County, at culvert on State Highway 35, 11 mi (17.7 km) northeast of Polson.

Drainage area--2.55 mi<sup>2</sup> (6.60 km<sup>2</sup>).

Records available--June 1959 to September 1974 (discontinued).

Gage--Crest-stage gage installed June 29, 1959. Altitude of gage is 2,910 ft (887 m), from topographic map.

Annual maximum data--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	June 3, 1960	0.48	11
1961	June 2, 1961	.90	22
1962	Apr. 24, 1962	.05	4
1963	- -	(f)	al
1964	June 8, 1964	2.15	44
1965	June 12, 1965	.32	8
1966	May 26, 1966	.18	6
1967	June 6, 1967	.30	8
1968	May 22, 1968	.17	6
1969	Apr. 24, 1969	.35	9
1970	May 20, 1970	1.69	39
1971	June 13, 1971	.09	5
1972	June 1, 1972	.41	10
1973	May 17, 1973	.10	5
1974	June 21, 1974	.59	14

## Hell Roaring Creek near Polson, Mt. (12371100)

Location--Lat 47°42'10", long 114°02'37", in NW¼ sec.4, T.22 N., R.19 W., Lake County, at power house, 5.5 mi (8.8 km) east of Polson.

Drainage area--6.41 mi<sup>2</sup> (16.6 km<sup>2</sup>).

Records available--May 1917 to September 1932 (continuous record), June 1959 to September 1967 (discontinued).

Prior to 1959, published as Big Creek near Polson.

Gage--Crest-stage gage installed June 29, 1959. May 1917 to September 1932, water-stage recorder. Altitude of gage is 3,150 ft (960 m), by barometer.

## Hell Roaring Creek near Polson, Mt. (12371100)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1917	June 9, 1917	--	d104
1918	June 11-14, 1918	--	38
1919	May 27, 1919	--	69
1920	May 14, 1920	--	29.4
1921	June 7, 1921	--	23.3
1922	May 20, 1922	--	49
1923	June 22, 1923	--	29.7
1924	May 17, 1924	--	27.2
1925	May 22, 1925	--	61
1926	May 1, 1926	--	34
1927	June 11, 1927	--	61
1928	May 23, 1928	--	39.5
1929	May 25, 1929	--	33.3
1930	May 25, 1930	--	14.1
1931	Dec. 1, 1930	--	h8.3
1932	Mar. 19, 1932	--	h9.0
1948	May 1948	--	85
1959	eMay 1959	a1.3	60
1960	June 3, 1960	.81	27
1961	June 2, 1961	.93	34
1962	Apr. 24, 1962	.49	12
1963	Apr. 15, 1963	.28	5
1964	June 8, 1964	1.73	98
1965	June 12, 1965	--	a20
1966	March 1966	-1.54	6
1967	June 1967	-1.34	9

## Mill Creek near Niarada, Mt. (12374300)

Location.--Lat 47°49'53", long 114°41'14", in NW¼ sec.21, T.24 N., R.24 W., Sanders County, at bridge on county road, 3.5 mi (5.6 km) northwest of Niarada.

Drainage area.--28.0 mi<sup>2</sup> (72.5 km<sup>2</sup>).

Records available.--June 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 18, 1959. Altitude of gage is 3,000 ft (914 m), from topographic map.

## Mill Creek near Niarada, Mt. (12374300)-Continued

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	1.1	90
1960	May 13, 1960	1.00	74
1961	May 1, 1961	1.42	140
1962	Apr. 24, 1962	.97	70
1963	May 17, 1963	.78	45
1964	May 27, 1964	.91	52
1965	Apr. 15, 1965	1.43	175
1966	May 12, 1966	2.22	a250
1967	May 25, 1967	1.40	138
1968	May 22, 1968	.69	30
1969	May 30, 1969	1.14	125
1970	May 25, 1970	.97	76
1971	May 13, 1971	1.15	175
1972	May 14, 1972	1.48	184
1973	May 24, 1973	.46	17

## Sullivan Creek tributary near Niarada, Mt. (12374700)

Location.--Lat 47°53'13", long 114°34'06", in N½ sec.33,  
T.25 N., R.23 W., Sanders County, at culvert on county  
road, 5 mi (8.0 km) northeast of Niarada.

Drainage area.--0.41 mi<sup>2</sup> (1.06 km<sup>2</sup>).

Records available.--June 1959 to May 1961 (discontinued).

Gage.--Crest-stage gage installed June 18, 1959.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1960	March 1960	--	a1
1961	--	--	Unknown

## Garden Creek near Hot Springs, Mt. (12375700)

Location.--Lat 47°38'55", long 114°41'31", in SW¼ sec.20,  
T.22 N., R.24 W., Sanders County, at bridge on county road,  
3 mi (4.8 km) north of Hot Springs.

Drainage area.--3.29 mi<sup>2</sup> (8.52 km<sup>2</sup>).

Records available.--June 1959 to September 1973 (discontinued).

Gage.--Crest-stage gage installed June 18, 1959. Altitude of  
gage is 3,300 ft (1,010 m), from topographic map.

## Garden Creek near Hot Springs, Mt. (12375700)-Continued

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1959	(k)	--	a10
1960	April 1960	--	a5
1961	May 27, 1961	0.86	29
1962	May 23, 1962	.48	14
1963	May 17, 1963	.73	24
1964	May 27, 1964	1.02	a45
1965	Apr. 29, 1965	--	a100
1966	Mar. 29, 1966	-.22	16
1967	May 23, 1967	.16	40
1968	May 1968	-.30	12
1969	May 30, 1969	.31	50
1970	June 16, 1970	.52	65
1971	June 3, 1971	.07	34
1972	June 1, 1972	.57	29
1973	Apr. 27, 1973	.46	17

## McGregor Creek tributary near Marion, Mt. (12389150)

Location.--Lat 48°01'44", long 114°55'54", in NW¼NE¼ sec.10, T.26 N., R.26 W., Flathead County, on right bank 250 ft (76 m) upstream from Forest Service road, 0.4 mi (0.6 km) upstream from mouth, 13.4 mi (21.7 km) southwest of Marion.

Drainage area.--2.55 mi<sup>2</sup> (6.60 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 10, 1973. Altitude of gage is 3,850 ft (1,170 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	2.60	80
1973	--	.92	13
1974	June 12, 1974	1.07	17

## Canyon Creek near Trout Creek, Mt. (12391200)

Location.--Lat 47°51'16", long 115°29'57", in SW¼NW¼ sec.7, T.24 N., R.30 W., Sanders County, at bridge on U.S. Forest Service road, 2.9 mi (4.7 km) upstream from junction of road at mouth of Vermillion River, 4.6 mi (7.4 km) north-east of Trout Creek.

Drainage area.--8.64 mi<sup>2</sup> (22.4 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 15, 1973. Altitude of gage is 2,520 ft (768 m), from topographic map.

## Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	2.64	230
1974	May 9, 1974	2.70	250



## Skelton Creek near Noxon, Mt. (12391430)

Location.--Lat 47°57'47", long 115°53'18", in SW¼SW¼ sec.32, T.26 N., R.33 W., Sanders County, at culvert on U.S. Forest Service road, 0.4 mi (0.6 km) upstream from West Fork Pilgrim Creek, 5.7 mi (9.2 km) southwest of Noxon.

Drainage area.--2.10 mi<sup>2</sup> (5.44 km<sup>2</sup>).

Records available.--August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 9, 1973. Altitude of gage is 3,050 ft (930 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1973	--	.93	14
1974	Jan. 17, 1974	1.94	46

## Snake Creek near Noxon, Mt. (12391525)

Location.--Lat 48°07'24", long 115°45'10", in SW¼SW¼ sec.5, T.27 N., R.32 W., Sanders County, at culvert on U.S. Forest Service road, 9.0 mi (14.5 km) north of Noxon.

Drainage area.--3.11 mi<sup>2</sup> (8.05 km<sup>2</sup>).

Records available.--1972, August 1973 to current year.

Gage.--Crest-stage gage installed Aug. 9, 1973. Altitude of gage is 2,510 ft (765 m), from topographic map.

Annual maximum data.--

<u>Water year</u>	<u>Date</u>	<u>Gage height (ft)</u>	<u>Discharge (cfs)</u>
1972	--	3.87	126
1973	--	1.09	13
1974	Jan. 17, 1974	3.63	114

## Index to gaging stations

Station Name	Page
Alkali Coulee tributary near Virgelle . . . . .	41
Alkali Creek near Heath . . . . .	54
Alkali Creek near Malta . . . . .	68
Allen Creek near Park City . . . . .	92
Andresen Coulee near Custer . . . . .	98
Anderson Creek at Vananda . . . . .	101
Antelope Creek at Harlowton . . . . .	47
Antelope Creek tributary near Harlowton . . . . .	45
Antelope Creek tributary near mouth, near Harlowton . . . . .	46
Antelope Creek tributary No. 2 near Harlowton . . . . .	47
Ash Creek near Locate . . . . .	116
Armells Creek, East Fork, tributary near Colstrip . . . . .	101
Badger Creek at Biddle . . . . .	117
Basin Creek near Volborg . . . . .	112
Basin Creek tributary near Volborg . . . . .	111
Bear Canyon Creek near Bozeman . . . . .	21
Bear Creek, South Fork near Roy . . . . .	52
Bear Creek, South Fork, tributary near Roy . . . . .	52
Beaver Creek at Gibson Dam, near Augusta . . . . .	32
Beaverhead River tributary near Dillon . . . . .	13
Beaverhead River tributary No. 2 near Dillon . . . . .	13
Berry Creek near Columbus . . . . .	91
Big Creek at Big Creek ranger station, near Columbia Falls . . . . .	153
Big Muddy Creek at Plentywood . . . . .	83
Big Muddy Creek, Middle Fork, near Flaxville . . . . .	83
Big Muddy Creek tributary near Culbertson . . . . .	87
Big Sandy Creek near Assinniboine . . . . .	66
Big Sheep Creek below Muddy Creek, near Dell . . . . .	11
Black Coulee near Malta . . . . .	68
Blacktail Creek near Yaak . . . . .	138
Box Elder Creek at damsite, near Plentywood . . . . .	85
Box Elder Creek near Plentywood . . . . .	84
Box Elder Creek tributary near Albion . . . . .	129
Box Elder Creek tributary near Winnett . . . . .	53
Brian Creek near Ashland . . . . .	109
Bridger Creek near Greycliff . . . . .	89
Bruce Coulee tributary near Choteau . . . . .	40
Buckingham Coulee near Meyers . . . . .	99
Bullhook Creek near Havre . . . . .	67
Burke Gulch near Darby . . . . .	144
Burnt Fork Bitterroot River near Stevensville . . . . .	147
Butte Creek tributary near Four Buttes . . . . .	82

## Index to gaging stations - Continued

Station Name	Page
Butts Coulee near Melstone . . . . .	51
Cabin Creek near Townsend . . . . .	23
Camas Creek near Hamilton . . . . .	144
Camp Creek near Troy . . . . .	138
Canyon Creek near Birney . . . . .	108
Canyon Creek near Trout Creek . . . . .	160
Casino Creek tributary near Lewistown . . . . .	43
Castle Creek tributary near Ringling . . . . .	22
Cataract Creek near Basin . . . . .	16
Cat Creek near Cat Creek . . . . .	58
Cayuse Creek near Trego . . . . .	132
Cherry Creek tributary near Terry . . . . .	118
Clark Fork tributary near Drummond . . . . .	141
Coal Bank Creek, North Fork, near Mill Iron . . . . .	130
Cottonwood Creek near Moore . . . . .	43
Cottonwood Creek tributary near Chester . . . . .	36
Cottonwood Creek tributary No. 2 near Chester . . . . .	37
Cow Creek near Fort Howes ranger station, near Otter . . . . .	109
Cow Creek tributary near Vida . . . . .	81
Crooked Creek tributary near Shepherd . . . . .	96
Crystal Creek near East Helena . . . . .	25
Currant Creek near Roundup . . . . .	49
Cut Coulee near Mizpah . . . . .	117
Cyclone Creek near Yaak . . . . .	139
Dayton Creek near Proctor . . . . .	156
Dead Indian Coulee near Fort Benton . . . . .	37
Deep Creek below North Fork Deep Creek near Townsend . . . . .	23
Deep Creek near Baker . . . . .	120
Deep Creek near Fortine . . . . .	133
Deep Creek near Kinsey . . . . .	115
Deer Creek tributary near Volborg . . . . .	113
Dirty Creek near Martinsdale . . . . .	45
Disjardin Coulee near Malta . . . . .	69
Dog Creek near Craig . . . . .	27
Dry Ash Creek, South Fork, near Circle . . . . .	80
Dry Fork Coulee tributary near Loma . . . . .	38
Dry House Creek near Angela . . . . .	114
Duck Creek, East Fork, near Brockway . . . . .	76
Duck Creek near Brockway . . . . .	76
Duval Creek near Landusky . . . . .	45
Edwards Gulch at Drummond . . . . .	142
Eightmile Creek near Florence . . . . .	149

## Index to gaging stations - Continued

Station Name	Page
England Coulee at Hingham . . . . .	64
Favot Coulee tributary near Ledger . . . . .	55
First Hay Creek near Sidney . . . . .	126
Fish Creek near Silver Star . . . . .	15
Fivemile Creek near White Sulphur Springs . . . . .	28
Flat Creek near Superior . . . . .	151
Flathead River, Middle Fork, tributary at West Glacier . . . . .	155
Fortine Creek near Trego . . . . .	132
Fourth of July Creek near Yaak . . . . .	140
Fox Creek tributary near Lambert . . . . .	126
Froze to Death, Middle Fork, tributary near Ingomar . . . . .	100
Garden Creek near Hot Springs . . . . .	159
Gash Creek near Victor . . . . .	146
Gold Creek near Rexford . . . . .	134
Goodman Coulee near Eden . . . . .	31
Gorman Coulee near Cat Creek . . . . .	56
Gorman Coulee tributary near Cat Creek . . . . .	57
Grasshopper Creek near Dillon . . . . .	12
Griffith Creek near Glendive . . . . .	122
Griffith Creek tributary near Glendive . . . . .	123
Hayes Creek near Missoula . . . . .	149
Heines Coulee tributary near Valier . . . . .	34
Hell Roaring Creek near Polson . . . . .	157
Home Creek near Melstone . . . . .	51
Home Creek near Sumatra . . . . .	50
Hump Creek near Reed Point . . . . .	91
Idaho Creek near Alder . . . . .	14
Indian Creek at Intake . . . . .	125
Jack Creek near Volborg . . . . .	111
Jackson Creek near East Helena . . . . .	24
Jefferson River tributary near Whitehall . . . . .	15
Jefferson River tributary No. 2 near Whitehall.	16
Jefferson River tributary No. 3 near Sappington . . . . .	17
Jefferson River tributary No. 4 near Three Forks . . . . .	18
Jefferson River tributary No. 5 near Three Forks . . . . .	18
Judith River tributary near Utica . . . . .	42
Judith River tributary No. 2 near Utica . . . . .	42
Kinley Coulee near Dutton . . . . .	40
Kinley Coulee tributary near Dutton . . . . .	41

## Index to gaging stations - Continued

Station Name	Page
Kootenai Creek near Stevensville . . . . .	147
Kootenai River tributary near Rexford . . . . .	133
Krug Creek tributary near Wibaux . . . . .	123
La Grange Creek near Volborg . . . . .	113
Leaf Rock Creek near Kirby . . . . .	107
Linden Creek at Intake . . . . .	124
Little Bighorn River tributary near Wyola . . . . .	97
Little Dry Creek near Van Norman . . . . .	60
Little Jackson Creek near Libby . . . . .	134
Little Joe Creek, North Fork, near St. Regis . . . . .	152
Little Missouri River tributary near Albion . . . . .	129
Little Porcupine Creek near Forsyth . . . . .	102
Little Porcupine Creek tributary near Helena . . . . .	26
Little Sandy Creek tributary near Virgelle . . . . .	41
Livermore Creek near Babb . . . . .	61
Locate Creek tributary near Locate . . . . .	118
Logger Creek near Gallatin Gateway . . . . .	19
Lone Man Coulee near Valier . . . . .	35
Long Creek near Lakeview . . . . .	9
Long Otter Creek near Lodgegrass . . . . .	98
Lost Creek near Ringling . . . . .	22
Lost Creek tributary near Homestead . . . . .	86
Lyons Creek near Wolf Creek . . . . .	27
McClellan Creek at city diversion dam, near East Helena . . . . .	25
McCune Creek near Circle . . . . .	80
McDonald Creek at Winnett . . . . .	55
McDonald Creek, North Fork, tributary near Heath . . . . .	53
McDonald Creek, South Fork, tributary near Grassrange . . . . .	55
McGregor Creek tributary near Marion . . . . .	160
Marias River, Middle Fork Dry Fork, near Dupuyer . . . . .	33
Marias River tributary at Loma . . . . .	38
Marias River tributary No. 2 at Loma . . . . .	39
Marias River tributary No. 3 near Chester . . . . .	36
Marshall Creek near Missoula . . . . .	143
Meyers Creek near Locate . . . . .	118
Milk River, Dry Fork, near Babb . . . . .	61
Milk River Middle Fork, near Babb . . . . .	61
Milk River near Del Bonita . . . . .	62
Milk River tributary near Lohman . . . . .	67
Milk River tributary No. 2 near Glasgow . . . . .	71



## Index to gaging stations - Continued

Station Name	Page
Mill Creek near Niarada . . . . .	158
Missouri River tributary near Landusky . . . . .	44
Missouri River tributary No. 2 near Brockton . . . . .	82
Missouri River tributary No. 3 near Culbertson . . . . .	87
Missouri River tributary No. 4 near Bainville . . . . .	88
Missouri River tributary No. 5 at Culbertson . . . . .	88
Mitchell Gulch near East Helena . . . . .	24
Moccasin Creek near West Galcier . . . . .	154
Monture Creek at Forest Service boundary, near Ovando . . . . .	142
Mooney Coulee near Tampico . . . . .	71
Moose Creek near Divide . . . . .	14
Morris Creek near Drummond . . . . .	141
Muddy Creek near Dell . . . . .	10
Muddy Creek tributary near Power . . . . .	32
Musselshell River tributary near Musselshell . . . . .	50
Newland Creek near White Sulphur Springs . . . . .	29
Nigger Gulch near Alberton . . . . .	150
Ninemile Creek near Alberton . . . . .	150
North Creek near Alzada . . . . .	127
North Sunday Creek, tributary at Rock Springs . . . . .	113
North Sunday Creek, tributary No. 2 near Angela . . . . .	114
Nugget Creek near Neihart . . . . .	30
O'Fallon Creek near Ismay . . . . .	119
O'Fallon Creek tributary near Ismay . . . . .	119
Pennel Creek near Baker . . . . .	120
Peoples Creek near Libby . . . . .	135
Pitcher Creek near Bozeman . . . . .	20
Powder River tributary near Powderville . . . . .	117
Pryor Creek near Billings . . . . .	94
Red Rock River tributary near Monida . . . . .	9
Redwater River at Brockway . . . . .	77
Redwater River tributary near Brockway . . . . .	79
Reservation Creek near Miles City . . . . .	106
Richards Creek near Libby . . . . .	135
Ridgewalker Creek near Busby . . . . .	104
Rock Creek near Olney . . . . .	155
Rocky Creek near Bozeman . . . . .	20
Rosebud Creek near Forsyth . . . . .	105
Rosebud Creek near Kirby . . . . .	103
Rosebud Creek tributary near Busby . . . . .	103
Ross Creek near Troy . . . . .	137

## Index to gaging stations - Continued

Station Name	Page
Sage Creek tributary near Dell . . . . .	11
Sage Creek tributary No. 2 near Joplin . . . .	64
St. Regis River tributary near St. Regis . . .	152
Sand Creek at Sappington . . . . .	17
Sand Creek, East Fork, near Vida . . . . .	72
Sand Creek near Broadus . . . . .	116
Sarpy Creek tributary near Colstrip . . . . .	100
Second Creek tributary near Jordan . . . . .	58
Second Creek tributary No. 2 near Jordan . . .	59
Second Creek tributary No. 3 near Jordan . . .	60
Severn Gulch near Jennings . . . . .	136
Sixmile Creek tributary near Epsie . . . . .	111
Shaughnessy Creek near Libby . . . . .	137
Sheep Creek near Neihart . . . . .	30
Short Creek near Forsyth . . . . .	101
Skelton Creek near Noxon . . . . .	161
Skyland Creek near Essex . . . . .	153
Sleeping Child Creek near Hamilton . . . . .	145
Smith Gulch near Silver Bow . . . . .	140
Smith River tributary near Eden . . . . .	31
Snake Creek near Noxon . . . . .	161
Snell Creek near Hathaway . . . . .	105
Snow Coulee at Opheim . . . . .	72
Soda Creek tributary near Webster . . . . .	130
South Willow Creek tributary near Roundup . . .	49
Spring Coulee near Havre . . . . .	65
Spring Coulee, South Fork, near Havre . . . .	65
Spring Coulee tributary near Simpson . . . . .	63
Spring Creek at Highway 16, near Plentywood . .	86
Spring Creek near Ashland . . . . .	108
Spring Creek near Decker . . . . .	106
Spring Creek near Plentywood . . . . .	85
Spring Creek near Stryker . . . . .	155
Spring Creek near Wibaux . . . . .	131
Spring Creek tributary near Fallon . . . . .	121
Spring Creek tributary near Harlowton . . . . .	48
Squaw Creek near Gallatin Gateway . . . . .	19
Stebbins Creek at mouth, near Ashland . . . . .	110
Stebbins Creek near Ashland . . . . .	110
Sullivan Creek tributary near Niarada . . . . .	159
Sun River tributary near Great Falls . . . . .	33
Taylor Creek, South Fork, near Malta . . . . .	69
Teepee Creek near Polson . . . . .	157

## Index to gaging stations - Continued

Station Name	Page
Thirteenmile Creek tributary near Bloomfield .	124
Thompson Creek near Superior . . . . .	151
Tie Creek near Birney . . . . .	108
Timber Creek, East Fork, near Haugan . . . . .	151
Traux Creek near Lima . . . . .	10
Tree Coulee near Kinsey . . . . .	115
Tub Gulch near Libby . . . . .	136
Tulloch Creek tributary near Hardin . . . . .	98
Tusler Creek near Brockway . . . . .	78
Tusler Creek tributary near Brockway . . . . .	78
Twelvemile Creek near Shepherd . . . . .	96
Unger Coulee near Vandalia . . . . .	70
Unknow Creek near Bighorn . . . . .	99
Van Cleeve Coulee tributary near Sunburst . . . .	63
Walking Horse Creek near Ashland . . . . .	109
War Dance Creek near Intake . . . . .	125
Wegner Creek at Craig . . . . .	28
West Buckeye Creek near Billings . . . . .	93
West Twin Creek near Bonner . . . . .	193
Wets Creek near Billings . . . . .	93
Whitedirt Creek near Lame Deer . . . . .	104
Whitetail Creek near Yaak . . . . .	139
Willow Creek near Alzada . . . . .	128
Willow Creek near Corvallis . . . . .	145
Willow Creek tributary near Fort Peck . . . . .	71
Wolf Creek, East Fork, near Lustre . . . . .	73
Wolf Creek near Hammond . . . . .	128
Wolf Creek near Wolf Point . . . . .	75
Wolf Creek tributary near Libby . . . . .	135
Wolf Creek tributary near Vida . . . . .	82
Wolf Creek tributary near Wolf Point . . . . .	74
Wolf Creek tributary No. 2 near Wolf Point . . .	74
Wolf Creek, West Fork, near Lustre . . . . .	73
Work Creek near Reed Point . . . . .	90
Yellowstone River tributary near Greycliff . .	89
Yellowstone River tributary No. 2 near Pompeys Pillar . . . . .	97
Yellowstone River tributary No. 4 near Fallon .	121
Yellowstone River tributary No. 5 near Marsh .	122
Yellowstone River tributary No. 6 near Glendive	123
Zulu Creek near Yaak . . . . .	138






FIGURE 1.-LOCATION OF CURRENT CREST STAGE GAGE STATIONS








FIGURE 2.-LOCATION OF DISCONTINUED CREST STAGE GAGE STATION





